
Interactive version

# Catalog

2026



atlas concorde

# One Space

the Atlas Concorde ceramic ecosystem

atlas concorde



Surfaces and decors for indoor and outdoor

atlasPLAN



Large slabs for floor, wall and furniture

atlas concorde habitat



Furniture

# Index


**Product finder**

- ALPHABETICAL INDEX
- LOOK INDEX
- PORCELAIN TILES SIZE INDEX
- OUTDOOR SIZE INDEX
- WALL TILES SIZE INDEX

**Porcelain tiles surface range**

**Wall tiles surface range**

**Company**

**Collections**

- 3D WALL
- CONCRETE & RESIN LOOK
- METAL LOOK
- MARBLE LOOK
- STONE LOOK
- WOOD LOOK
- FABRIC LOOK

**Trim tiles**

**Large sizes**

**Slabs for countertops & furniture**

**Furniture**

**Facades**

**Safety requirements**

**Technical specifications**

- Velvetech
- Sensitech
- Certifications
- Technical specification
- Destinations of use
- Color-Shading
- Laying suggestions, cleaning and maintenance
- Packing
- General sales conditions


atlasconcorde.com >
CATALOGS DOWNLOAD

# Alphabetical Index


70 3D WALL CARVE (2)
74 3D WALL DESIGN
78 3D WALL PLASTER
80 BOOST
88 BOOST BALANCE
96 BOOST COLOR
104 BOOST EXPRESSION (1)
220 BOOST ICOR
228 BOOST MINERAL
234 BOOST MIX
112 BOOST NATURAL (1)
120 BOOST NATURAL PRO
126 BOOST PRO
238 BOOST STONE
134 BOOST VISION
244 BRAVE
264 ENTICE
268 ETIC
270 ETIC PRO
272 EXENCE
276 HEARTWOOD
250 LIMS
280 LOG
288 LOG CANSEI
292 LOG SELECT
148 MARVEL
152 MARVEL 3D
156 MARVEL DIVA
164 MARVEL DREAM
166 MARVEL EPIC
170 MARVEL GALA (1)
174 MARVEL GEMS
176 MARVEL MERAVIGLIA (2)
186 MARVEL ONYX
190 MARVEL SHINE
196 MARVEL STONE Marble Look
200 MARVEL T
206 MARVEL TRAVERTINE (1)
212 MARVEL X (1)
258 NORDE
252 NYRA
140 PRISM
298 VEST


(1) reddot winner

(2) Design Plus ADI

# Look Index

## 3D Wall


70 3D WALL CARVE (2)
74 3D WALL DESIGN
78 3D WALL PLASTER
152 MARVEL 3D


## Concrete & Resin Look


80 BOOST
88 BOOST BALANCE
96 BOOST COLOR
104 BOOST EXPRESSION (1)
112 BOOST NATURAL (1)
120 BOOST NATURAL PRO
126 BOOST PRO
134 BOOST VISION
140 PRISM


## Metal Look


134 BOOST VISION


## Marble Look


148 MARVEL
152 MARVEL 3D
156 MARVEL DIVA
164 MARVEL DREAM
166 MARVEL EPIC
170 MARVEL GALA (1)
174 MARVEL GEMS
176 MARVEL MERAVIGLIA (2)
186 MARVEL ONYX
190 MARVEL SHINE
196 MARVEL STONE Marble Look
200 MARVEL T
206 MARVEL TRAVERTINE (1)
212 MARVEL X (1)


## Stone Look


220 BOOST ICOR
228 BOOST MINERAL
234 BOOST MIX
238 BOOST STONE
244 BRAVE
250 LIMS
206 MARVEL TRAVERTINE (1)
258 NORDE
252 NYRA


## Wood Look


264 ENTICE
268 ETIC
270 ETIC PRO
272 EXENCE
276 HEARTWOOD
280 LOG
288 LOG CANSEI
292 LOG SELECT


## Fabric Look



298 VEST

# Porcelain Tiles Size Index

**162x324**
**159x324**

358 SLABS FOR COUNTERTOPS & FURNITURE

**160x320**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 228 | BOOST MINERAL | Stone Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Concrete Look |
| 148 | MARVEL | Marble Look |
| 156 | MARVEL DIVA | Marble Look |
| 166 | MARVEL EPIC | Marble Look |
| 170 | MARVEL GALA | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |

**120x278**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 96 | BOOST COLOR | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 234 | BOOST MIX | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Metal Look |
| 134 | BOOST VISION | Concrete Look |
| 250 | LIMS | Stone Look |
| 280 | LOG | Wood Look |
| 148 | MARVEL | Marble Look |
| 156 | MARVEL DIVA | Marble Look |
| 164 | MARVEL DREAM | Marble Look |
| 166 | MARVEL EPIC | Marble Look |
| 170 | MARVEL GALA | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |
| 140 | PRISM | Concrete Look |
| 298 | VEST | Fabric Look |

**120x240**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 126 | BOOST PRO | Concrete Look |
| 148 | MARVEL | Marble Look |
| 156 | MARVEL DIVA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |

**120x120**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 234 | BOOST MIX | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Concrete Look |
| 250 | LIMS | Stone Look |
| 280 | LOG | Wood Look |
| 148 | MARVEL | Marble Look |
| 156 | MARVEL DIVA | Marble Look |
| 166 | MARVEL EPIC | Marble Look |
| 170 | MARVEL GALA | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |
| 140 | PRISM | Concrete Look |

**75x150**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 126 | BOOST PRO | Concrete Look |
| 244 | BRAVE | Stone Look |
| 250 | LIMS | Stone Look |
| 148 | MARVEL | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |

**80x80**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Concrete Look |
| 200 | MARVEL T | Marble Look |
| 252 | NYRA | Stone Look |

**60x120**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 234 | BOOST MIX | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Metal Look |
| 134 | BOOST VISION | Concrete Look |
| 148 | MARVEL | Marble Look |
| 156 | MARVEL DIVA | Marble Look |
| 164 | MARVEL DREAM | Marble Look |
| 166 | MARVEL EPIC | Marble Look |
| 170 | MARVEL GALA | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |
| 258 | NORDE | Stone Look |
| 140 | PRISM | Concrete Look |

**60x60**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 234 | BOOST MIX | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Concrete Look |
| 244 | BRAVE | Stone Look |
| 280 | LOG | Wood Look |
| 148 | MARVEL | Marble Look |
| 174 | MARVEL GEMS | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 186 | MARVEL ONYX | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |
| 258 | NORDE | Stone Look |
| 140 | PRISM | Concrete Look |

**30x60**



| | | |
|---|---|---|
| 80 | BOOST | Concrete Look |
| 88 | BOOST BALANCE | Concrete Look |
| 104 | BOOST EXPRESSION | Concrete Look |
| 220 | BOOST ICOR | Stone Look |
| 228 | BOOST MINERAL | Stone Look |
| 234 | BOOST MIX | Stone Look |
| 112 | BOOST NATURAL | Concrete Look |
| 120 | BOOST NATURAL PRO | Concrete Look |
| 126 | BOOST PRO | Concrete Look |
| 238 | BOOST STONE | Stone Look |
| 134 | BOOST VISION | Concrete Look |
| 244 | BRAVE | Stone Look |
| 148 | MARVEL | Marble Look |
| 176 | MARVEL MERAVIGLIA | Marble Look |
| 190 | MARVEL SHINE | Marble Look |
| 196 | MARVEL STONE | Marble Look |
| 200 | MARVEL T | Marble Look |
| 206 | MARVEL TRAVERTINE | Marble Look |
| 212 | MARVEL X | Marble Look |
| 252 | NYRA | Stone Look |
| 258 | NORDE | Stone Look |
| 140 | PRISM | Concrete Look |

**25x150**



| | | |
|---|---|---|
| 270 | ETIC PRO | Wood Look |

**18,5x150**



| | | |
|---|---|---|
| 264 | ENTICE | Wood Look |
| 272 | EXENCE | Wood Look |
| 276 | HEARTWOOD | Wood Look |
| 280 | LOG | Wood Look |
| 288 | LOG CANSEI | Wood Look |
| 292 | LOG SELECT | Wood Look |

**20x186**



| | | |
|---|---|---|
| 280 | LOG | Wood Look |
| 292 | LOG SELECT | Wood Look |

**20x120**



| | | |
|---|---|---|
| 264 | ENTICE | Wood Look |
| 272 | EXENCE | Wood Look |
| 276 | HEARTWOOD | Wood Look |
| 280 | LOG | Wood Look |
| 288 | LOG CANSEI | Wood Look |
| 292 | LOG SELECT | Wood Look |

**22,5x90**



| | | |
|---|---|---|
| 268 | ETIC | Wood Look |
| 270 | ETIC PRO | Wood Look |


INDEX

PRODUCT FINDER
ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Outdoor Size Index

| | | | | |
|---|---|---|---|---|
| **120x120** | **80** | BOOST | 9/20 mm | Concrete Look |
| | **88** | BOOST BALANCE | 9/20 mm | Concrete Look |
| | **104** | BOOST EXPRESSION | 9/20 mm | Concrete Look |
| | **220** | BOOST ICOR | 20 mm | Stone Look |
| | **228** | BOOST MINERAL | 20 mm | Stone Look |
| | **234** | BOOST MIX | 20 mm | Stone Look |
| | **112** | BOOST NATURAL | 9/20 mm | Concrete Look |
| | **120** | BOOST NATURAL PRO | 9/20 mm | Concrete Look |
| | **126** | BOOST PRO | 9/20 mm | Concrete Look |
| | **238** | BOOST STONE | 20 mm | Stone Look |
| | **134** | BOOST VISION | 9/20 mm | Concrete Look |
| | **252** | NYRA | 20 mm | Stone Look |
| **60x120** | **80** | BOOST | 20 mm | Concrete Look |
| | **88** | BOOST BALANCE | 9/20 mm | Concrete Look |
| | **104** | BOOST EXPRESSION | 9/20 mm | Concrete Look |
| | **220** | BOOST ICOR | 9/20 mm | Stone Look |
| | **228** | BOOST MINERAL | 9/20 mm | Stone Look |
| | **234** | BOOST MIX | 20 mm | Stone Look |
| | **112** | BOOST NATURAL | 9 mm | Concrete Look |
| | **120** | BOOST NATURAL PRO | 9/20 mm | Concrete Look |
| | **126** | BOOST PRO | 20 mm | Concrete Look |
| | **238** | BOOST STONE | 9/20 mm | Stone Look |
| | **134** | BOOST VISION | 20 mm | Concrete Look |
| | **244** | BRAVE | 20 mm | Stone Look |
| | **250** | LIMS | 20 mm | Stone Look |
| | **280** | LOG | 20 mm | Wood Look |
| | **176** | MARVEL MERAVIGLIA | 20 mm | Marble Look |
| | **200** | MARVEL T | 9/20 mm | Marble Look |
| | **206** | MARVEL TRAVERTINE | 9/20 mm | Marble Look |
| | **212** | MARVEL X | 20 mm | Marble Look |
| | **258** | NORDE | 9/20 mm | Stone Look |
| | **252** | NYRA | 9/20 mm | Stone Look |
| **80x80** | **80** | BOOST | 20 mm | Concrete Look |
| | **104** | BOOST EXPRESSION | 20 mm | Concrete Look |
| | **220** | BOOST ICOR | 20 mm | Stone Look |
| | **126** | BOOST PRO | 20 mm | Concrete Look |
| | **134** | BOOST VISION | 9 mm | Concrete Look |
| | **258** | NORDE | 20 mm | Stone Look |
| | **252** | NYRA | 20 mm | Stone Look |
| **60x90** | **228** | BOOST MINERAL | 20 mm | Stone Look |
| | **258** | NORDE | 20 mm | Stone Look |
| **60x60** | **80** | BOOST | 20 mm | Concrete Look |
| | **88** | BOOST BALANCE | 20 mm | Concrete Look |
| | **104** | BOOST EXPRESSION | 20 mm | Concrete Look |
| | **220** | BOOST ICOR | 20 mm | Stone Look |
| | **228** | BOOST MINERAL | 9/20 mm | Stone Look |
| | **234** | BOOST MIX | 20 mm | Stone Look |
| | **112** | BOOST NATURAL | 20 mm | Concrete Look |
| | **120** | BOOST NATURAL PRO | 20 mm | Concrete Look |
| | **126** | BOOST PRO | 20 mm | Concrete Look |
| | **238** | BOOST STONE | 20 mm | Stone Look |
| | **134** | BOOST VISION | 20 mm | Concrete Look |
| | **244** | BRAVE | 20 mm | Stone Look |
| | **250** | LIMS | 20 mm | Stone Look |
| | **252** | NYRA | 9/20 mm | Stone Look |
| | **258** | NORDE | 20 mm | Stone Look |
| **30x60** | **220** | BOOST ICOR | 9 mm | Stone Look |
| | **234** | BOOST MIX | 9 mm | Stone Look |
| | **238** | BOOST STONE | 9 mm | Stone Look |
| | **244** | BRAVE | 9 mm | Stone Look |
| | **258** | NORDE | 9 mm | Stone Look |
| | **252** | NYRA | 9 mm | Stone Look |
| **18,5x150** | **272** | EXENCE | 9 mm | Wood Look |
| **30x120** | **264** | ENTICE | 20 mm | Wood Look |
| | **270** | ETIC PRO | 20 mm | Wood Look |
| | **272** | EXENCE | 20 mm | Wood Look |
| | **280** | LOG | 20 mm | Wood Look |
| | **292** | LOG SELECT | 20 mm | Wood Look |
| **20x120** | **264** | ENTICE | 9 mm | Wood Look |
| | **280** | LOG | 9 mm | Wood Look |
| | **288** | LOG CANSEI | 9 mm | Wood Look |
| | **292** | LOG SELECT | 9 mm | Wood Look |

DOWNLOAD >
**OUTDOOR CATALOG**

# Wall Tiles Size Index

| | | | |
|---|---|---|---|
| **50x120** | **74** | 3D WALL DESIGN | |
| | **78** | 3D WALL PLASTER | |
| | **152** | MARVEL 3D | Marble Look |
| | **100** | BOOST COLOR | Concrete Look |
| | **110** | BOOST EXPRESSION | Concrete Look |
| | **227** | BOOST ICOR | Stone Look |
| | **118** | BOOST NATURAL | Concrete Look |
| | **124** | BOOST NATURAL PRO | Concrete Look |
| | **139** | BOOST VISION | Concrete Look |
| | **287** | LOG | Wood Look |
| | **162** | MARVEL DIVA | Marble Look |
| | **205** | MARVEL T | Marble Look |
| | **257** | NYRA | Stone Look |
| | **145** | PRISM | Concrete Look |
| | **301** | VEST | Fabric Look |
| **40x80** | **70** | 3D WALL CARVE | |
| | **74** | 3D WALL DESIGN | |
| | **86** | BOOST | Concrete Look |
| | **132** | BOOST PRO | Concrete Look |
| | **139** | BOOST VISION | Concrete Look |
| | **248** | BRAVE | Stone Look |
| | **205** | MARVEL T | Marble Look |
| | **257** | NYRA | Stone Look |
| **30,5x56** | **74** | 3D WALL DESIGN | |
| | **149** | MARVEL | Marble Look |

INDEX
PRODUCT FINDER
ALPHABETICAL INDEX
LOOK INDEX
PORCELAIN TILES SIZE INDEX
OUTDOOR TILES SIZE INDEX
WALL TILES SIZES INDEX
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Porcelain Tiles
# Concrete & Resin Look







Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS





Porcelain Tiles —— CONCRETE & RESIN LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Porcelain Tiles
# **Marble Look**






Porcelain Tiles —— MARBLE LOOK


INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— MARBLE LOOK

Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS





Porcelain Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Porcelain Tiles
# **Stone Look**







Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Porcelain Tiles —— STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Porcelain Tiles
# **Wood Look**






Porcelain Tiles —— WOOD LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS














































































# Porcelain Tiles
# **Fabric Look**













# Porcelain Tiles
# **Metal Look**














Porcelain Tiles —— WOOD, FABRIC & METAL LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall Tiles
# 3D Wall






Wall Tiles —— 3D WALL

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




Wall Tiles —— 3D WALL

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall Tiles
# **Fabric Look**


















# Wall Tiles
# **Stone Look**






























































Wall Tiles —— FABRIC & STONE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Wall Tiles
# Concrete Look






Wall Tiles —— CONCRETE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS




# Wall Tiles
# **Wood Look**








Wall Tiles —— CONCRETE & WOOD LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall Tiles
# **Marble Look**



















































































Wall Tiles —— MARBLE LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall Tiles
# Color Look











Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS








Wall Tiles —— COLOR LOOK

INDEX
PRODUCT FINDER
SURFACE RANGE
PORCELAIN TILES
WALL TILES
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



# Company


- ABOUT US
- THREE BRANDS ONE SPACE
- OUR WORLDS
- WITH DESIGNERS, FOR DESIGNERS
- DESIGN AWARDS
- STUDIOS
- INTERNATIONAL LEADERSHIP
- TECHNOLOGIES
- RESPONSIBILITY AND CERTIFICATIONS
- PROJECTS

**OUR MISSION**

**Modernizing spaces** around the world through our elegant and refined style.


**OUR VISION**

**Enriching spaces** around the world with the beauty of Italian design.

**OUR WAY**

Made to Excel: **being both high-performing and supportive** of individuals.

# History




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS





# One Space

the Atlas Concorde ceramic ecosystem

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Our Worlds



## BOOSTWORLD

The modern soul of concrete-effect in a wide selection.



## NYRAWORLD

Stone-effect surfaces with biophilic approach and sophisticated textures.



## MARVELWORLD

A benchmark for ceramic marble-effect.



## LOGWORLD

A renewed and elevated vision of wood.



## 3DWALLWORLD

Light-shaped 3D wall surfaces for design spaces.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# With designers, for designers

We work with top international designers to create unique designs.



PIERO LISSONI



MATTEO BRIONI



MARIO FERRARINI



MATTIA PARMIGGIANI



ELISA OSSINO



ZAHA HADID ARCHITECTS




ALBERTO APOSTOLI



ARMANDO & ELENA FERRIANI



HIRSCH BEDNER ASSOCIATES



ARCHEA ASSOCIATI



PARK

# Design awards

Our products compete for top awards and international recognition.

## Red Dot Design Award

One of the most prestigious awards in the design sector, with particular reference to the technology sector.

2023 - MARVEL TRAVERTINE DECORS
2023 - MARVEL GALA
2023 - MARVEL X-HAMMERED SURFACE
2022 - BOOST NATURAL
2022 - DIALOGO
2022 - APLOMB
2025 - BOOST EXPRESSION

## ADI Design Index

The yearbook held by the Associazione per il Disegno Industriale which each year identifies the best Italian design put into production.

2024 - MARVEL MERAVIGLIA DIAMOND POLISHED
2023 - SENSITECH SURFACE
2022 - 3D WALL CARVE










INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Studios

We have adopted a strategy of visibility in major international design hotspots, opening spaces that can support architects, interior designers and customers in their projects.



Atlas Concorde Park Studio



Atlas Concorde Studio Milano



Atlas Concorde Studio Parigi




Atlas Concorde Studio London




Atlas Concorde Studio Lione



Atlas Concorde Studio Dubai



Atlas Concorde Studio Nashville





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# International leadership

HEADQUARTERS
ATLAS CONCORDE PARK STUDIO

Fiorano Modenese, IT

## 6 STUDIOS


Dubai, AE
London, UK
Lyon, FR
Milan, IT
Nashville, US
Paris, FR

## 40 STORES

Aberystwyth, UK
Abidjan, CI
Athens, GR
Baghdad, IQ
Beirut, LB
Belgrade, RS
Bucharest, RO
Ekaterinburg, RU
Gurgaon, IN
Kampala, UG
Kazan, RU
Lahore, PK
Lille, FR
Lipetsk RU
Madrid, ES
Manama, BH
Moscow, RU (10)
Muscat, OM
Nizhny Novgorod, RU (2)
Oftringen, CH
Petaling Jaya, MY
St. Petersburg, RU
Seoul, KR
Tel Aviv, IL
Vienna, AT
Vladivostok RU
Voronezh RU
Wan Chai, HK (3)

## 8 REPRESENTATIVE OFFICES

Beijing, CN
Dania Beach, US
Kiev, UA
Moscow, RU
Riga, LV
St. Petersburg, RU
Seoul, KR
Sydney, AU




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Technologies

Each of our patented technologies enhances technical and aesthetic qualities.

## Sensitech

Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States. The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.

High slip resistance | Soft to the touch



## Velvetech

Velvetech is the new technology patented in Italy, with silk-like reflections and a velvety soft hand. The naturalness of the surface is emphasised by areas of different opacity that contribute to the depth of the surface.

Medium reflection surface | Velvety soft hand



## NATURA-VEIN™ TECH

Natura Vein Tech is Atlas Plan's technological innovation for marble-effect porcelain slabs with through vein.

Through vein



## NATURA-BODY™ TECH

Natura Body Tech is Atlas Plan's technology to reproduce the aesthetics of natural stone both on the surface and in the body of the slab.

Full body slabs







INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Responsibility

Our commitment for the environment.

## Circularity

- 100% of cooked and raw waste recovered internally
- 90% recovered waste
- 100% water recovered for internal use
- 100% recyclable packaging materials

## Environment, health and safety

- Advanced purification systems, which contribute to the containment of atmospheric emissions
- Reduction of $CO_2$ emissions due to automated vertical warehouse
- RTO system to reduce harmful emissions and odours
- 0% lead, cadmium, and other dangerous substances in products
- All Atlas Concorde surfaces do not release harmful levels of VOCs (Volatile Organic Compounds)

## Reduction & self-production of energy

- Heat recoveries from industrial furnaces
- Efficient methane gas cogeneration plant
- 100% LED light
- Recovery of residual heat energy by tube heat exchangers
- Photovoltaic system producing over 4 GWh annually

Ceramics of Italy

MADE IN ITALY

For Atlas Concorde, being Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.



# Certifications

## Ratings and memberships

## Company certifications

## Product certifications

## Product declarations

## Certifications for export to international markets*

## Certification for buildings

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

atlasconcorde.com

cstb.fr

- **Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.
- **Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Egypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компания имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.(1

(1) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: Décembre 2025
(2) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it
(4) **All Atlas Concorde porcelain tiles and wall tiles products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings**. - Tutti i prodotti Atlas Concorde in gres porcellanato e in monoporosa possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Projects

Our projects around the world.


Sky Pool, London, UK


Al Bayt Stadium, Al Khor, QA


Dubai Mall, Dubai, UAE


Ladybug Villa, Bodrum, TR


Fendi Chateau Residences, Punta del Estein, UY


Emeral Maldives Resort & Spa, MV


Children's Surgical Hospital, Entebbe, UG


Newton Station, Adelaide, AUS


Business Center Montana, United States, USA





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



# Collections

## 3D Wall

- 3D WALL CARVE — In collaboration with **Piero Lissoni**
- 3D WALL DESIGN
- 3D WALL PLASTER
- MARVEL 3D

## Concrete & Resin look

- BOOST
- BOOST BALANCE
- BOOST COLOR — In collaboration with **Piero Lissoni**
- BOOST EXPRESSION — In collaboration with **Elisa Ossino**
- BOOST NATURAL — In collaboration with **Matteo Brioni**
- BOOST NATURAL PRO — In collaboration with **Matteo Brioni**
- BOOST PRO
- BOOST VISION — In collaboration with **PARK**
- PRISM — In collaboration with **Piero Lissoni**

## Metal look

- BOOST VISION — In collaboration with **PARK**

## Marble Look

- MARVEL
- MARVEL 3D
- MARVEL DIVA
- MARVEL DREAM
- MARVEL EPIC
- MARVEL GALA
- MARVEL GEMS
- MARVEL MERAVIGLIA — In collaboration with **Zaha Hadid Architects**
- MARVEL ONYX
- MARVEL SHINE
- MARVEL STONE
- MARVEL T — In collaboration with **HBA**
- MARVEL TRAVERTINE — In collaboration with **HBA**
- MARVEL X

## Stone Look

- BOOST ICOR
- BOOST MINERAL
- BOOST MIX
- BOOST STONE
- BRAVE
- LIMS
- MARVEL TRAVERTINE — In collaboration with **HBA**
- NYRA
- NORDE

## Wood Look

- ENTICE
- ETIC
- ETIC PRO
- EXENCE
- HEARTWOOD
- LOG
- LOG CANSEI
- LOG SELECT

## Fabric Look

- VEST





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# 3D Wall Carve



**Stone Inspiration.**
Inspired by hand-carved stone.

**Relief Definition.**
Special glaze for ultra-high relief definition.

**Natural Colors.**
Realistic stone effect in three modern, natural colors.

COLLECTION CATALOG

VIDEO

Wall





































## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **40x80 cm** - 15³/₄"x31¹/₂" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# 3D Wall Carve

## Wall Tiles

V1 Uniform Appearance

### MATTE SURFACE

Wall

**8,5 mm**
**40x80 cm** - 15 3/4"x31 1/2"
A57T 3D Wall Carve Field White
A57U 3D Wall Carve Field Pearl
A57V 3D Wall Carve Field Ivory

**8,5 mm 3D WALL**
**40x80 cm** - 15 3/4"x31 1/2"
A572 3D Wall Carve Chisel White
A573 3D Wall Carve Chisel Pearl
A574 3D Wall Carve Chisel Ivory
A575 3D Wall Carve Whittle White
A576 3D Wall Carve Whittle Pearl
A577 3D Wall Carve Whittle Ivory
A578 3D Wall Carve Leaf White
A58A 3D Wall Carve Leaf Pearl
A579 3D Wall Carve Leaf Ivory

### TRIM TILES

1,4x40 cm - 5/8"x15 3/4"
A6OA 3D Wall Carve Field White Corner 40 *
A6OB 3D Wall Carve Field Pearl Corner 40 *
A6OC 3D Wall Carve Field Ivory Corner 40 *

1,4x1,4 cm - 5/8"x5/8"
A6OD 3D Wall Carve Field White Corner A.E. *
A6OE 3D Wall Carve Field Pearl Corner A.E. *
A6OF 3D Wall Carve Field Ivory Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготовляются на заказ










INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# 3D Wall Design



**Outstanding relief.**
Striking 3D surfaces with dramatic impact.

**Soft Surface.**
Ultra-smooth finish.

**Modern Geometry.**
Striking patterns shaped by light.

**Vibrant contrasts.**
Dynamic textures to create emotional spaces.





3D WALL WORLD CATALOG

VIDEO

Wall










## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⅝"x47¼" | 8,5 mm | Matte, Shiny |
| **40x80 cm** - 15¾"x31½" | 10 mm | Matte |
| **40x80 cm** - 15¾"x31½" | 8,5 mm | Matte, Shiny |
| **30,5x56 cm** - 12"x22" | 9,5 mm | Matte |
| **30,5x56 cm** - 12"x22" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# 3D Wall Design

V1 Uniform Appearance

## Wall Tiles

### MATTE SURFACE

Wall

**± 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
A6BF 3D Wall Design Solid White

**± 10 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8DBW 3D Wall Design 3D Blade White [2]
8DDI 3D Wall Design 3D Diamond White [2]
8DUW 3D Wall Design 3D Dune White [2]
8DUS 3D Wall Design 3D Dune Sand [2]
8DSM 3D Wall Design 3D Twist Sage [2]

**± 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8DSO 3D Wall Design Solid White
8DSA 3D Wall Design Solid Sand

**± 9,5 mm**
**30,5x56 cm** - 12"x22"
9D5B 3D Wall Design 3D Ultra Blade White [2]
9D5W 3D Wall Design 3D Wave White [2]

**± 8,5 mm**
**30,5x56 cm** - 12"x22"
9D5S 3D Wall Design Solid White

### SHINY SURFACE

**± 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8DSL 3D Wall Design Solid White Glossy

### TRIM TILES

LD8W Spigolo 8,5mm White
0,8x20 cm - ³/₈"x7⁷/₈"

A8DW Spigolo 8,5mm White A.E.
0,8x0,8 cm - ³/₈"x³/₈"

LDWM Spigolo 10mm White * [1]
1x20 cm - ³/₈"x7⁷/₈"

LDWG Spigolo 10mm White Glossy * [1]
1x20 cm - ³/₈"x7⁷/₈"

LDAM Spigolo 10mm Sand * [1]
1x20 cm - ³/₈"x7⁷/₈"

LDNM Spigolo 10mm Night * [1]
1x20 cm - ³/₈"x7⁷/₈"

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготовляются на заказ

[1] **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Stärke von 10-11 mm kombinierbar - la arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм

[2] **Registered Community Design**







SOLID WHITE MATTE


SOLID WHITE GLOSSY


SOLID SAND MATTE


3D DUNE WHITE MATTE


3D DUNE SAND MATTE


3D ULTRA BLADE WHITE MATTE


3D BLADE WHITE MATTE


3D DIAMOND WHITE MATTE


3D TWIST SAGE MATTE

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# 3D Wall Plaster



**Plaster inspiration.**
3D surfaces inspired by artistic plaster techniques.

**Richness of details.**
From distant vibrant surfaces, up close the details of matter.

**White.**
The essence of minimalism and design. A timeless best-seller.

**Outstanding matching.**
Pairs beautifully with wood-effect floor surfaces.





COLLECTION CATALOG

VIDEO

Wall


PLAIN


ORIGAMI


BLOOM


COMBED


JASMINE


BARCODE

## Wall Tiles RECTIFIED MONOCALIBER

**MATTE SURFACE** —— Wall

**± 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AHQT 3D Wall Plaster Plain White

**± 8,5 mm 3D WALL**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AHQU 3D Wall Plaster Origami White
AHQV 3D Wall Plaster Bloom White
AHQW 3D Wall Plaster Jasmine White
AHQX 3D Wall Plaster Combed White
AHQY 3D Wall Plaster Barcode White

V1 Uniform Appearance

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost




**Bold Personality.**
Industrial concrete for modern interiors.

**Urban Details.**
Raw and rich in striking graphic details.

**Stylish tones.**
Warm hues from oxidation effects, balanced by cool cement-like tones.

**Endless possibilities.**
A complete size selection for all projects.





COLLECTION
CATALOG

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades












FIND WARM COLORS IN
Boost Pro p. 126

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¼"x109½" | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¼"x94½" | ± 9 mm | Matte Sensitech **R10 B** |
| **120x120 cm** - 47¼"x47¼" | ± 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¼"x47¼" | ± 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29½"x59 | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⅝"x47¼" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31½"x31½" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⅝"x23⅝" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11¾"x23⅝" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47¼"x47¼" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¼"x47¼" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⅝"x47¼" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31½"x31½" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⅝"x23⅝" | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Hammered **R9 A** |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63¾"x127½"<br>NON-RECTIFIED | ± 12 mm | Hammered |




















FIND WARM COLORS IN
Boost Pro p. 126

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15¾"x31½" | ± 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **40x80 cm** - 15¾"x31½" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost

## Porcelain Tiles

MEDIUM TRAFFIC: Matte ǂ 6 mm · Matte Sensitech ǂ 6 mm · Hammered ǂ 6 mm

HEAVY TRAFFIC: Matte Sensitech ǂ 9 mm · Grip Sensitech ǂ 9 mm · Outdoor Sensitech ǂ 20 mm

**R9 A** Matte ǂ 6 mm
**R10 B** Matte Sensitech ǂ 6 - 9 mm
**R11 C** Grip Sensitech ǂ 9 mm
**R11 C** Outdoor Sensitech ǂ 20 mm

V3 Moderate Variation

### MATTE SURFACE

Floor — Wall

**ǂ 6 mm**
**160x320 cm** - 63"x126"
AO5Z Boost White Hammered
AO5Ø Boost Smoke Hammered
A68I Boost Grey Hammered
A68J Boost Tarmac Hammered

**ǂ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AØBD Boost White
AØBE Boost Pearl
AØBF Boost Grey
AØBG Boost Smoke
AOQB Boost Tarmac

**ǂ 6 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A2TK Boost White
A2TM Boost Pearl
A2TN Boost Grey
A2TO Boost Smoke
A2TP Boost Tarmac

Sensitech
**ǂ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AMGD Boost White
AMGE Boost Pearl
AMGF Boost Grey
AMGG Boost Smoke
AMGH Boost Tarmac

Sensitech
**ǂ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AMGI Boost White
AMGJ Boost Pearl
AMGK Boost Grey
AMGL Boost Smoke
AMGM Boost Tarmac

Sensitech
**ǂ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
A9Q5 Boost White
A9Q4 Boost Pearl
A9Q3 Boost Grey
A9Q2 Boost Smoke
A9Q1 Boost Tarmac

Sensitech
**ǂ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AMH3 Boost White
AMH4 Boost Pearl
AMH5 Boost Grey
AMH6 Boost Smoke
AMH7 Boost Tarmac

Sensitech
**ǂ 9 mm**
**75x150 cm** - 29 1/2"x59"
A7GV Boost White
A7GW Boost Pearl
A7GX Boost Grey
A7GY Boost Smoke
A7GZ Boost Tarmac

Sensitech
**ǂ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AØMO Boost White
AØMP Boost Pearl
AØMQ Boost Grey
AØMR Boost Smoke
AØMS Boost Tarmac

Sensitech
**ǂ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AMH8 Boost White
AMH9 Boost Pearl
AMIA Boost Grey
AMIC Boost Smoke
AMID Boost Tarmac

### GRIP SURFACE

Outdoor

Sensitech
**ǂ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AMGN Boost White Grip
AMGO Boost Pearl Grip
AMGP Boost Grey Grip
AMGQ Boost Smoke Grip
AMGR Boost Tarmac Grip

### OUTDOOR ǂ 20 mm

Sensitech
**ǂ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AMG3 Boost White 20 mm
AMG5 Boost Grey 20 mm
AMG6 Boost Smoke 20 mm
AMG7 Boost Tarmac 20 mm

Sensitech
**ǂ 20 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HANB Boost White 20 mm
HANC Boost Grey 20 mm
HAND Boost Smoke 20 mm
HANE Boost Tarmac 20 mm

Sensitech
**ǂ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AL8Ø Boost White 20 mm
AL81 Boost Grey 20 mm
AL82 Boost Smoke 20 mm
AL83 Boost Tarmac 20 mm

Sensitech
**ǂ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A3TJ Boost White 20 mm
A3TK Boost Grey 20 mm
A3TL Boost Smoke 20 mm
A3TM Boost Tarmac 20 mm

Sensitech P. 412






















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost

## Porcelain Tiles

### DECOR RANGE



AN6X Boost White Mosaico
30x30 cm - 11³/₄"x11³/₄"



AN6Y Boost Pearl Mosaico
30x30 cm - 11³/₄"x11³/₄"



AN6Z Boost Grey Mosaico
30x30 cm - 11³/₄"x11³/₄"



AN61 Boost Smoke Mosaico
30x30 cm - 11³/₄"x11³/₄"



AN62 Boost Tarmac Mosaico
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AN63 Boost White Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



AN64 Boost Pearl Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"



AN65 Boost Grey Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"




AN66 Boost Smoke Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"




AN67 Boost Tarmac Mosaico Shapes
31x33,5 cm - 12¹/₄"x13¹/₄"




**A** 11,4x6,5 cm - 4¹/₂"x2¹/₂"
**B** 11,4x6,5 cm - 4¹/₂"x2¹/₂"
**C** 6,3x3,2 cm - 2¹/₂"x1¹/₄"




AN68 Boost Smoke Mosaico Hex Yellow [1]
25x28,5 cm - 9⁷/₈"x11¹/₄"




AN69 Boost Smoke Mosaico Hex Black [1]
25x28,5 cm - 9⁷/₈"x11¹/₄"



AN7A Boost Tarmac Mosaico Hex Jade [1]
25x28,5 cm - 9⁷/₈"x11¹/₄"



AN7B Boost Tarmac Mosaico Hex Black [1]
25x28,5 cm - 9⁷/₈"x11¹/₄"




**A** 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
**B** 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
**C** 4,6x3,6 cm - 1³/₄"x1³/₈"
**D** 4,6x3,6 cm - 1³/₄"x1³/₈"

**TRIM TILES** P. 302

| | Battiscopa | | | Gradino * | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x80 cm 2⁷/₈"x31¹/₂" | 7,2x60 cm 2⁷/₈"x23⁵/₈" | Digitale 4,6x60 cm 1³/₄"x23⁵/₈" | 30x60 cm 11³/₄"x23⁵/₈" | 33x150 cm 13"x59" | 33x120 cm 13"x47¹/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11³/₄" | | max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈" | 33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Grip |
| | | | | | | | | | DX | SX | | |
| White | HALV | AMIO | AMIU | AMJA | AMJP | AN7Ø | AMJF | AMJK | AMIZ | AMI5 | • | AOEI |
| Pearl | HALU | AMIQ | AMIV | AMJB | AMJQ | AN71 | AMJG | AMJL | AMIØ | AMI6 | • | AOEJ |
| Grey | HALT | AMIR | AMIW | AMJC | AMJR | AN72 | AMJH | AMJM | AMI1 | AMI7 | • | AOEK |
| Smoke | HALS | AMIS | AMIX | AMJD | AMJS | AN73 | AMJI | AMJN | AMI3 | AMI8 | • | AOEL |
| Tarmac | HALR | AMIT | AMIY | AMJE | AMJT | AN74 | AMJJ | AMJO | AMI4 | AMI9 | • | AOEM |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Évitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost


## Wall Tiles

V2 Slight Variation

### MATTE SURFACE — Wall


**± 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8B8W Boost White
8B8P Boost Pearl
8B8G Boost Grey
8B8K Boost Smoke
8B8S Boost Sage
8B8R Boost Red

**± 10 mm 3D WALL**
**40x80 cm** - 15³/₄"x31¹/₂"
8BUW Boost 3D Urban White
8BUP Boost 3D Urban Pearl
8BUG Boost 3D Urban Grey






























### TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LBBW Boost White Corner 40 *
LBBP Boost Pearl Corner 40 *
LBBY Boost Grey Corner 40 *
LBBH Boost Smoke Corner 40 *
LBBT Boost Sage Corner 40 *
LBBQ Boost Red Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAW Boost White Corner A.E. *
AØAP Boost Pearl Corner A.E. *
AØAG Boost Grey Corner A.E. *
AØAK Boost Smoke Corner A.E. *
AØAS Boost Sage Corner A.E. *
AØAR Boost Red Corner A.E. *

### 3D TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LB3W Boost White 3D Corner 40 *
LB3P Boost Pearl 3D Corner 40 *
LB3G Boost Grey 3D Corner 40 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

### DECOR RANGE



9BMW Boost White
Minibrick
30,5x30,5 cm - 12"x12"



9BME Boost Pearl
Minibrick
30,5x30,5 cm - 12"x12"




9BMY Boost Grey
Minibrick
30,5x30,5 cm - 12"x12"




9BMK Boost Smoke
Minibrick
30,5x30,5 cm - 12"x12"



9BMM Boost Sage
Minibrick
30,5x30,5 cm - 12"x12"



9BMQ Boost Red
Minibrick
30,5x30,5 cm - 12"x12"



2,9x7,5 cm - 1¹/₈"x3"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Balance



**A modern essential.**
Effortless elegance with a micro-cement look.

**Versatile palette.**
10 stunning colors, including 4 fresh, light tones.

**VELVET finish.**
Soft to the touch with a sleek, semi-matte shine.

**Elevated design.**
Clean, minimalist decor for a modern touch.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


PURE


IVORY


CREAM


ASH


MOON


WHITE


PEARL


GREY


SMOKE


TARMAC

CREATE STYLISH WALLS WITH
**Boost Color p. 96**

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B**<br>Velvet Velvetech |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B**<br>Velvet Velvetech |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN
**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂"<br>**NON-RECTIFIED** | ± 12 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat







INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Balance

## Porcelain Tiles

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

L LIGHT TRAFFIC — Velvet Velvetech ✣ 9 mm

M MEDIUM TRAFFIC — Matte ✣ 6 mm
Matte Sensitech ✣ 6 mm

H HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

### MATTE SURFACE — Floor — Wall

**✣ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AJMI Boost Balance Pure
AJMJ Boost Balance White
AJMK Boost Balance Ivory
AJML Boost Balance Cream
AJMM Boost Balance Ash
AJMN Boost Balance Moon
AJMO Boost Balance Pearl
AJMP Boost Balance Grey
AJMQ Boost Balance Smoke
AJMR Boost Balance Tarmac

**Sensitech**
**✣ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AJMS Boost Balance Pure
AJMT Boost Balance White
AJMU Boost Balance Ivory
AJMV Boost Balance Cream
AJMW Boost Balance Ash
AJMX Boost Balance Moon
AJMY Boost Balance Pearl
AJMZ Boost Balance Grey
AJMØ Boost Balance Smoke
AJM1 Boost Balance Tarmac

**Sensitech**
**✣ 9 mm**
**80x80cm** - 31¹/₂"x31¹/₂"
A9RE Boost Balance Pure
A9RA Boost Balance White
A9RB Boost Balance Ivory
A9Q9 Boost Balance Cream
A9Q8 Boost Balance Ash
A9RF Boost Balance Moon
A9RC Boost Balance Pearl
A9RD Boost Balance Grey
A9Q6 Boost Balance Smoke
A9Q7 Boost Balance Tarmac

**Sensitech**
**✣ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJNN Boost Balance Pure
AJNO Boost Balance White
AJNP Boost Balance Ivory
AJNQ Boost Balance Cream
AJNR Boost Balance Ash
AJNS Boost Balance Moon
AJNT Boost Balance Pearl
AJNU Boost Balance Grey
AJNV Boost Balance Smoke
AJNW Boost Balance Tarmac

**Sensitech**
**✣ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AJOS Boost Balance Pure
AJOT Boost Balance White
AJOU Boost Balance Ivory
AJOV Boost Balance Cream
AJOW Boost Balance Ash
AJOX Boost Balance Moon
AJOY Boost Balance Pearl
AJOZ Boost Balance Grey
AJOØ Boost Balance Smoke
AJO1 Boost Balance Tarmac

**Sensitech**
**✣ 9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
AJO2 Boost Balance Pure
AJO3 Boost Balance White
AJO4 Boost Balance Ivory
AJO5 Boost Balance Cream
AJO6 Boost Balance Ash
AJO7 Boost Balance Moon
AJO8 Boost Balance Pearl
AJO9 Boost Balance Grey
AJPA Boost Balance Smoke
AJPB Boost Balance Tarmac

### VELVET SURFACE

**Velvetech**
**✣ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AJM2 Boost Balance Pure
AJM3 Boost Balance White
AJM4 Boost Balance Ivory
AJM5 Boost Balance Cream
AJM6 Boost Balance Ash
AJM7 Boost Balance Moon
AJM8 Boost Balance Pearl
AJM9 Boost Balance Grey
AJNA Boost Balance Smoke
AJNB Boost Balance Tarmac

**Velvetech**
**✣ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJNX Boost Balance Pure
AJNY Boost Balance White
AJNZ Boost Balance Ivory
AJNØ Boost Balance Cream
AJN1 Boost Balance Ash
AJN2 Boost Balance Moon
AJN3 Boost Balance Pearl
AJN4 Boost Balance Grey
AJN5 Boost Balance Smoke
AJN6 Boost Balance Tarmac

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

**Sensitech**
**✣ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AJNC Boost Balance Pure Grip
AJND Boost Balance White Grip
AJNE Boost Balance Ivory Grip
AJNF Boost Balance Cream Grip
AJNG Boost Balance Ash Grip
AJNH Boost Balance Moon Grip
AJNI Boost Balance Pearl Grip
AJNJ Boost Balance Grey Grip
AJNK Boost Balance Smoke Grip
AJNL Boost Balance Tarmac Grip

**Sensitech**
**✣ 20 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AJPE Boost Balance White 20 mm
AJPF Boost Balance Ash 20 mm
AJMH Boost Balance Pearl 20 mm
AJPG Boost Balance Grey 20 mm

**Sensitech**
**✣ 20 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJPH Boost Balance White 20 mm
AJPI Boost Balance Ash 20 mm
AJPJ Boost Balance Pearl 20 mm
AJPK Boost Balance Grey 20 mm

**Sensitech**
**✣ 20 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AJPL Boost Balance White 20 mm
AJPM Boost Balance Ash 20 mm
AJPN Boost Balance Pearl 20 mm
AJPO Boost Balance Grey 20 mm

**Sensitech** P. 412 **Velvetech** P. 410








PURE



IVORY


CREAM


ASH



MOON


WHITE


PEARL


GREY


SMOKE


TARMAC

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Balance

## Porcelain Tiles


### DECOR RANGE



AJY9 Boost Balance Pure
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZB Boost Balance Ivory
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZC Boost Balance Cream
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZD Boost Balance Ash
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



AJZE Boost Balance Moon
Mosaico Matte Sensitech
30x30 - 11³/₄"x11³/₄"




AJZA Boost Balance White
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZF Boost Balance Pearl
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZG Boost Balance Grey
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZH Boost Balance Smoke
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJZI Boost Balance Tarmac
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"




AJ3Q Boost Balance Pure Matte Sensitech
AJ3G Boost Balance Pure Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3S Boost Balance Ivory Matte Sensitech
AJ3I Boost Balance Ivory Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3T Boost Balance Cream Matte Sensitech
AJ3J Boost Balance Cream Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3U Boost Balance Ash Matte Sensitech
AJ3K Boost Balance Ash Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"

[1] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой. Применение декоративных материалов.








AJ3V Boost Balance Moon Matte Sensitech
AJ3L Boost Balance Moon Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3X Boost Balance Grey Matte Sensitech
AJ3N Boost Balance Grey Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3R Boost Balance White Matte Sensitech
AJ3H Boost Balance White Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3Y Boost Balance Smoke Matte Sensitech
AJ3O Boost Balance Smoke Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"



AJ3W Boost Balance Pearl Matte Sensitech
AJ3M Boost Balance Pearl Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"




AJ3Z Boost Balance Tarmac Matte Sensitech
AJ3P Boost Balance Tarmac Velvet Velvetech
Mosaico Strings [1]
60x120 cm - 23⁵/₈"x47¹/₄"

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.



60x120 cm - 23⁵/₈"x47¹/₄"



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Balance

## Porcelain Tiles

### DECOR RANGE




AJX1 Boost Balance Pure
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX3 Boost Balance Ivory
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX4 Boost Balance Cream
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"




| | |
|---|---|
| **A** | 50,5 cm - 19⁷/₈" |
| **B** | 37,4 cm - 15³/₄" |
| **b** | 6 cm - 2³/₈" |
| **c** | 12,3 cm - 4⁷/₈" |
| **d** | 7,1 cm - 2³/₄" |
| **e** | 6,8 cm - 2⁵/₈" |



AJX5 Boost Balance Ash
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX6 Boost Balance Moon
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX2 Boost Balance White
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJUF Boost Balance Pearl
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX7 Boost Balance Grey
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX8 Boost Balance Smoke
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"



AJX9 Boost Balance Tarmac
Mosaico Lock Matte Sensitech
37,4x50,5 cm - 14³/₄"x19⁷/₈"

| TRIM TILES P. 302 | Battiscopa | | | Gradino * | | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Elemento L | Davanzale / Soglia | Corner * ∓ 6 mm | Corner A.E * ∓ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x120 cm 2⁷/₈"x47⁷/₄" | 7,2x80 cm 2⁷/₈"x31¹/₂" | 7,2x60 cm 2⁷/₈"x23⁵/₈" | 30x120 cm 11⁷/₄"x47⁷/₄" | 30x60 cm 11⁷/₄"x23⁵/₈" | 33x120 cm 13"x47⁷/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11⁷/₄" | | 33x120 H.4 cm 13"x47⁷/₄" H.1⁵/₈" | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" | 1x120 cm ³/₈"x47⁷/₄" | 1x1 cm ³/₈"x³/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Grip | Matte | Matte | Matte |
| | | | | | | | | | DX | SX | | | | |
| Pure | AJZT | HAL6 | AJZ3 | AJØ7 | AJ1H | AJ1R | AJ11 | AJ2B | AJØN | AJØX | AJ2L | • | AJ2V | AJ25 |
| White | AJZU | HALØ | AJZ4 | AJØ8 | AJ1I | AJ1S | AJ12 | AJ2C | AJØO | AJØY | AJ2M | • | AJ2W | AJ26 |
| Ivory | AJZV | HAL2 | AJZ5 | AJØ9 | AJ1J | AJ1T | AJ13 | AJ2D | AJØP | AJØZ | AJ2N | • | AJ2X | AJ27 |
| Cream | AJZW | HALZ | AJZ6 | AJ1A | AJ1K | AJ1U | AJ14 | AJ2E | AJØQ | AJØØ | AJ2O | • | AJ2Y | AJ28 |
| Ash | AJZX | HALY | AJZ7 | AJ1B | AJ1L | AJ1V | AJ15 | AJ2F | AJØR | AJØ1 | AJ2P | • | AJ2Z | AJ29 |
| Moon | AJZY | HAL7 | AJZ8 | AJ1C | AJ1M | AJ1W | AJ16 | AJ2G | AJØS | AJØ2 | AJ2Q | • | AJ2Ø | AJ3A |
| Pearl | AJZZ | HAL4 | AJZ9 | AJ1D | AJ1N | AJ1X | AJ17 | AJ2H | AJØT | AJØ3 | AJ2R | • | AJ21 | AJ3B |
| Grey | AJZØ | HAL5 | AJØA | AJ1E | AJ1O | AJ1Y | AJ18 | AJ2I | AJØU | AJØ4 | AJ2S | • | AJ22 | AJ3C |
| Smoke | AJZ1 | HALW | AJØB | AJ1F | AJ1P | AJ1Z | AJ19 | AJ2J | AJØV | AJØ5 | AJ2T | • | AJ23 | AJ3D |
| Tarmac | AJZ2 | HALX | AJØC | AJ1G | AJ1Q | AJ1Ø | AJ2A | AJ2K | AJØW | AJØ6 | AJ2U | • | AJ24 | AJ3E |

*** These parts are supplied to order -** I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Color

In collaboration with **Piero Lissoni**





**Color is Key.**
A palette of 14 pastel colors.

**Author signature.**
Special selection by Piero Lissoni.

**Contemporary combination.**
Dynamic color interplay, with the neutral tones of Boost Balance.

**Decorative Texture.**
Wide décor range, featuring the unique Frog texture, designed by Piero Lissoni.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors

JADE | TEAL | MAUVE | SALIX

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE

FIND A COORDINATED FLOOR IN **Boost Balance p. 88**

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |

PURE | LINEN | MOON | DOVE

PEBBLE | MAUVE | CREAM | SUN

SALIX | MINT | JADE | IRIS

TEAL | NAVY

FIND A COORDINATED FLOOR IN **Boost Balance p. 88**

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

FROG : DESIGN BY **PIERO LISSONI**

FROG PURE | FROG DOVE | FROG NAVY

3D WALL DESIGN

3D PLEAT LINEN | 3D PLEAT MAUVE | 3D PLEAT JADE | 3D PLEAT IRIS

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Color

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ∔ 6 mm | **R9 A** Matte ∔ 6 mm | V1 Uniform Appearance

**MATTE SURFACE** — Floor — Wall

**∔ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AKNE Boost Color Mauve
AKNI Boost Color Salix
AKNK Boost Color Jade
AKNL Boost Color Teal
AP3R Boost Color Pure Frog


JADE


TEAL


MAUVE


SALIX


FROG PURE

FROG : DESIGN BY **PIERO LISSONI**

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Color

## Wall Tiles

V1 Uniform Appearance

### MATTE SURFACE — Wall

**∓ 8,5 mm**
**50x120 cm** - 19⅝"x47¼"
AKMW Boost Color Pure
AKMX Boost Color Moon
AKMY Boost Color Dove
AKMZ Boost Color Linen
AKMØ Boost Color Mauve
AKM1 Boost Color Pebble
AKM2 Boost Color Cream
AKM3 Boost Color Sun
AKM4 Boost Color Salix
AKM5 Boost Color Mint
AKM6 Boost Color Jade
AKM7 Boost Color Teal
AKM8 Boost Color Iris
AKM9 Boost Color Navy




### TRIM TILES

1,4x50 cm - ⅝"x19⅝"
APZW Boost Color Pure Corner 50 *
APZX Boost Color Moon Corner 50 *
APZY Boost Color Dove Corner 50 *
APZZ Boost Color Linen Corner 50 *
APZØ Boost Color Mauve Corner 50 *
APZ1 Boost Color Pebble Corner 50 *
APZ2 Boost Color Cream Corner 50 *
APZ3 Boost Color Sun Corner 50 *
APZ4 Boost Color Salix Corner 50 *
APZ5 Boost Color Mint Corner 50 *
APZ6 Boost Color Jade Corner 50 *
APZ7 Boost Color Teal Corner 50 *
APZ8 Boost Color Iris Corner 50 *
APZ9 Boost Color Navy Corner 50 *

1,4x1,4 cm - ⅝"x⅝"
APØB Boost Color Pure Corner A.E. *
APØC Boost Color Moon Corner A.E. *
APØD Boost Color Dove Corner A.E. *
APØE Boost Color Linen Corner A.E. *
APØF Boost Color Mauve Corner A.E. *
APØG Boost Color Pebble Corner A.E. *
APØH Boost Color Cream Corner A.E. *
APØI Boost Color Sun Corner A.E. *
APØJ Boost Color Salix Corner A.E. *
APØK Boost Color Mint Corner A.E. *
APØL Boost Color Jade Corner A.E. *
APØM Boost Color Teal Corner A.E. *
APØN Boost Color Iris Corner A.E. *
APØO Boost Color Navy Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

### DECOR RANGE

FROG : DESIGN BY **PIERO LISSONI**



APZR Boost Color Linen
3D Pleat
50x120 cm - 19⅝"x47¼"



APZT Boost Color Mauve
3D Pleat
50x120 cm - 19⅝"x47¼"



APZU Boost Color Jade
3D Pleat
50x120 cm - 19⅝"x47¼"



APZV Boost Color Iris
3D Pleat
50x120 cm - 19⅝"x47¼"



AKN6 Boost Color Pure
Frog
50x120 cm - 19⅝"x47¼"



AKN7 Boost Color Dove
Frog
50x120 cm - 19⅝"x47¼"




AKN8 Boost Color Navy
Frog
50x120 cm - 19⅝"x47¼"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Boost Color

## Wall Tiles


### DECOR RANGE



AP3U Boost Color Decoro Mint
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"




AP3V Boost Color Decoro Dove
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"




AP3T Boost Color Decoro Iris
Shade
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"




AP1J Boost Color Linen
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"




AP1K Boost Color Mauve
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"



AP1L Boost Color Jade
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"



AP1M Boost Color Iris
Mosaico Ruler
50x40 cm - 23$^{5}/_{8}$"x15$^{3}/_{4}$"




**A** 50 cm - 23$^{5}/_{8}$"
**B** 40 cm - 15$^{3}/_{4}$"



AP1N Boost Color Pure
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1P Boost Color Moon
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1Q Boost Color Dove
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1R Boost Color Linen
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"





**A** 33 cm - 13"
**B** 37 cm - 14$^{5}/_{8}$"



AP1S Boost Color Mauve
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1T Boost Color Pebble
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1U Boost Color Cream
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1V Boost Color Sun
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1W Boost Color Salix
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1X Boost Color Mint
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"




AP1Y Boost Color Jade
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP1Z Boost Color Teal
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP2B Boost Color Iris
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"



AP2C Boost Color Navy
Mosaico Brick
33x37 cm - 13"x14$^{5}/_{8}$"






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Expression

reddot winner 2025

In collaboration with **Elisa Ossino**





**Tactile Experience.**
Combining visual and tactile elements, in collaboration with Elisa Ossino.

**Modern Palette.**
Aligned with trends in architecture and design.

**Rich textures, natural patterns.**
Wide decor selection, earthy and refined.

**In and Out.**
Organic look, indoors and outdoors.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Facades






















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |




























DESIGN BY **ELISA OSSINO**

























## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Expression

MEDIUM TRAFFIC Matte ✣ 6 mm

HEAVY TRAFFIC Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

## Porcelain Tiles

### MATTE SURFACE

Floor — Wall

✣ **6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AYSE Boost Expression Ice
AYSF Boost Expression Haze
AYSG Boost Expression Glow
AYSH Boost Expression Shell
AYSI Boost Expression Camel
AYSJ Boost Expression Tan
AYSN Boost Expression Duo Camel [1]
AYSM Boost Expression Duo Haze [2]

Sensitech
✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AYT2 Boost Expression Ice
AYT4 Boost Expression Haze
AYT5 Boost Expression Carbon
AYT7 Boost Expression Glow
AYT8 Boost Expression Shell
AYT9 Boost Expression Camel
AYUA Boost Expression Tan

Sensitech
✣ **9 mm**
**80x80 cm** - 31¹/₂"x31¹/₂"
AYVD Boost Expression Ice
AYVE Boost Expression Haze
AYVF Boost Expression Carbon
AYVG Boost Expression Glow
AYVH Boost Expression Shell
AYVI Boost Expression Camel
AYVJ Boost Expression Tan

Sensitech
✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AYUT Boost Expression Ice
AYUU Boost Expression Haze
AYUV Boost Expression Carbon
AYUW Boost Expression Glow
AYUX Boost Expression Shell
AYUY Boost Expression Camel
AYUZ Boost Expression Tan

Sensitech
✣ **9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AYVK Boost Expression Ice
AYVL Boost Expression Haze
AYVM Boost Expression Carbon
AYVN Boost Expression Glow
AYVO Boost Expression Shell
AYVP Boost Expression Camel
AYVQ Boost Expression Tan

Sensitech
✣ **9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
AYVR Boost Expression Ice
AYVS Boost Expression Haze
AYVT Boost Expression Carbon
AYVU Boost Expression Glow
AYVV Boost Expression Shell
AYVØ Boost Expression Camel
AYV1 Boost Expression Tan

### GRIP SURFACE

Outdoor

Sensitech
✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AYUN Boost Expression Ice Grip
AYUO Boost Expression Haze Grip
AYUP Boost Expression Shell Grip
AYUQ Boost Expression Glow Grip
AYUR Boost Expression Camel Grip
AYUS Boost Expression Tan Grip

Sensitech
✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AYUØ Boost Expression Ice Grip
AYU1 Boost Expression Haze Grip
AYU2 Boost Expression Shell Grip
AYU3 Boost Expression Glow Grip
AYU4 Boost Expression Camel Grip
AYU5 Boost Expression Tan Grip

### OUTDOOR ✣ 20 mm

Sensitech
✣ **20 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AYRS Boost Expression Ice 20 mm
AYRT Boost Expression Haze 20 mm
AYRU Boost Expression Shell 20 mm

Sensitech
✣ **20 mm**
**80x80 cm** - 31¹/₂"x31¹/₂"
AYRY Boost Expression Ice 20 mm
AYRZ Boost Expression Haze 20 mm
AYRØ Boost Expression Shell 20 mm

Sensitech
✣ **20 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AYRV Boost Expression Ice 20 mm
AYRW Boost Expression Haze 20 mm
AYRX Boost Expression Shell 20 mm

Sensitech
✣ **20 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AYR1 Boost Expression Ice 20 mm
AYR2 Boost Expression Haze 20 mm
AYR3 Boost Expression Shell 20 mm

[1] **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

[2] **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

Sensitech P. 412






GLOW


SHELL


CAMEL


TAN


ICE


HAZE


CARBON

# Boost Expression

## Porcelain Tiles

### DECOR RANGE




AYY1 Boost Expression Glow
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYY2 Boost Expression Shell
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYY3 Boost Expression Camel
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"




**A** 32 cm - 12⅜"
**B** 32 cm - 12⅜"
**a** 5,2 cm - 2"



AYY4 Boost Expression Tan
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYYY Boost Expression Ice
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYYZ Boost Expression Haze
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"



AYYØ Boost Expression Carbon
Mosaico Circle
Matte Sensitech
32x32 cm - 12⅜"x12⅜"




AYY8 Boost Expression Glow
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYY9 Boost Expression Shell
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYZA Boost Expression Camel
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"




**A** 37 cm - 14⅜"
**B** 37,8 cm - 14⅞"
**a** 3,2 cm - 1¼"
**b** 18,8 cm - 7⅜"



AYZB Boost Expression Tan
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYY5 Boost Expression Ice
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYY6 Boost Expression Haze
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"



AYY7 Boost Expression Carbon
Mosaico Ellipse
Matte Sensitech
37x37,8 cm - 14⅜"x14⅞"


**These mosaics allow you to customize a wall by choosing the grout color during the laying phase. The colors presented in these pages are mood suggestions and purely indicative.** - Questi mosaici permettono di personalizzare la parete attraverso la scelta del colore dello stucco durante la fase di posa. I colori presentati in queste pagine sono suggerimenti di mood e sono puramente indicativi. - Ces mosaïques permettent de personnaliser le mur moyennant le choix du coloris du joint pendant la phase de pose. Les coloris présentés sur ces pages sont des idées de mood fournies qu'à titre purement indicatif. - Diese Mosaike können zur Personalisierung der Wand mit Fugenmassen in Farben nach Wahl verfugt werden. Die auf diesen Seiten abgebildeten Farben verstehen sich als unverbindliche Beispiele für den erzielbaren Gesamteindruck. - Con estos mosaicos es posible llevar a cabo cualquier idea de personalización de la pared, con la elección del color del estuco durante la fase de colocación. Los colores que les presentamos en estas páginas son sugerencias de estados de ánimo ("mood") y puramente indicativos. Эта мозаика позволяет индивидуализировать стену путем выбора цвета шовной затирки. Цвета, представленные на этих страницах, приведены в качестве примеров и носят ориентировочный характер.

**For the best performance of the mosaic, we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.

### BIG SLABS DECORS



AYSN Boost Expression
Duo Camel (1) ♦
120x278 cm - 47¼"x109½"



AYSM Boost Expression
Duo Haze (2) ♦
120x278 cm - 47¼"x109½"



| TRIM TILES P. 302 | Battiscopa | | | Gradino * | | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Elemento L | Corner * ± 6 mm | Corner A.E * ± 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x120 cm 2⅞"x47¼" | 7,2x80 cm 2⅞"x31½" | 7,2x60 cm 2⅞"x23⅝" | 30x120 cm 11¾"x47¼" | 30x60 cm 11¾"x23⅝" | 33x120 cm 13"x47¼" | 33x60 cm 13"x23⅝" | 33x33 cm 13"x13" | 7,2x30 cm 2⅞"x11¾" | | 33x120 H. 4 cm 13"x47¼" H.1 ⅝" | 1x120 cm ⅜"x47¼" | 1x1 cm ⅜"x⅜" |
| | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech DX | SX | Grip Sensitech | Matte | Matte |
| Ice | AZØP | AZØW | AZ1B | AZ1X | AZ17 | AZ2E | AZ2M | AZ2T | AZ1Q | AZ1I | AZ21 | AZ3A | AZ3J |
| Haze | AZØQ | AZØX | AZ1C | AZ1Y | AZ18 | AZ2F | AZ2N | AZ2U | AZ1R | AZ1K | AZ22 | AZ3B | AZ3K |
| Carbon | AZØR | AZØY | AZ1D | AZ1Z | AZ19 | AZ2G | AZ2O | AZ2V | AZ1S | AZ1L | - | - | - |
| Glow | AZØS | AZØZ | AZ1E | AZ1Ø | AZ2A | AZ2H | AZ2P | AZ2W | AZ1T | AZ1M | AZ24 | AZ3C | AZ3L |
| Shell | AZØT | AZØØ | AZ1F | AZ14 | AZ2B | AZ2I | AZ2Q | AZ2X | AZ1U | AZ1N | AZ27 | AZ3D | AZ3M |
| Camel | AZØU | AZØ9 | AZ1G | AZ15 | AZ2C | AZ2K | AZ2R | AZ2Y | AZ1V | AZ1O | AZ28 | AZ3E | AZ3N |
| Tan | AZØV | AZ1A | AZ1H | AZ16 | AZ2D | AZ2L | AZ2S | AZ2Z | AZ1W | AZ1P | AZ29 | AZ3F | AZ3O |
| Duo Haze | - | - | - | - | - | - | - | - | - | - | - | AZ3H | AZ3Q |
| Duo Camel | - | - | - | - | - | - | - | - | - | - | - | AZ3I | AZ3R |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **It can be combined with: Camel and Glow.** - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

(2) **It can be combined with: Haze and Ice.** - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Expression

## Wall Tiles

V2 Slight Variation

### MATTE SURFACE —— Wall

**8,5 mm**
**50x120 cm** - 19⅝"x47¼"
AYR4 Boost Expression Ice
AYR5 Boost Expression Glow
AYR6 Boost Expression Shell
AYR7 Boost Expression Olive
AYR8 Boost Expression Cyan
AYR9 Boost Expression Sienna

**10 mm 3D WALL**
**50x120 cm** - 19⅝"x47¼"
AYSA Boost Expression 3D Flute Ice
AYSB Boost Expression 3D Flute Glow
AYSD Boost Expression 3D Flute Shell

AYTO Boost Expression 3D Loop Ice
AYTQ Boost Expression 3D Loop Glow
AYTR Boost Expression 3D Loop Shell

AYTT Boost Expression Grain Glow
AYTU Boost Expression Grain Shell








































### TRIM TILES

1,4x50 cm - 5/8"x19⅝"
AYUB Boost Expression Ice Corner 50 *
AYUC Boost Expression Glow Corner 50 *
AYUD Boost Expression Shell Corner 50 *
AYUE Boost Expression Olive Corner 50 *
AYUF Boost Expression Cyan Corner 50 *
AYUG Boost Expression Sienna Corner 50 *

1,4x1,4 cm - 5/8"x5/8"
AYUH Boost Expression Ice Corner A.E. *
AYUI Boost Expression Glow Corner A.E. *
AYUJ Boost Expression Shell Corner A.E. *
AYUK Boost Expression Olive Corner A.E.*
AYUL Boost Expression Cyan Corner A.E. *
AYUM Boost Expression Sienna Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



AZ59 Boost Expression Shell
Life ♦
50x120 cm - 19⅝"x47¼"



AZ6A Boost Expression Olive
Life ♦
50x120 cm - 19⅝"x47¼"



AZ6B Boost Expression Sienna
Life ♦
50x120 cm - 19⅝"x47¼"



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural

reddot winner 2022

In collaboration with **Matteo Brioni**





**Natural Inspiration.**
A creative dialogue with Matteo Brioni and raw earth.

**Authentic character.**
Meticulous reproduction of texture and details.

**Earthy decors.**
3D Surfaces reproducing unique artworks.

**Organic palette.**
Shades inspired by natural clay.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades






















FIND MORE COLORS IN **Boost Natural Pro** p. 120

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47 1/4"x109 1/2" | 6 mm | Matte **R9 A** |
| **120x120 cm** - 47 1/4"x47 1/4" | 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23 5/8"x47 1/4" | 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31 1/2"x31 1/2" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23 5/8"x23 5/8" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11 3/4"x23 5/8" | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47 1/4"x47 1/4" | 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23 5/8"x47 1/4" | 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47 1/4"x47 1/4" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23 5/8"x23 5/8" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | 6 mm | Hammered |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63 3/4"x127 1/2" NON-RECTIFIED | 12 mm | Hammered |



































FIND MORE COLORS IN **Boost Natural Pro** p. 120

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19 5/8"x47 1/4" | 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **50x120 cm** - 19 5/8"x47 1/4" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural

## Porcelain Tiles

Matte ✣ 6 mm
Hammered ✣ 6 mm

Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE — Floor — Wall

**✣ 6 mm**
**160x320 cm** - 63"x126"
ALRØ Boost Natural Kaolin Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
A67D Boost Natural Ecru
A67E Boost Natural Umber
A67F Boost Natural Coal
A67G Boost Natural Cobalt (1)
A67H Boost Natural Coral
A67B Boost Natural Kaolin
A67C Boost Natural Ash

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A6WU Boost Natural Ecru
A65O Boost Natural Umber
A65P Boost Natural Coal
A65Q Boost Natural Cobalt (1)
A65R Boost Natural Coral
A65N Boost Natural Kaolin
A6WT Boost Natural Ash

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
A9RI Boost Natural Ecru
A9RG Boost Natural Umber
A9RJ Boost Natural Coal
A9RK Boost Natural Kaolin
A9RH Boost Natural Ash

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A6WW Boost Natural Ecru
A65T Boost Natural Umber
A65U Boost Natural Coal
A65V Boost Natural Cobalt (1)
A65W Boost Natural Coral
A65S Boost Natural Kaolin
A6WV Boost Natural Ash

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A66E Boost Natural Ecru
A66F Boost Natural Umber
A66G Boost Natural Coal
A658 Boost Natural Kaolin
A659 Boost Natural Ash

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
A66J Boost Natural Ecru
A66K Boost Natural Umber
A66L Boost Natural Coal
A66H Boost Natural Kaolin
A66I Boost Natural Ash

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A655 Boost Natural Ecru Grip
A656 Boost Natural Umber Grip
A657 Boost Natural Coal Grip
A653 Boost Natural Kaolin Grip
A654 Boost Natural Ash Grip

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A65Ø Boost Natural Ecru Grip
A651 Boost Natural Umber Grip
A652 Boost Natural Coal Grip
A65Y Boost Natural Kaolin Grip
A65Z Boost Natural Ash Grip

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A7Q9 Boost Natural Ecru 20 mm
A7Q7 Boost Natural Kaolin 20 mm
A7Q8 Boost Natural Ash 20 mm

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x23 5/8"
A7RC Boost Natural Ecru 20 mm
A7RA Boost Natural Kaolin 20 mm
A7RB Boost Natural Ash 20 mm

**TRIM TILES** P. 302

| | Battiscopa | | | Gradino * | | Scalino * | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L | Corner * ✣ 6 mm | Corner A.E * ✣ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7.2x120 cm 2 3/8"x47 1/4" | 7.2x80 cm 2 3/8"x31 1/2" | 7.2x60 cm 2 3/8"x23 5/8" | 30x120 cm 11 3/4"x47 1/4" | 30x60 cm 11 3/4"x23 5/8" | 33x120 cm 13"x47 1/4" | 33x60 cm 13"x23 5/8" | 33x33 cm 13"x13" | 7.2x30 cm 2 3/8"x11 1/4" | | max 315x50 H.4 cm 124"x19 5/8" H.1 5/8" | 33x120 H. 4 cm 13"x47 1/4" H.1 5/8" | 1x120 cm 3/8"x47 1/4" | 1x1 cm 3/8"x3/8" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | | Matte | Grip | Matte | Matte |
| | | | | | | | | DX | SX | | | | | |
| Kaolin | A7DV | HAMC | A7DQ | A7EQ | A7EL | A7IQ | A7IL | A7IX | A7D9 | A7D2 | • | A7I4 | A7MY | A7M5 |
| Ash | A7DW | HAL9 | A7DR | A7ER | A7EM | A7IR | A7IM | A7IY | A7EA | A7D3 | • | A7I5 | A7MZ | A7M6 |
| Ecru | A7DX | HAMA | A7DS | A7ES | A7EN | A7IS | A7IN | A7IZ | A7EB | A7D4 | • | A7I6 | A7MØ | A7M7 |
| Umber | A7DY | HAL8 | A7DT | A7ET | A7EO | A7IT | A7IO | A7IØ | A7EC | A7D5 | • | A7I7 | A7M1 | A7M8 |
| Coal | A7DZ | HAMB | A7DU | A7EU | A7EP | A7IU | A7IP | A7I1 | A7ED | A7D6 | • | A7I8 | A7M2 | A7M9 |
| Cobalt | A7DØ | - | - | A7EV | - | A7IV | - | A7I2 | A7EE | A7D7 | • | - | A7M3 | A7NA |
| Coral | A7D1 | - | - | A7EW | - | A7IW | - | A7I3 | A7EF | A7D8 | • | - | A7M4 | A7NB |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


(1) **Cobalt: glazed porcelain tiles** - Cobalt: gres porcellanato smaltato - Cobalt: carreaux en grès cérame émaillé - Cobalt: glasierte Feinsteinzeugfliesen - Cobalt: gres porcelánico esmaltado - Cobalt: глазурованный керамогранит.

Sensitech P. 412

























INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural

## Porcelain Tiles

### DECOR RANGE



A7CN Boost Natural Kaolin
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"




A7CO Boost Natural Ash
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A7CP Boost Natural Ecru
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A7CQ Boost Natural Umber
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"




**A** 36,7 cm - 14 1/2"
**B** 33,8 cm - 13 1/4"



A7CR Boost Natural Coal
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A7CT Boost Natural Coral
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A7CS Boost Natural Cobalt
Mosaico Rhombus
36,7x33,8 cm - 14 1/2"x13 1/4"



A7CF Boost Natural Kaolin
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"




A7CG Boost Natural Ash
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"




A7CH Boost Natural Ecru
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4""



A7CI Boost Natural Umber
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"




A7CJ Boost Natural Coal
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"




**A** 31 cm - 12 1/4"
**B** 31 cm - 12 1/4"



A7CL Boost Natural Coral
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"



A7CK Boost Natural Cobalt
Mosaico Tumbled [1]
31x31 cm - 12 1/4"x12 1/4"

[1] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.










INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural

## Wall Tiles

### MATTE SURFACE — Wall

**± 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
A64P Boost Natural Kaolin
A64Q Boost Natural Ash
A64R Boost Natural Ecru

**± 8,5 mm 3D WALL**
**50x120 cm** - 19⁵/₈"x47¹/₄"
A64S Boost Natural 3D Brushed Kaolin
A64T Boost Natural 3D Brushed Ash
A64U Boost Natural 3D Brushed Ecru

A64V Boost Natural 3D Texture Kaolin
A64W Boost Natural 3D Texture Ash
A64X Boost Natural 3D Texture Ecru

A64Y Boost Natural 3D Wave Kaolin
A64Z Boost Natural 3D Wave Ash
A64Ø Boost Natural 3D Wave Ecru

### TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
A641 Boost Natural Kaolin Corner 50 *
A642 Boost Natural Ash Corner 50 *
A643 Boost Natural Ecru Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
A644 Boost Natural Kaolin Corner A.E. *
A645 Boost Natural Ash Corner A.E. *
A646 Boost Natural Ecru Corner A.E. *

### 3D TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
A7BN Boost Natural 3D Texture Kaolin Corner 50 *
A7BO Boost Natural 3D Texture Ash Corner 50 *
A7BP Boost Natural 3D Texture Ecru Corner 50 *
A7BQ Boost Natural 3D Brushed Kaolin Corner 50 *
A7BR Boost Natural 3D Brushed Ash Corner 50 *
A7BS Boost Natural 3D Brushed Ecru Corner 50 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

V2 Slight Variation












































### DECOR RANGE



AHVH Boost Natural Kaolin
Mosaico Piano [1]
50x40,5 cm - 19⁵/₈"x16"



AHHF Boost Natural Ash
Mosaico Piano [1]
50x40,5 cm - 19⁵/₈"x16"



AHHG Boost Natural Ecru
Mosaico Piano [1]
50x40,5 cm - 19⁵/₈"x16"



AHHH Boost Natural Kaolin
Mosaico Piano Mix [1]
50x40,5 cm - 19⁵/₈"x16"



AHHI Boost Natural Ash
Mosaico Piano Mix [1]
50x40,5 cm - 19⁵/₈"x16"



AHHJ Boost Natural Ecru
Mosaico Piano Mix [1]
50x40,5 cm - 19⁵/₈"x16"




AHHK Boost Natural Kaolin
Mosaico Trace Mix
30x29,2 cm - 11⁵/₄"x11¹/₂"




AHHL Boost Natural Ash
Mosaico Trace Mix
30x29,2 cm - 11⁵/₄"x11¹/₂"



AHHM Boost Natural Ecru
Mosaico Trace Mix
30x29,2 cm - 11⁵/₄"x11¹/₂"




**A** 50 cm - 19⁵/₈"
**b** 7,95 cm - 3¹/₈"
**B** 40,4 cm - 15⁷/₈"




**A** 14,5x1,3 cm - 5¹/₄"x¹/₂"
**B** 14,5x5,9 cm - 5¹/4"x2³/₄"
**C** 14,5x1 cm - 5¹/₄"x³/₈"
**D** 14,5x3 cm - 5¹/₄"x1¹/₈"
**E** 30,7 cm - 12¹/₈"
**e** 30 cm - 11⁵/₄"
**F** 29,1 cm - 11¹/₂"

[1] **For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attenendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural Pro

In collaboration with **Matteo Brioni**










COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades
















FIND MORE COLORS IN
Boost Natural p. 112

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Matte Sensitech **R10 B**<br>Velvet Velvetech |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B**<br>Velvet Velvetech |
| **80x80 cm** - 31¹/₂"x31¹/₂" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂"<br>NON-RECTIFIED | 12 mm | Hammered |

















































FIND MORE COLORS IN
Boost Natural p. 112

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural Pro

## Porcelain Tiles

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

L LIGHT TRAFFIC — Velvet Velvetech ✣ 9 mm

M MEDIUM TRAFFIC — Matte ✣ 6 mm

H HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

### MATTE SURFACE — Floor — Wall

✣ 6 mm
**120x278 cm** - 47¹/₄"x109¹/₂"
AQ9E Boost Natural Pro Salt
AQ9F Boost Natural Pro Oat
AQ9G Boost Natural Pro Sand
AQ9H Boost Natural Pro Cinder
AQ9I Boost Natural Pro Dove

Sensitech
✣ 9 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
AQ8U Boost Natural Pro Salt
AQ8V Boost Natural Pro Oat
AQ8W Boost Natural Pro Sand
AQ8X Boost Natural Pro Cinder
AQ8Y Boost Natural Pro Dove

Sensitech
✣ 9 mm
**80x80 cm** - 31¹/₂"x31¹/₂"
A9RL Boost Natural Pro Salt
A9RM Boost Natural Pro Oat
A9RN Boost Natural Pro Sand
A9RO Boost Natural Pro Cinder
A9RP Boost Natural Pro Dove

Sensitech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AQ8Z Boost Natural Pro Salt
AQ9A Boost Natural Pro Oat
AQ9B Boost Natural Pro Sand
AQ9C Boost Natural Pro Cinder
AQ9D Boost Natural Pro Dove

Sensitech
✣ 9 mm
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AQ9U Boost Natural Pro Salt
AQ9V Boost Natural Pro Oat
AQ9W Boost Natural Pro Sand
AQ9X Boost Natural Pro Cinder
AQ9Y Boost Natural Pro Dove

Sensitech
✣ 9 mm
**30x60 cm** - 11³/₄"x23⁵/₈"
AQ9Z Boost Natural Pro Salt
AQ99 Boost Natural Pro Oat
ARAB Boost Natural Pro Sand
ARAD Boost Natural Pro Cinder
ARAF Boost Natural Pro Dove

### VELVET SURFACE

Velvetech
✣ 9 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
AQ8K Boost Natural Pro Salt Velvet
AQ8L Boost Natural Pro Oat Velvet
AQ8M Boost Natural Pro Sand Velvet
AQ8N Boost Natural Pro Cinder Velvet
AQ8O Boost Natural Pro Dove Velvet

Velvetech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AQ8P Boost Natural Pro Salt Velvet
AQ8Q Boost Natural Pro Oat Velvet
AQ8R Boost Natural Pro Sand Velvet
AQ8S Boost Natural Pro Cinder Velvet
AQ8T Boost Natural Pro Dove Velvet

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
AQ9J Boost Natural Pro Salt Grip
AQ9K Boost Natural Pro Oat Grip
AQ9L Boost Natural Pro Sand Grip
AQ9M Boost Natural Pro Cinder Grip
AQ9N Boost Natural Pro Dove Grip

Sensitech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AQ9P Boost Natural Pro Salt Grip
AQ9Q Boost Natural Pro Oat Grip
AQ9R Boost Natural Pro Sand Grip
AQ9S Boost Natural Pro Cinder Grip
AQ9T Boost Natural Pro Dove Grip

Sensitech
✣ 20 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
ARB2 Boost Natural Pro Oat 20 mm
ARB4 Boost Natural Pro Cinder 20 mm

Sensitech
✣ 20 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
ARB6 Boost Natural Pro Oat 20 mm
ARB7 Boost Natural Pro Cinder 20 mm

Sensitech
✣ 20 mm
**60x60 cm** - 23⁵/₈"x23⁵/₈"
ARB8 Boost Natural Pro Oat 20 mm
ARB9 Boost Natural Pro Cinder 20 mm

**TRIM TILES**
P. 302

| | Battiscopa | | | Gradino * | | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Elemento L | Corner * ✣ 6 mm | Corner A.E * ✣ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x120 cm 2⁷/₈"x47¹/₄" | 7,2x80 cm 2⁷/₈"x31¹/₂" | 7,2x60 cm 2⁷/₈"x23⁵/₈" | 30x120 cm 11⁷/₈"x47¹/₄" | 30x60 cm 11⁷/₈"x23⁵/₈" | 33x120 cm 13"x47¹/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11⁷/₈" | | 33x120 H. 4 cm 13"x47¹/₄" H.1 ⁵/₈" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" |
| | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech DX | Matte Sensitech SX | Grip | Matte | Matte |
| Salt | ARAG | HAMD | ARAM | ARA8 | ARBD | AURD | AURI | AURN | ARAY | ARA3 | AURS | ARBI | ARBN |
| Oat | ARAH | HAME | ARAN | ARA9 | ARBE | AURE | AURJ | AURO | ARAZ | ARA4 | AURT | ARBJ | ARBP |
| Sand | ARAJ | HAMF | ARAO | ARBA | ARBF | AURF | AURK | AURP | ARAØ | ARA5 | AURU | ARBK | ARBQ |
| Cinder | ARAK | HAMG | ARAP | ARBB | ARBG | AURG | AURL | AURQ | ARA1 | ARA6 | AURV | ARBL | ARBR |
| Dove | ARAL | HAMH | ARAQ | ARBC | ARBH | AURH | AURM | AURR | ARA2 | ARA7 | AURW | ARBM | ARBS |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412 Velvetech P. 410








SAND


OAT


SALT


CINDER


DOVE



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Natural Pro

## Wall Tiles

### MATTE SURFACE — Wall

**8,5 mm**
**50x120 cm** - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AQ6N Boost Natural Pro Salt
AQ6O Boost Natural Pro Oat
AQ6P Boost Natural Pro Cinder
AQ6Q Boost Natural Pro Skin
AQ6R Boost Natural Pro Lava
AQ6S Boost Natural Pro Coffè

**8,5 mm 3D WALL**
**50x120 cm** - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AQ6T Boost Natural Pro 3D Rice Salt
AQ6U Boost Natural Pro 3D Rice Oat
AQ6V Boost Natural Pro 3D Rice Cinder


AQ6W Boost Natural Pro 3D Wave Salt
AQ6X Boost Natural Pro 3D Wave Oat
AQ6Y Boost Natural Pro 3D Wave Cinder
AQ6Z Boost Natural Pro 3D Wave Skin

AQ7A Boost Natural Pro 3D Craft Salt
AQ7B Boost Natural Pro 3D Craft Oat
AQ7C Boost Natural Pro 3D Craft Cinder


SALT


3D RICE SALT


3D WAVE SALT


3D CRAFT SALT



OAT


3D RICE OAT



3D WAVE OAT


3D CRAFT OAT


CINDER


3D RICE CINDER


3D WAVE CINDER


3D CRAFT CINDER

### TRIM TILES



1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
AQ7Y Boost Natural Pro Salt Corner 50 *
AQ7Z Boost Natural Pro Sand Corner 50 *
AQ8A Boost Natural Pro Cinder Corner 50 *
AQ8B Boost Natural Pro Skin Corner 50 *
AQ8C Boost Natural Pro Lava Corner 50 *
AQ8D Boost Natural Pro Coffè Corner 50 *




1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"
AQ8E Boost Natural Pro Salt Corner A.E. *
AQ8F Boost Natural Pro Sand Corner A.E. *
AQ8G Boost Natural Pro Cinder Corner A.E. *
AQ8H Boost Natural Pro Skin Corner A.E. *
AQ8I Boost Natural Pro Lava Corner A.E. *
AQ8J Boost Natural Pro Coffè Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ


SKIN


3D WAVE SKIN



LAVA


COFFÈ

### DECOR RANGE



AQ7D Boost Natural Pro Oat
Motion *
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"



AQ7E Boost Natural Pro Coffè
Motion *
50x120 cm - 19$^{5}/_{8}$"x47$^{1}/_{4}$"

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Pro



**Industrial-chic concrete effect.**
Embrace the sleek and modern look.

**Five warm tones.**
Completing the cold hues of Boost.

**Endless combinations.**
Mix and match within the Boost World collections for limitless design possibilities.

**Contemporary elegance and versatile style.**





COLLECTION
**CATALOG**

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades
















FIND COLD COLORS IN
Boost p. 80

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |

























FIND COLD COLORS IN
Boost p. 80

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Pro

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Matte Sensitech ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

### MATTE SURFACE — Floor — Wall

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AØCK Boost Pro Ivory
AØCM Boost Pro Cream
AØCN Boost Pro Clay
AØCO Boost Pro Taupe
AØCP Boost Pro Tobacco

**✣ 6 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AØCQ Boost Pro Ivory
AØCR Boost Pro Cream
AØCS Boost Pro Clay
AØCT Boost Pro Taupe
AØCU Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AØCF Boost Pro Ivory
AØCG Boost Pro Cream
AØCJ Boost Pro Clay
AØCI Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AØAF Boost Pro Ivory
AØAH Boost Pro Cream
AØAJ Boost Pro Clay
AØAL Boost Pro Taupe
AØAN Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
A9RU Boost Pro Ivory
A9RT Boost Pro Cream
A9RS Boost Pro Clay
A9RR Boost Pro Taupe
A9RQ Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AØC3 Boost Pro Ivory
AØC4 Boost Pro Cream
AØC5 Boost Pro Clay
AØC6 Boost Pro Taupe
AØC7 Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
A7GØ Boost Pro Ivory
A7G2 Boost Pro Cream
A7G3 Boost Pro Clay
A7G4 Boost Pro Taupe
A7G1 Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AØBY Boost Pro Ivory
AØBZ Boost Pro Cream
AØBØ Boost Pro Clay
AØB8 Boost Pro Taupe
AØB9 Boost Pro Tobacco

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AØC8 Boost Pro Ivory
AØC9 Boost Pro Cream
AØDA Boost Pro Clay
AØDB Boost Pro Taupe
AØDC Boost Pro Tobacco

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AØAO Boost Pro Ivory Grip
AØAQ Boost Pro Cream Grip
AØBV Boost Pro Clay Grip
AØBW Boost Pro Taupe Grip
AØBX Boost Pro Tobacco Grip

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A3DD Boost Pro Cream 20 mm
A3DE Boost Pro Clay 20 mm
A3DF Boost Pro Taupe 20 mm
A3DH Boost Pro Tobacco 20 mm

Sensitech
**✣ 20 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HAN6 Boost Pro Cream 20 mm
HAN7 Boost Pro Clay 20 mm
HAN8 Boost Pro Taupe 20 mm
HAOA Boost Pro Tobacco 20 mm

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A4XU Boost Pro Cream 20 mm
A4XV Boost Pro Clay 20 mm
A4XW Boost Pro Taupe 20 mm
A4XX Boost Pro Tobacco 20 mm

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A4XQ Boost Pro Cream 20 mm
A4XR Boost Pro Clay 20 mm
A4XS Boost Pro Taupe 20 mm
A4XT Boost Pro Tobacco 20 mm

Sensitech P. 412






IVORY


CREAM


CLAY


TAUPE


TOBACCO



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Pro

## Porcelain Tiles

### DECOR RANGE



AØQQ Boost Pro Ivory Mosaico Matt
30x30 cm - 11¾"x11¾"



AØQR Boost Pro Cream Mosaico Matt
30x30 cm - 11¾"x11¾"



AØQS Boost Pro Clay Mosaico Matt
30x30 cm - 11¾"x11¾"



AØQT Boost Pro Taupe Mosaico Matt
30x30 cm - 11¾"x11¾"



AØQU Boost Pro Tobacco Mosaico Matt
30x30 cm - 11¾"x11¾"



4,8x4,8 cm
1⅞"x1⅞"



AØP8 Boost Pro Ivory Mosaico Shapes
31x33,5 cm - 12¼"x13¼"



AØP9 Boost Pro Cream Mosaico Shapes
31x33,5 cm - 12¼"x13¼"



AØQB Boost Pro Clay Mosaico Shapes
31x33,5 cm - 12¼"x13¼"



AØQC Boost Pro Taupe Mosaico Shapes
31x33,5 cm - 12¼"x13¼"




AØQD Boost Pro Tobacco Mosaico Shapes
31x33,5 cm - 12¼"x13¼"





**A** 11,4x6,5 cm - 4½"x2½"
**B** 11,4x6,5 cm - 4½"x2½"
**C** 6,3x3,2 cm - 2½"x1¼"




AØQN Boost Pro Ivory Mosaico Hex Olive [1]
25x28,5 cm - 9⅞"x11¼"



AØQO Boost Pro Cream Mosaico Hex Blue [1]
25x28,5 cm - 9⅞"x11¼"



AØQP Boost Pro Taupe Mosaico Hex Coffee [1]
25x28,5 cm - 9⅞"x11¼"




**A** 9,7x3,8 cm - 3⅞"x1½"
**B** 4,8x3,8 cm - 1⅞"x1½"
**C** 4,6x3,6 cm - 1¾"x1⅜"
**D** 4,6x3,6 cm - 1¾"x1⅜"



A3HE Boost Pro Leaves A [2]
A3M2 Boost Pro Leaves B
120x278 cm - 47¼"x109½"




Module Assembly



### TRIM TILES
P. 302

| | Battiscopa | | | Gradino * | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x80 cm 2⅞"x31½" | 7,2x60 cm 2⅞"x23⅝" | Digitale 4.6x60 cm 1¾"x23⅝" | 30x60 cm 11¾"x23⅝" | 33x150 cm 13"x59" | 33x120 cm 13"x47¼" | 33x60 cm 13"x23⅝" | 33x33 cm 13"x13" | 7,2x30 cm 2⅞"x11¾" | | max 315x50 H.4 cm 124"x19⅝" H.1⅝" | 33x120 H.4 cm 13"x47¼" H.1⅝" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Grip |
| | | | | | | | | | DX | SX | | |
| Ivory | HAMM | AØQI | AØQV | A28Ø | A3CY | A3CT | A3CO | A3C3 | AØQØ | AØRX | • | A3C8 |
| Cream | HAML | AØQJ | AØQW | A283 | A3CZ | A3CU | A3CP | A3C4 | AØQ8 | AØRY | • | A3C9 |
| Clay | HAMK | AØQK | AØQX | A284 | A3CØ | A3CV | A3CQ | A3C5 | AØQ9 | AØWQ | • | A3DA |
| Taupe | HAMJ | AØQL | AØQY | A285 | A3C1 | A3CW | A3CR | A3C6 | AØRA | AØ4M | • | A3DB |
| Tobacco | HAMI | AØQM | AØQZ | A289 | A3C2 | A3CX | A3CS | A3C7 | AØRM | A28Z | • | A3DC |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Éviter l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Pro

## Wall Tiles

V2 Slight Variation

### MATTE SURFACE — Wall

**± 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8B8I Boost Pro Ivory
8B8E Boost Pro Cream
8B8C Boost Pro Clay
8B8M Boost Pro Mustard
8B8B Boost Pro Powder Blue

**± 10 mm 3D WALL**
**40x80 cm** - 15³/₄"x31¹/₂"
8BUI Boost Pro 3D Urban Ivory
8BUC Boost Pro 3D Urban Clay
8BUB Boost Pro 3D Urban Powder Blue



CREAM



MUSTARD



IVORY


3D URBAN IVORY


POWDER BLUE


3D POWDER BLUE


CLAY


3D URBAN CLAY

### TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LBBI Boost Pro Ivory Corner 40 *
LBBM Boost Pro Cream Corner 40 *
LBBA Boost Pro Clay Corner 40 *
LBBU Boost Pro Mustard Corner 40 *
LBBG Boost Pro Powder Blue Corner 40 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
AØAI Boost Pro Ivory Corner A.E. *
AØAE Boost Pro Cream Corner A.E. *
AØAC Boost Pro Clay Corner A.E. *
AØAM Boost Pro Mustard Corner A.E. *
AØAB Boost Pro Powder Blue Corner A.E. *

### 3D TRIM TILES



1,4x40 cm - ⁵/₈"x15³/₄"
LB3I Boost Pro Ivory 3D Corner 40 *
LB3C Boost Pro Clay 3D Corner 40 *
LB3B Boost Pro Powder Blue 3D Corner 40 *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ






### DECOR RANGE



9BMI Boost Pro Ivory
Minibrick Pro Olive [1]
29,7x33,3 cm - 11⁵/₈"x13¹/₄"


9BMV Boost Pro Cream
Minibrick Pro Blue [1]
29,7x33,3 cm - 11⁵/₈"x13¹/₄"


9BMZ Boost Pro Clay
Minibrick Pro Coffee [1]
29,7x33,3 cm - 11⁵/₈"x13¹/₄"



**A** 29,6 cm - 11⁵/₈"
**B** 37,6 cm - 14³/₄"
**b** 33,3 cm - 13¹/₈"


9BMT Boost Pro Mustard
Minibrick Pro Yellow [1]
29,7x33,3 cm - 11⁵/₈"x13¹/₄"


9BMU Boost Pro Powder Blue
Minibrick Pro Ocean [1]
29,7x33,3 cm - 11⁵/₈"x13¹/₄"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Vision

In collaboration with **PARK**





**Stone-crete look.**
Design inspired by seamless indoor-outdoor connection.

**Matching metal range.**
Corten, Brass, Steel add bold contrasts.

**Complete your in&out project**
with modular tridimensional decors 3D Veil and 3D Qube.

**The City – spaces designed by Park**
PARK showcases Boost Vision's versatility, connecting urban scale and intimate interiors.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades

## _Concrete Look


GLOW


CAMEL


ASH


HAZE


GREY

## _Metal Look


CORTEN


BRASS


STEEL

## Porcelain Tiles RECTIFIED MONOCALIBER

### _Concrete Look

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" - **ID Skin** | 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

### OUTDOOR AND WET AREAS

| | | |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Grip Sensitech **R11 C** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" - **ID Skin** | 6 mm | Hammered **R9 A** |

### SLABS FOR COUNTERTOPS & FURNITURE

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | 12 mm | Hammered |

### _Metal Look

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |



GLOW


3D VEIL GLOW


3D QUBE GLOW


CAMEL


3D VEIL CAMEL


3D QUBE CAMEL

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | 8,5 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **40x80 cm** - 15³/₄"x31¹/₂" | 10 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Vision

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

## MATTE SURFACE — Floor — Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
**_ Concrete Look - ID Skin**
HCWE Boost Vision Glow Hammered
HCWF Boost Vision Camel Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
**_ Concrete Look - ID Skin**
HCJA Boost Vision Glow
HCJB Boost Vision Camel
HCJC Boost Vision Ash
HCJD Boost Vision Haze
HCJE Boost Vision Grey
**_ Metal Look**
HCJF Boost Vision Corten
HCJG Boost Vision Brass
HCJH Boost Vision Steel

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
**_ Concrete Look**
HCJI Boost Vision Glow
HCJJ Boost Vision Camel
HCJK Boost Vision Ash
HCJL Boost Vision Haze
HCJM Boost Vision Grey

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
**_ Concrete Look**
HCIZ Boost Vision Glow
HCIØ Boost Vision Camel
HCI1 Boost Vision Ash
HCI2 Boost Vision Haze
HCI3 Boost Vision Grey

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
**_ Concrete Look**
HCJS Boost Vision Glow
HCJT Boost Vision Camel
HCJU Boost Vision Ash
HCJV Boost Vision Haze
HCJW Boost Vision Grey
**_ Metal Look**
HCJX Boost Vision Corten
HCJY Boost Vision Brass
HCJZ Boost Vision Steel

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x23 5/8"
**_ Concrete Look**
HCJØ Boost Vision Glow
HCJ1 Boost Vision Camel
HCJ2 Boost Vision Ash
HCJ3 Boost Vision Haze
HCJ4 Boost Vision Grey

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
**_ Concrete Look**
HCJ5 Boost Vision Glow
HCJ6 Boost Vision Camel
HCJ7 Boost Vision Ash
HCJ8 Boost Vision Haze
HCJ9 Boost Vision Grey

## GRIP SURFACE

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
**_ Concrete Look**
HCJN Boost Vision Glow
HCJO Boost Vision Camel
HCJP Boost Vision Ash
HCJQ Boost Vision Haze
HCJR Boost Vision Grey

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
**_ Concrete Look**
HCI4 Boost Vision Glow
HCI5 Boost Vision Camel
HCI7 Boost Vision Ash
HCI8 Boost Vision Haze
HCI9 Boost Vision Grey

## OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
**_ Concrete Look**
HCKØ Boost Vision Ash
HCK1 Boost Vision Haze
HCK2 Boost Vision Grey

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
**_ Concrete Look**
HCUU Boost Vision Ash
HCUV Boost Vision Haze
HCUW Boost Vision Grey

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
**_ Concrete Look**
HCUX Boost Vision Ash
HCUY Boost Vision Haze
HCUZ Boost Vision Grey

Sensitech P. 412





Concrete Look


GLOW


CAMEL


ASH


HAZE


GREY

Metal Look


CORTEN


BRASS


STEEL



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Vision



HCJF Boost Vision Corten
120x278 cm - 47¹/₄"x109¹/₂"



HCJG Boost Vision Brass
120x278 cm - 47¹/₄"x109¹/₂"



HCJH Boost Vision Steel
120x278 cm - 47¹/₄"x109¹/₂"



| TRIM TILES P. 302 | Battiscopa | | | Gradino * | | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Corner * ∓ 6 mm | Corner A.E * ∓ 6 mm | Elemento L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x120 cm 2⁷/₈"x47¹/₄" | 7,2x80 cm 2⁷/₈"x31¹/₂" | 7,2x60 cm 2⁷/₈"x23⁵/₈" | 30x60 cm 11⁷/₈"x23⁵/₈" | 30x120 cm 11⁷/₈"x47¹/₄" | 33x120 cm 13"x47¹/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11⁷/₈" | | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" | 33x120 H.4 cm 13"x47¹/₄" H.1⁵/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte DX | Matte SX | Matte | | | Grip |
| **– Concrete Look** | | | | | | | | | | | | | | |
| Glow | HCKA | HCKF | HCKK | HDB9 | HDB4 | HDD6 | HDEB | HDE4 | HDD1 | HDDW | • | HDCK | HDCS | HDCF |
| Camel | HCKB | HCKG | HCKL | HDCA | HDB5 | HDD7 | HDEC | HDE5 | HDD2 | HDDX | • | HDCL | HDCT | HDCG |
| Ash | HCKC | HCKH | HCKM | HDCB | HDB6 | HDD8 | HDED | HDE6 | HDD3 | HDDY | • | HDCM | HDCU | HDCH |
| Haze | HCKD | HCKI | HCKN | HDCD | HDB7 | HDD9 | HDEE | HDE7 | HDD4 | HDDZ | • | HDCN | HDCV | HDCI |
| Grey | HCKE | HCKJ | HCKO | HDCE | HDB8 | HDEA | HDEF | HDE8 | HDD5 | HDDØ | • | HDCO | HDCW | HDCJ |
| **– Metal Look** | | | | | | | | | | | | | | |
| Corten | HDB1 | - | - | - | - | - | - | - | - | - | • | HDCP | HDCX | - |
| Brass | HDB2 | - | - | - | - | - | - | - | - | - | • | HDCQ | HDCY | - |
| Steel | HDB3 | - | - | - | - | - | - | - | - | - | • | HDCR | HDCZ | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ





V2 Slight Variation

## Wall Tiles

### MATTE SURFACE —— Wall

∓ 8,5 mm
**40x80 cm** - 15³/₄"x31¹/₂"
HCKW Boost Vision Field Glow
HCKX Boost Vision Field Camel

∓ 10 mm 3D WALL
**40x80 cm** - 15³/₄"x31¹/₂"
HCKY Boost Vision 3D Veil Glow
HCKZ Boost Vision 3D Veil Camel

∓ 8,5 mm
**50x120 cm** - 19⁵/₈"x47¹/₄"
HCKS Boost Vision Field Glow
HCKT Boost Vision Field Camel

∓ 10 mm 3D WALL
**50x120 cm** - 19⁵/₈"x47¹/₄"
HCKU Boost Vision 3D Qube Glow
HCKV Boost Vision 3D Qube Camel














### TRIM TILES

1x120 cm - ³/₈"x47¹/₄"
HDE9 Boost Vision Field Glow Corner 50 *
HDFA Boost Vision Field Camel Corner 50 *
HDFB Boost Vision Field Glow Corner 40 *
HDFC Boost Vision Field Camel Corner 40 *

1x1 cm - ³/₈"x³/₈"
HDFD Boost Vision Field Glow Corner A.E. *
HDFE Boost Vision Field Camel Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Prism

In collaboration with **Piero Lissoni**






**Color Palette by Piero Lissoni.**
Extensive, curated colors.

**Hand-Troweled Resin.**
Timeless inspiration.

**Harmonious Graphics.**
Seamless spatula effect.

**Silk Finish.**
Velvety, slightly reflective.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades

COTTON | CORD | CLOUD | BLOOM

CARAMEL | GRAPE | DUSK | MIDNIGHT

MOSS | EMERALD

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Silk \| Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Silk \| Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | 9 mm | Silk \| Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

## Glazed Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte |

CORD | COTTON | CLOUD | BLOOM

CARAMEL | GRAPE | DUSK | MIDNIGHT

MOSS | EMERALD

## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Prism

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ∔ 6 mm, Silk ∔ 9 mm

HEAVY TRAFFIC — Matte ∔ 9 mm, Grip Sensitech ∔ 9 mm, Outdoor Sensitech ∔ 20 mm

**R9 A** Matte ∔ 6 mm
**R10 B** Matte Sensitech ∔ 9 mm
**R11 C** Grip Sensitech ∔ 9 mm
**R11 C** Outdoor Sensitech ∔ 20 mm

V2 Slight Variation

### MATTE SURFACE

Floor — Wall

**∔ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
A4UQ Prism Cord
A4UR Prism Cotton
A4US Prism Cloud

Sensitech
**∔ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
A4OH Prism Cord
A4OI Prism Cotton
A4OJ Prism Cloud

Sensitech
**∔ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A4OT Prism Cord
A4OU Prism Cotton
A4OV Prism Cloud

Sensitech
**∔ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A4UW Prism Cord
A4UX Prism Cotton
A4UY Prism Cloud

Sensitech
**∔ 9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
A4U2 Prism Cord
A4U3 Prism Cotton
A4U4 Prism Cloud

### SILK SURFACE

**∔ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
A4ON Prism Cord Silk
A4OO Prism Cotton Silk
A4OP Prism Cloud Silk

**∔ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A5RW Prism Cord Silk
A5RX Prism Cotton Silk
A5RY Prism Cloud Silk

**∔ 9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
A5R6 Prism Cord Silk
A5R7 Prism Cotton Silk
A5SA Prism Cloud Silk

## Glazed Porcelain Tiles

### MATTE SURFACE

Wall

**∔ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂" (1)
A4VH Prism Bloom
A4VI Prism Caramel
A4VJ Prism Grape
A4VK Prism Dusk
A4VL Prism Midnight
A4VM Prism Moss
A4VN Prism Emerald

**TRIM TILES** P. 302

| | Battiscopa | | Gradino * | | Scalino * | | | | Scalino Ang.* | | Battiscopa Sag. Scala * | | | | Davanzale / Soglia * | Corner * ∔ 6 mm | Corner A.E * ∔ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | | 30x60 cm 11³/₄"x23⁵/₈" | | 33x120 cm 13"x47¹/₄" | | 33x60 cm 13"x23⁵/₈" | | 33x33 cm 13"x13" | | 7,2x30 cm 2⁷/₈"x11⁸/₈" | | | | max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" |
| | Matte | Silk | Matte | Silk | Matte | Silk | Matte | Silk | Matte | Silk | Matte SX | Matte DX | Silk SX | Silk DX | Matte | Matte | Matte |
| Cotton | A4XØ | A5SF | A4YI | A5SX | A4YU | A4Y6 | A4YO | A5S3 | A4YØ | A4ZD | A4YC | A4X6 | A5SR | A5SL | • | A4ZJ | A4ZP |
| Cord | A4XZ | A5SE | A4YH | A5SW | A4YT | A4Y5 | A4YN | A5S2 | A4YZ | A4ZC | A4YB | A4X5 | A5SQ | A5SK | • | A4ZI | A4ZO |
| Cloud | A4X1 | A5SG | A4YJ | A5SY | A4YV | A4Y7 | A4YP | A5S4 | A4Y1 | A4ZE | A4YD | A4X7 | A5SS | A5SM | • | A4ZK | A4ZQ |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

Sensitech P. 412



































# Prism

## Porcelain Tiles

### DECOR RANGE



A4VO Prism Gradient XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"



A4VP Prism Brush XL [1] [2]
120x278 cm - 47¹/₄"x109¹/₂"



A41S Prism Cotton
Mosaico Maze
31x35,7 cm - 12¹/₄"x14"



A41Y Prism Cotton
Mosaico Maze Silk
31x35,7 cm - 12¹/₄"x14"



A41R Prism Cord
Mosaico Maze
31x35,7 cm - 12¹/₄"x14"




A41X Prism Cord
Mosaico Maze Silk
31x35,7 cm - 12¹/₄"x14"



A41T Prism Cloud
Mosaico Maze
31x35,7 cm - 12¹/₄"x14"



A41Z Prism Cloud
Mosaico Maze Silk
31x35,7 cm - 12¹/₄"x14"




| | |
|---|---|
| **A** | 44,6 cm - 17¹/₂" |
| **B** | 31 cm - 12¹/₄" |
| **a** | 35,7 cm - 14" |
| **b** | 7,6 cm - 3" |
| **c** | 8,8 cm - 3¹/₂" |
| **d** | 17,6 cm - 6⁷/₈" |



A4V1 Prism Cotton
Mosaico Matte
30x30 cm - 11⁵/₈"x11⁵/₈"



A4VØ Prism Cord
Mosaico Matte
30x30 cm - 11⁵/₈"x11⁵/₈"



A4V2 Prism Cloud
Mosaico Matte
30x30 cm - 11⁵/₈"x11⁵/₈"



4,8x4,8 cm
1⁷/₈"x1⁷/₈"

[1] **The production process does not guarantee the presence of the exact sequence of the graphics inside the packaging.** - Il processo produttivo non garantisce la presenza dell'esatta sequenza delle grafiche all'interno dell'imballo. - Le processus de fabrication ne garantit pas la présence de la séquence exacte des graphismes à l'intérieur de l'emballage. - Der Produktionsprozess garantiert nicht die exakte Sequenz der Grafiken in der Verpackung. - El proceso de producción no garantiza la presencia de la secuencia exacta de los gráficos dentro del embalaje. - Процесс производства не обеспечивает наличие точно совпадающих рисунков поверхности внутри упаковки.

[2] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Nous vous conseillons d'utiliser des détergents neutres courants. Eviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.





V2 Slight Variation

## Wall Tiles

### MATTE SURFACE —— Wall

**8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
A4TG Prism Cord
A4TH Prism Cotton
A4TI Prism Cloud
A4TK Prism Bloom
A4TL Prism Caramel
A4TM Prism Grape
A4TN Prism Dusk
A4TO Prism Midnight
A4TP Prism Moss
A4TQ Prism Emerald


















### TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
A4ØP Prism Cord Corner 50 *
A4ØQ Prism Cotton Corner 50 *
A4ØR Prism Cloud Corner 50 *
A4ØT Prism Bloom Corner 50 *
A4ØU Prism Caramel Corner 50 *
A4ØV Prism Grape Corner 50 *
A4ØW Prism Dusk Corner 50 *
A4ØX Prism Midnight Corner 50 *
A4ØY Prism Moss Corner 50 *
A4ØZ Prism Emerald Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
A4Ø2 Prism Cord Corner A.E. *
A4Ø3 Prism Cotton Corner A.E. *
A4Ø4 Prism Cloud Corner A.E. *
A4Ø6 Prism Bloom Corner A.E. *
A4Ø7 Prism Caramel Corner A.E. *
A4Ø8 Prism Grape Corner A.E. *
A4Ø9 Prism Dusk Corner A.E. *
A41A Prism Midnight Corner A.E. *
A41B Prism Moss Corner A.E. *
A41C Prism Emerald Corner A.E. *













* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Prism

## DECOR RANGE




A4ZX Prism Cotton
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4ZW Prism Cord
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4ZY Prism Cloud
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4ZØ Prism Bloom
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"



A4Z1 Prism Caramel
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




**A** 32 cm - 12⅝"
**a** 29,6 cm - 11⅝"
**B** 32,6 cm - 12⅞"
**b** 29,7 cm - 11¾"



A4Z2 Prism Grape
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"



A4Z3 Prism Dusk
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4Z4 Prism Midnight
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4Z5 Prism Moss
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4Z6 Prism Emerald
Mosaico Bead
29,7x29,6 cm - 11⅝"x11⅝"




A4ØE Prism Cotton
Mosaic Q
30,5x30,5 cm - 12"x12"




A4ØD Prism Cord
Mosaic Q
30,5x30,5 cm - 12"x12"



A4ØF Prism Cloud
Mosaic Q
30,5x30,5 cm - 12"x12"




A4ØH Prism Bloom
Mosaic Q
30,5x30,5 cm - 12"x12"




A4ØI Prism Caramel
Mosaic Q
30,5x30,5 cm - 12"x12"




1,7x1,7 cm
5/8"x5/8"




A4ØJ Prism Grape
Mosaic Q
30,5x30,5 cm - 12"x12"




A4ØK Prism Dusk
Mosaic Q
30,5x30,5 cm - 12"x12"



A4ØL Prism Midnight
Mosaic Q
30,5x30,5 cm - 12"x12"



A4ØM Prism Moss
Mosaic Q
30,5x30,5 cm - 12"x12"



A4ØN Prism Emerald
Mosaic Q
30,5x30,5 cm - 12"x12"



A4Z7 Prism Cotton
Wiggle [1]
30,6x32,4 cm - 12"x12¾"




A4Z8 Prism Bloom
Wiggle [1]
30,6x32,4 cm - 12"x12¾"



A4Z9 Prism Dusk
Wiggle [1]
30,6x32,4 cm - 12"x12¾"



A4ØB Prism Moss
Wiggle [1]
30,6x32,4 cm - 12"x12¾"




**A** 36,1 cm - 14¼"
**a** 32,3 cm - 12¾"
**B** 35,2 cm - 13⅞"
**b** 30,6 cm - 12"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.



A4TS Prism Brush [2]
50x120 cm - 19⅝"x47¼"

8 patterns




A4ZT Prism Enigma
50x120 cm - 19⅝"x47¼"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Cloud 50x120, Graphite 50x120, Cotton 50x120



A4TR Prism Gradient [2]
50x120 cm - 19⅝"x47¼"

12 patterns



A4ZU Prism Gold [3]
50x120 cm - 19⅝"x47¼"

This item matches with the following colors / Questo articolo si abbina ai colori seguenti:
Bloom 50x120, Caramel 50x120, Grape 50x120, Cord 50x120, Cloud 50x120, Suede 50x120, Cotton 50x120

[2] **Item sold by square meter.** - Articolo venduto al mq. - Article vendu au mètre carré. - Artikel pro m² verkauft. - Artículo vendido por m² - Артикул продается квадратными метрами.

[3] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel



**Where everything began.**
The first marble collection of Atlas Concorde.

**Exclusive inspiration.**
Experience the luxury of the finest marble.

**Timeless elegance.**
Crafted to elevate your interiors with enduring sophistication.

DISCOVER MORE

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades




## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Polished |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **30x60 cm** - 11⁸/₄"x23⁵/₈" | ± 9 mm | Polished I Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Silk |

**SLABS FOR COUNTERTOPS & FURNITURE**


| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12-20 mm | Polished I Silk I Matte |
| **159x324 cm** - 62⁵/₈"x127¹/₂" NON-RECTIFIED | ± 20 mm | Polished I Matte |




## Wall Tiles RECTIFIED MONOCALIBER

**SHINY SURFACE** — Wall

± 8,5 mm
**30,5x56 cm** - 12"x22"
9P5L Marvel Calacatta Extra



ASCM Marvel Calacatta Mosaic
30,5x30,5 - 12"x12"



1,7x1,7 cm
⁵/₈"x⁵/₈"

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel

## Porcelain Tiles

MEDIUM TRAFFIC — Polished ✣ 6 - 9 mm · Silk ✣ 6 mm · Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm

V2 Slight Variation

### POLISHED SURFACE [1]

Floor · Wall

✣ **6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AØBM Marvel Calacatta Extra Polished
AOTJ Marvel Calacatta Extra Bookmatch A Polished
AOTK Marvel Calacatta Extra Bookmatch B Polished
AOUB Marvel Calacatta Extra Endless Polished
A6DU Marvel Calacatta Extra Kit Endless Lp Polished [2] [3]

✣ **9 mm**
**120x240 cm** - 47¹/₄"x94¹/₂"
AY2N Marvel Calacatta Extra Polished

✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AY2R Marvel Calacatta Extra Polished

✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A21S Marvel Calacatta Extra Polished

✣ **9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
7N3O Marvel Calacatta Extra Polished

✣ **9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
DØ16 Marvel Calacatta Extra Polished

✣ **9 mm**
**75x150 cm** - 29¹/₂"x59"
A6IF Marvel Calacatta Extra Polished

### SILK SURFACE [4]

atlasPLAN

✣ **6 mm**
**160x320 cm** - 63"x126"
AJKZ Marvel Calacatta Extra Bookmatch Silk
AJKY Marvel Calacatta Extra Silk

### MATTE SURFACE

✣ **6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AØBT Marvel Calacatta Extra

Sensitech
✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
A2Ø9 Marvel Calacatta Extra

Sensitech
✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A2Ø8 Marvel Calacatta Extra

Sensitech
✣ **9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
7N3A Marvel Calacatta Extra

Sensitech
✣ **9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
DØ95 Marvel Calacatta Extra

Sensitech
✣ **9 mm**
**75x150 cm** - 29¹/₂"x59"
A7HX Marvel Calacatta Extra

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**

[4] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Sensitech P. 412

### DECOR RANGE




ASLC Marvel Calacatta Mosaico 3D [5]
30x30 cm - 11³/₄"x11³/₄"




ASK5 Marvel Calacatta Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




ASMB Marvel Calacatta Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"



7,4x7,4 cm - 2⁷/₈"x2⁷/₈"



3,5x3,5 cm - 1³/₈"x1³/₈"



1,7x1,7 cm - ⁵/₈"x⁵/₈"

**TRIM TILES**
P. 302

| | Battiscopa | | Gradino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * |
|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | | 30x60 cm 11³/₄"x23⁵/₈" | 33x75 cm 13"x29¹/₂" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11¹/₄" | | max 315x50 H 4 cm 124"x19⁵/₈" H.1¹/₂" |
| | Matte | Polished | Matte | Matte | Matte | Matte | Matte | | Matte |
| | | | | | | | DX | SX | |
| Calacatta Extra | ASLJ | AVXS | ASLQ | ASMZ | ASMN | ASMT | ASNC | ASNI | • |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[5] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaïque multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel 3D



**Lights on wall.**
Marvel becomes 3D.

**5 Marvel masterpieces.**
Now reinterpreted in three 3D wall textures

**3D Crease.**
Balanced and contemporary.

**3D Reed.**
Material and irregular.

**Field.**
Discreet and elegant.





COLLECTION CATALOG

VIDEO

Wall | Decors
















## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⅝"x47¼" | 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **50x120 cm** - 19⅝"x47¼" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel 3D

## Wall Tiles

V2 Slight Variation

### MATTE SURFACE

Wall

**∓ 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AQ3M Marvel Field Travertine White
AQ3N Marvel Field Travertine Sand
AQ3O Marvel Field Calacatta Meraviglia
AQ3P Marvel Field Calacatta Bernini
AQ6F Marvel Field Light Majestic

**∓ 8,5 mm 3D WALL**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AQ3Q Marvel 3D Reed Travertine White
AQ3R Marvel 3D Reed Travertine Sand
AQ3S Marvel 3D Reed Calacatta Meraviglia
AQ3T Marvel 3D Reed Calacatta Bernini
AQ6G Marvel 3D Reed Light Majestic

AQ3U Marvel 3D Crease Travertine White
AQ3V Marvel 3D Crease Travertine Sand
AQ3W Marvel 3D Crease Calacatta Meraviglia
AQ3X Marvel 3D Crease Calacatta Bernini
AQ6H Marvel 3D Crease Light Majestic

### TRIM TILES

1,4x50 cm - ⁵/₈"x19⁵/₈"
ASØP Marvel Field Travertine White Corner 50 *
ASØQ Marvel Field Travertine Sand Corner 50 *
ASØR Marvel Field Calacatta Meraviglia Corner 50 *
ASØS Marvel Field Calacatta Bernini Corner 50 *
ASØT Marvel Field Light Majestic Corner 50 *

1,4x1,4 cm - ⁵/₈"x⁵/₈"
ASØU Marvel Field Travertine White Corner A.E. *
ASØV Marvel Field Travertine Sand Corner A.E. *
ASØW Marvel Field Calacatta Meraviglia Corner A.E. *
ASØX Marvel Field Calacatta Bernini Corner A.E. *
ASØY Marvel Field Light Majestic Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - изготовляются на заказ






CALACATTA MERAVIGLIA FIELD


CALACATTA MERAVIGLIA 3D REED


CALACATTA MERAVIGLIA 3D CREASE


CALACATTA BERNINI FIELD


CALACATTA BERNINI 3D REED


CALACATTA BERNINI 3D CREASE


TRAVERTINE WHITE FIELD


TRAVERTINE WHITE 3D REED


TRAVERTINE WHITE 3D CREASE


TRAVERTINE SAND FIELD


TRAVERTINE SAND 3D REED


TRAVERTINE SAND 3D CREASE


LIGHT MAJESTIC FIELD


LIGHT MAJESTIC 3D REED


LIGHT MAJESTIC 3D CREASE



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Diva



**Inspired by 10 exquisite marbles.**
Unmatched rarity, unique like a DIVA.

**Perfect finishes.**
Each stone in an impeccable finish.

**Striking details.**
Rich hues, bold veins, sophisticated weaves.

**Tactile allure.**
New captivating wall-tile textures.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Facades





























## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Silk |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Polished |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Velvet Velvetech |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished I Velvet Velvetech Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Polished I Silk |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12 mm | Polished I Silk |
| **159x324 cm** - 62⁵/₈"x127¹/₂" NON-RECTIFIED | ± 20 mm | Polished |



















## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Diva

L LIGHT TRAFFIC — Velvet Velvetech ∓ 9 mm
M MEDIUM TRAFFIC — Polished ∓ 6 - 9 mm Silk ∓ 6 mm
H HEAVY TRAFFIC — Matte Sensitech ∓ 9 mm
R10 B Matte Sensitech ∓ 9 mm
V3 Moderate Variation

## Porcelain Tiles

### POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

**∓ 6 mm**
**160x320 cm** - 63"x126"
AXXG Marvel Ice Crystal Polished Endless
AXXO Marvel Taj Mahal Polished Endless
AXXV Marvel Baobab Polished Endless
AXYJ Marvel Ice Crystal Polished Kit Endless [2] [3]
AXYL Marvel Taj Mahal Polished Kit Endless [2] [3]
AXYN Marvel Baobab Polished Kit Endless [2] [3]

**∓ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AX8K Marvel Ice Crystal Polished
AX8M Marvel White Everest Polished
AX8L Marvel Taj Mahal Polished
AX8P Marvel Amethyst Polished
AX8N Marvel Aqua Polished
ARR3 Marvel Baobab Polished
AX8O Marvel Galaxy Polished
AYV3 Marvel Ice Crystal Polished Kit Endless [2] [3]
AYV5 Marvel White Everest Polished Kit Endless [2] [3]
AYV4 Marvel Taj Mahal Polished Kit Endless [2] [3]
AYV8 Marvel Amethyst Polished Kit Endless [2] [3]
AYV6 Marvel Aqua Polished Kit Endless [2] [3]
AYV2 Marvel Baobab Polished Kit Endless [2] [3]
AYV7 Marvel Galaxy Polished Kit Endless [2] [3]

**∓ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AXJU Marvel Ice Crystal Polished
AXJW Marvel White Everest Polished
AXJV Marvel Taj Mahal Polished

**∓ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AUQU Marvel Ice Crystal Polished
AUQV Marvel White Everest Polished
AU8C Marvel Taj Mahal Polished
AU8F Marvel Amethyst Polished
AU8E Marvel Aqua Polished
AU8B Marvel Baobab Polished
AU8D Marvel Galaxy Polished

### SILK SURFACE

atlasPLAN

**∓ 6 mm**
**160x320 cm** - 63"x126"
AXXH Marvel Ice Crystal Silk Endless
ARTK Marvel Appennino Silk
AXXP Marvel Taj Mahal Silk Endless
AKGB Marvel Precious Brown Silk
AXYK Marvel Ice Crystal Silk Kit Endless [2] [3]
AXYM Marvel Taj Mahal Silk Kit Endless [2] [3]
ARTM Marvel Appennino Silk Bookmatch
AKGC Marvel Precious Brown Silk Bookmatch

**∓ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AX81 Marvel Ice Crystal Silk
AX83 Marvel White Everest Silk
AX82 Marvel Taj Mahal Silk
AX8Y Marvel Precious Brown Silk
AX8Z Marvel Sky Stone Silk
AX8Ø Marvel Black Tempest Silk
AYWC Marvel Ice Crystal Silk Kit Endless [2] [3]
AYWE Marvel White Everest Silk Kit Endless [2] [3]
AYWD Marvel Taj Mahal Silk Kit Endless [2] [3]
AYV9 Marvel Precious Brown Silk Kit Endless [2] [3]
AYWA Marvel Sky Stone Silk Kit Endless [2] [3]
AYWB Marvel Black Tempest Silk Kit Endless [2] [3]

### VELVET SURFACE

Velvetech

**∓ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AU8X Marvel Ice Crystal Velvet
AX8R Marvel White Everest Velvet
AX8Q Marvel Taj Mahal Velvet

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

Velvetech

**∓ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AUQW Marvel Ice Crystal Velvet
AUQX Marvel White Everest Velvet
AU8G Marvel Taj Mahal Velvet
AU8H Marvel Precious Brown Velvet
AU8I Marvel Sky Stone Velvet
AU8J Marvel Black Tempest Velvet

### MATTE SURFACE

Sensitech

**∓ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AX8S Marvel Ice Crystal
AX8U Marvel White Everest
AX8T Marvel Taj Mahal

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**

Sensitech P. 412 Velvetech P. 410







ICE CRYSTAL



TAJ MAHAL


AMETHYST



WHITE EVEREST


PRECIOUS BROWN


AQUA


BAOBAB


SKY STONE


GALAXY


BLACK TEMPEST

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Diva

## Porcelain Tiles

### DECOR RANGE



AYD7 Marvel Diva Ice Crystal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




AYD9 Marvel Diva White Everest
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYD8 Marvel Diva Taj Mahal
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"



AYEA Marvel Diva Amethyst
Twist Polished
27,6x35 cm - 10⁷/₈"x13³/₄"




**A** 35 cm - 13³/₄"
**B** 27,6 cm - 10⁷/₈"



AYLT Marvel Diva Ice Crystal
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"




AYLW Marvel Diva White Everest
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



AYLU Marvel Diva Taj Mahal
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"



AYLX Marvel Diva Aqua
Triangle Polished
28,9x33,4 cm - 11³/₈"x13¹/₈"




**A** 33,4 cm - 13¹/₈"
**B** 28,9 cm - 11³/₈"



AYLP Marvel Diva Ice Crystal
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"




AYLR Marvel Diva White Everest
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLQ Marvel Diva Taj Mahal
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"



AYLS Marvel Diva Baobab
Hex [1] Polished
40,3x23,3 cm - 15⁷/₈"x9¹/₈"




**A** 23,3 cm - 9¹/₈"
**B** 40,3 cm - 15⁷/₈"

[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.








AYDl Marvel Diva Ice Crystal [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"




AYDM Marvel Diva Taj Mahal [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYDØ Marvel Diva White Everest [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



AYD1 Marvel Diva Sky Stone [2]
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"




**A** 118,2 cm - 46¹/₂"
**B** 59,5 cm - 23³/₈"



AYD2 Marvel Diva Ice Crystal
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"




AYD4 Marvel Diva White Everest
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD3 Marvel Diva Taj Mahal
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"



AYD5 Marvel Diva Black Tempest
Chevron Velvet Velvetech
17,5x46,3 cm - 6⁷/₈"x18¹/₄"




**A** 46,3 cm - 6⁷/₈"
**B** 17,5 cm - 18¹/₄"

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

[2] **Metal insert. We recommend use of a neutral detergent. Do not use acid, alkaline or waxing products or metal scouring pads. Detergents may cause a light loss of colour of the metallic insert, due to either repetitive use or too long contact time.** - Inserto metallico. Si consiglia l'utilizzo di un comune detergente neutro, evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo. I detergenti, anche di uso comune, possono portare ad una leggera perdita di colore della bacchetta stessa, o per uso ripetuto o per tempo di contatto troppo elevato. - Insert métallique. Il est conseillé d'utiliser un produit détergent commun et neutre, d'éviter d'utiliser des produits acides ou alcalins, à base de cire ainsi que les pailles de métal. - Metalleinlage. Ein handelsübliches, neutrales Reinigungsmittel und keine sauren oder alkalischen, wachshaltigen Produkte oder Stahlwolle verwenden. - Inserto metálico. Se recomienda utilizar un detergente neutro y evitar productos ácidos o alcalinos, ceras y estropajos metálicos. - Металлическая вставка. Рекомендуется использовать обычное нейтральное моющее средство, избегать использования кислотных или щелочных продуктов,а также средств для вощения и металлических мочалок.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Diva

## Wall Tiles

V3 Moderate Variation

### MATTE SURFACE — Wall

**± 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AYLY Marvel Ice Crystal Field
AYL1 Marvel Taj Mahal Field
AYLZ Marvel White Everest Field
AYLØ Marvel Sky Stone Field

**± 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AYL2 Marvel Ice Crystal 3D Crease
AYL3 Marvel White Everest 3D Crease


ICE CRYSTAL FIELD


ICE CRYSTAL 3D CREASE


WHITE EVEREST FIELD


WHITE EVEREST 3D CREASE


TAJ MAHAL FIELD


SKY STONE FIELD









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Dream



**Timeless Elegance.**
Elegant white and black marbles effects for stylish projects.

**The refined beauty of marble.**
Marble effect to enhance any space with elegance and sophistication.

**Seamless integration.**
Perfectly pairs with all Marvel World products and the entire Atlas Concorde catalog.





DISCOVER
**MORE**

Floor | Wall




## Porcelain Tiles RECTIFIED MONOCALIBER

### POLISHED SURFACE (1)

Floor | Wall

**≠ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AOSG Marvel Black Atlantis Polished

**≠ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A21I Marvel Black Atlantis Polished

### MATTE SURFACE

Sensitech
**≠ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A21A Marvel Black Atlantis

M MEDIUM TRAFFIC — Polished ≠ 6 - 9 mm
H HEAVY TRAFFIC — **R10 B** Matte Sensitech ≠ 9 mm

**R9 A** Matte ≠ 6 mm
**R10 B** Matte Sensitech ≠ 9 mm

V2 Slight Variation

(1) **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

Sensitech P. 412

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Epic



**Stunning marbles, epic scenarios.**
Epic marble surfaces that transform every space.

**Rich and textured palette.**
Seven stones offering limitless design versatility.

**Refined finishes, elevated surfaces.**
Tailored finishes enhancing color, depth, texture.

**Versatile total look combinations.**
Designed to mix seamlessly across Atlas Concorde collections.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades






















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished \| Silk \| Matte |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished \| Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Polished \| Silk \| Hammered |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12 mm | Polished \| Silk \| Hammered \| Satin |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Epic

## Porcelain Tiles

MEDIUM TRAFFIC — Silk ✣ 6 mm
Polished ✣ 6 - 9 mm
Matte / Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm

**R9 A** Matte / Hammered ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm

V3 Moderate Variation

### POLISHED SURFACE [1]

Floor Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
HCLZ Marvel Calacatta Viola Polished Endless
HDV5 Marvel Calacatta Viola Polished Kit Endless [2] [3]
HDZS Marvel Onyx Ivory Polished
HECD Marvel Onyx Ivory Polished Kit Endless [2] [3]

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
HEAC Marvel Calacatta Viola Polished
HEIL Marvel Calacatta Viola Polished Kit Endless [2] [3]
HEAD Marvel Onyx Ivory Polished
HEIM Marvel Onyx Ivory Polished Kit Endless [2] [3]
HEU7 Marvel Taj Mahal Noisette Polished
HEVA Marvel Taj Mahal Noisette Polished Kit Endless [2] [3]
HEU8 Marvel Taj Mahal White Polished
HEVB Marvel Taj Mahal White Polished Kit Endless [2] [3]
HEII Marvel Natural Roots Polished
HEIN Marvel Natural Roots Polished Kit Endless [2] [3]

**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HEAH Marvel Calacatta Viola Polished
HEAI Marvel Onyx Ivory Polished
HEVD Marvel Taj Mahal Noisette Polished
HEVE Marvel Taj Mahal White Polished
HEIK Marvel Natural Roots Polished

### SILK SURFACE

Floor Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
HDT2 Marvel Taj Mahal Noisette Silk Endless
HDT3 Marvel Taj Mahal Noisette Silk Kit Endless [2] [3]
HEAU Marvel Zephyr Silk Endless
HEAV Marvel Zephyr Silk Kit Endless [2] [3]
HD7C Marvel Taj Mahal White Silk
HD7D Marvel Taj Mahal White Silk Kit Endless [2] [3]
HEAØ Marvel Natural Roots Silk Endless
HEAY Marvel Natural Roots Silk Kit Endless [2] [3]

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
HEAE Marvel Taj Mahal Noisette Silk
HEIP Marvel Taj Mahal Noisette Silk Kit Endless [2] [3]
HEAF Marvel Taj Mahal White Silk
HEIQ Marvel Taj Mahal White Silk Kit Endless [2] [3]
HEU9 Marvel Zephyr Silk
HEVC Marvel Zephyr Silk Kit Endless [2] [3]

### MATTE SURFACE

Floor Wall

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2" - **ID Skin**
HEAG Marvel Alpinus
HEIR Marvel Alpinus Kit Endless

Sensitech

**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
HEVH Marvel Taj Mahal Noisette
HEVI Marvel Taj Mahal White

Sensitech

**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HEAJ Marvel Taj Mahal Noisette
HEAK Marvel Taj Mahal White
HEAL Marvel Alpinus
HEVG Marvel Zephyr

### HAMMERED MATTE SURFACE

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126" - **ID Skin**
HDV6 Marvel Alpinus Hammered
HEAW Marvel Alpinus Hammered Kit Endless

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**

Sensitech P. 412



























HAMMERED






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Gala



**Distinctive personalities.**
Inspired by 5 rare and precious stones.

**Vibrant and deep colors.**
Marble, crystal, granite,
and quartzite inspirations.

**Inspired by natural wonders.**
The glaciers of Alaska, the Californian
desert, the green of Amazon,
the turquoise of the tropical seas,
the Icelandic volcanoes.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades
















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Polished |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Polished |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12-20 mm | Polished \| Silk |
| **159x324 cm** - 62⁵/₈"x127¹/₂" NON-RECTIFIED | ± 20 mm | Polished |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Gala

## Porcelain Tiles

Polished ǂ 6 - 9 mm

V3 Moderate Variation

### POLISHED SURFACE [1]

Floor — Wall

**ǂ 6 mm**
**160x320 cm** - 63"x126"
AJKV Marvel Crystal White Bookmatch Polished
AJKU Marvel Crystal White Polished
AJKH Marvel Desert Soul Bookmatch Polished
AJKG Marvel Desert Soul Polished
AJRQ Marvel Exotic Green Bookmatch Polished
AJRP Marvel Exotic Green Polished

**ǂ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AFXU Marvel Exotic Green Polished
AFXV Marvel Desert Soul Polished
AFXW Marvel Crystal White Polished
AFXX Marvel Amazzonite Polished
AFXY Marvel Calacatta Black Polished

**ǂ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
ABKA Marvel Exotic Green Polished
AFXM Marvel Desert Soul Polished
AFXN Marvel Crystal White Polished
ABKB Marvel Amazzonite Polished
AFXO Marvel Calacatta Black Polished

**ǂ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AFXP Marvel Exotic Green Polished
AFXQ Marvel Desert Soul Polished
AFXR Marvel Crystal White Polished
AFXS Marvel Amazzonite Polished
AFXT Marvel Calacatta Black Polished


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.







CRYSTAL WHITE


DESERT SOUL


AMAZZONITE


EXOTIC GREEN


CALACATTA BLACK



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Gems



**Modern Venetian Terrazzo.**
A contemporary take on classic Venetian terrazzo.

**Contemporary colors.**
Available in modern, neutral shades.


**Seamless Pairing.**
Perfectly matches with Marvel World collections.





DISCOVER
**MORE**

Floor | Wall
















## Porcelain Tiles RECTIFIED MONOCALIBER

**MATTE SURFACE** — Floor | Wall

Sensitech
**≑ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
ATW3 Marvel Terrazzo White
ATW4 Marvel Terrazzo Pearl
ATW5 Marvel Terrazzo Cream
ATW6 Marvel Terrazzo Grey
ATW7 Marvel Terrazzo Black

MEDIUM TRAFFIC — Matte ≑ 9 mm | **R10 B** Matte Sensitech ≑ 9 mm | V2 Slight Variation

**TRIM TILES**
P. 302

| | Battiscopa | | Gradino * | Scalino * | Scalino Ang.* | Davanzale / Soglia * |
|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | Digitale 4,6x60 cm 1⁷/₈"x23⁵/₈" | 30x60 cm 11⁷/₈"x23⁵/₈" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte |
| Terrazzo White | AT9M | AT9H | AUDB | AT9R | AS8Y | • |
| Terrazzo Pearl | AT9N | AT9I | AUDC | AT9T | AS8Z | • |
| Terrazzo Cream | AT9O | AT9J | AUDD | AT9U | AS8Ø | • |
| Terrazzo Grey | AT9P | AT9K | AUDE | AT9V | AS81 | • |
| Terrazzo Black | AT9Q | AT9L | AUDF | AT9W | AS82 | • |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Meraviglia

ADI DESIGN INDEX 2024

Diamond decor designed by **Zaha Hadid Architects**





**Inspired by five elegant marbles.**
Calacatta Meraviglia is the protagonist of the collection

**Velvetech.**
The advanced technology with patent field in Europe for an impeccable smooth touch and semi-opaque reflections.

**A distinctive decorative proposal.**
The Diamond décor in collaboration with Zaha Hadid Architects has been selected for the prestigious Adi Design Index 2024.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades
















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47 1/4"x109 1/2" | 6 mm | Polished |
| **120x240 cm** - 47 1/4"x94 1/2" | 9 mm | Polished |
| **120x120 cm** - 47 1/4"x47 1/4" | 9 mm | Polished \| Velvet Velvetech |
| **75x150 cm** - 29 1/2"x59" | 9 mm | Polished |
| **60x120 cm** - 23 5/8"x47 1/4" | 9 mm | Polished \| Velvet Velvetech<br>Matte Sensitech **R10 B**<br>Hammered Matte Sensitech **R10 B** |
| **60x60 cm** - 23 5/8"x23 5/8" | 9 mm | Polished \| Matte Sensitech **R10 B** |
| **30x60 cm** - 11 3/4"x23 5/8" | 9 mm | Polished \| Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23 5/8"x47 1/4" | 20 mm | Hammered Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | 6 mm | Polished I Matte **R9 A** |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63 3/4"x127 1/2"<br>**NON-RECTIFIED** | 12 mm | Polished \| Silk |
| **159x324 cm** - 62 5/8"x127 1/2"<br>**NON-RECTIFIED** | 20 mm | Polished I Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Meraviglia

## Porcelain Tiles

MEDIUM TRAFFIC

Polished ∓ 6 - 9 mm

V3 Moderate Variation

### POLISHED SURFACE [1]

Floor — Wall




**∓ 6 mm**
**160x320 cm** - 63"x126"
AJG9 Marvel Calacatta Meraviglia Polished Endless
AKFI Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AJJ9 Marvel Calacatta Meraviglia Polished
AJKA Marvel Calacatta Meraviglia Bookmatch Polished



**∓ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AJH2 Marvel Calacatta Meraviglia Polished
AJH3 Marvel Calacatta Bernini Polished
AJH4 Marvel Silver Majestic Polished
AJH5 Marvel Grigio Elegante Polished
AJH6 Marvel Black Origin Polished
AKF8 Marvel Calacatta Meraviglia Polished Kit Endless [2] [3]
AKF9 Marvel Calacatta Bernini Polished Kit Endless [2] [3]
AKQU Marvel Silver Majestic Polished Kit Endless [2] [3]
AKQV Marvel Grigio Elegante Polished Kit Endless [2] [3]
AKQW Marvel Black Origin Polished Kit Endless [2] [3]



**∓ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AJH7 Marvel Calacatta Meraviglia Polished
AJH8 Marvel Calacatta Bernini Polished
AJH9 Marvel Silver Majestic Polished
AJIA Marvel Grigio Elegante Polished
AJIB Marvel Black Origin Polished



**∓ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AJIC Marvel Calacatta Meraviglia Polished
AJID Marvel Calacatta Bernini Polished
AJIE Marvel Silver Majestic Polished
AJIF Marvel Grigio Elegante Polished
AJIG Marvel Black Origin Polished



**∓ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AJAN Marvel Calacatta Meraviglia Polished
AJHU Marvel Calacatta Bernini Polished
AJHV Marvel Silver Majestic Polished
AJHW Marvel Grigio Elegante Polished
AJHX Marvel Black Origin Polished



**∓ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AJI5 Marvel Calacatta Meraviglia Polished
AJI6 Marvel Calacatta Bernini Polished
AJI7 Marvel Silver Majestic Polished
AJI8 Marvel Grigio Elegante Polished
AJI9 Marvel Black Origin Polished



**∓ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AJJF Marvel Calacatta Meraviglia Polished
AJJG Marvel Calacatta Bernini Polished
AJJH Marvel Silver Majestic Polished
AJJI Marvel Grigio Elegante Polished
AJJJ Marvel Black Origin Polished



**∓ 9 mm**
**75x150 cm** - 29 1/2"x59"
AJEQ Marvel Calacatta Meraviglia Polished
AJHY Marvel Calacatta Bernini Polished
AJHZ Marvel Silver Majestic Polished
AJHØ Marvel Grigio Elegante Polished
AJH1 Marvel Black Origin Polished


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Meraviglia

## Porcelain Tiles

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R10 B** Hammered Matte Sensitech ✣ 9 mm
**R11 C** Hammered Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

L LIGHT TRAFFIC — Velvet Velvetech ✣ 9 mm

M MEDIUM TRAFFIC — Matte ✣ 9 mm

H HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Hammered Matte Sensitech ✣ 9 mm
Hammered Outdoor Sensitech ✣ 20 mm

### VELVET SURFACE

Floor — Wall

Velvetech
✣ 9 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
AJII Marvel Calacatta Meraviglia Velvet
AJJ Marvel Calacatta Bernini Velvet
AJIK Marvel Silver Majestic Velvet
AJIL Marvel Grigio Elegante Velvet

Velvetech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJGJ Marvel Calacatta Meraviglia Velvet
AJGK Marvel Calacatta Bernini Velvet
AJGL Marvel Silver Majestic Velvet
AI8R Marvel Grigio Elegante Velvet

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

### MATTE SURFACE

atlasPLAN
✣ 6 mm
**160x320 cm** - 63"x126"
AJSZ Marvel Calacatta Meraviglia Endless
AKFJ Marvel Calacatta Meraviglia Kit Endless [2] [3]

Sensitech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJIR Marvel Calacatta Meraviglia
AJIS Marvel Calacatta Bernini
AJIT Marvel Silver Majestic
AJIU Marvel Grigio Elegante
AJIV Marvel Black Origin

Sensitech
✣ 9 mm
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AJJA Marvel Calacatta Meraviglia
AJJB Marvel Calacatta Bernini
AJJC Marvel Silver Majestic
AJJD Marvel Grigio Elegante
AJJE Marvel Black Origin

Sensitech
✣ 9 mm
**30x60 cm** - 11³/₄"x23⁵/₈"
AJJK Marvel Calacatta Meraviglia
AJJL Marvel Calacatta Bernini
AJJM Marvel Silver Majestic
AJJN Marvel Grigio Elegante
AJJO Marvel Black Origin

### HAMMERED MATTE SURFACE

Sensitech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJIX Marvel Calacatta Meraviglia Hammered
AJJU Marvel Calacatta Bernini Hammered
AJIY Marvel Grigio Elegante Hammered

### HAMMERED OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 20 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJPQ Marvel Calacatta Meraviglia Hammered Outdoor
AJPR Marvel Calacatta Bernini Hammered Outdoor
AJPS Marvel Grigio Elegante Hammered Outdoor

Sensitech P. 412 Velvetech P. 410





VELVET/MATTE


CALACATTA MERAVIGLIA


CALACATTA BERNINI


SILVER MAJESTIC


GRIGIO ELEGANTE


BLACK ORIGIN

HAMMERED


CALACATTA MERAVIGLIA HAMMERED


CALACATTA BERNINI HAMMERED


GRIGIO ELEGANTE HAMMERED




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Meraviglia

## Porcelain Tiles

Decor designed by
Zaha Hadid Architects

### DECOR RANGE






AJQ6 Marvel Calacatta Meraviglia
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"

Calacatta Meraviglia + Black Origin




AJQ8 Marvel Black Origin
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"

Black Origin + Calacatta Meraviglia




AJQ7 Marvel Silver Majestic
Diamond Polished
46,6x284,6 cm - 18³/₈"x112"

Silver Majestic + Black Origin





**mod A**

| | |
|---|---|
| **A** | 50,5 cm - 19⁷/₈" |
| **a** | 46,6 cm - 18³/₈" |
| **B** | 44,8 cm - 17⁵/₈" |
| **b** | 40,3 cm - 15⁷/₈" |





**mod B**

| | |
|---|---|
| **A** | 50,5 cm - 19⁷/₈" |
| **a** | 46,6 cm - 18³/₈" |
| **B** | 58,3 cm - 23" |
| **b** | 51,9 cm - 20⁷/₈" |




**mod C**

| | |
|---|---|
| **A** | 52,9 cm - 20⁷/₈" |
| **a** | 46,6 cm - 18³/₈" |
| **B** | 54,2 cm - 21³/₈" |
| **b** | 49,8 cm - 19⁵/₈" |




**mod D**

| | |
|---|---|
| **A** | 52,9 cm - 20⁷/₈" |
| **a** | 46,6 cm - 18³/₈" |
| **B** | 54,2 cm - 21³/₈" |
| **b** | 49,3 cm - 19⁵/₈" |

**Diamond designed by ZHA consists of six modules in a box. The mosaic covers a height of 2.85 m, but it's possible to lengthen the composition for larger areas by using the Hexagon mosaic, which corresponds to Module A. For an optimal aesthetic result, it's recommended to lay the product keeping the color transition of the tiles in the center of the composition.** - Diamond designed by ZHA è composto da sei moduli contenuti in una scatola. Il mosaico ricopre un'altezza di 2.85 mt, ma è possibile allungare la composizione per superfici più estese utilizzando il mosaico Hexagon, che corrisponde al modulo A. Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo la transizione di colore delle tessere al centro della composizione.








© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Meraviglia


## DECOR RANGE




AJQY Marvel Calacatta Meraviglia
Hexagon [1] Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQZ Marvel Calacatta Bernini
Hexagon [1] Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQØ Marvel Silver Majestic
Hexagon [1] Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




| | |
|---|---|
| **A** | 50,5 cm - 19⁷/₈" |
| **a** | 46,6 cm - 18³/₈" |
| **B** | 44,8 cm - 17⁵/₈" |
| **b** | 40,3 cm - 15⁷/₈" |



AJQ1 Marvel Grigio Elegante
Hexagon [1] Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"




AJQ2 Marvel Black Origin
Hexagon [1] Polished
40,3x46,6 cm - 15⁷/₈"x18³/₈"



AJP8 Marvel Calacatta Meraviglia
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"




AJP9 Marvel Calacatta Bernini
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJQA Marvel Silver Majestic
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



AJQB Marvel Grigio Elegante
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"



AJQC Marvel Black Origin
Mosaico Matte Sensitech
30x30 cm - 11³/₄"x11³/₄"

[1] **Marvel Meraviglia Hexagon recalls the hexagonal Module A of Diamond designed by ZHA, which can be combined with to clad larger surfaces. Or use it on its own to give rooms a prestigious touch.** - Marvel Meraviglia Hexagon riprende il modulo esagonale A di Diamond designed by ZHA, a cui si può abbinare per ricoprire superfici più estese. Oppure utilizzare da solo per conferire agli ambienti un tocco di pregio. - Marvel Meraviglia Hexagon reprend le module hexagonal A de Diamond designed by ZHA, auquel elle peut être associée pour recouvrir de plus grandes superficies. Elle peut aussi être utilisée seule pour conférer une touche d'élégance aux espaces. - Marvel Meraviglia Hexagon greift das Sechskantmodul A von Diamond designed by ZHA auf und kann mit diesem kombiniert werden, um ausgedehntere Flächen zu verkleiden. Es kann auch allein verwendet werden, um dem Ambiente besonderes Prestige zu verleihen.- Marvel Meraviglia Hexagon toma el módulo hexagonal A de Diamond diseñado por ZHA, con el cual se puede combinar para cubrir superficies más grandes. O bien, se puede utilizar solo para dar un toque de prestigio a los ambientes.- Marvel Meraviglia Hexagon перенимает шестигранный модуль A у декора Diamond от ZHA и может сочетаться с последним для облицовки более крупных поверхностей. Также может использоваться отдельно для придания интерьерам ноты изысканности.









APV5 Marvel Calacatta Meraviglia
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



APV6 Marvel Calacatta Bernini
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"



APV8 Marvel Grigio Elegante
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"




APV7 Marvel Silver Majestic
Grid Velvet Velvetech
59,5x118,2 cm - 23³/₈"x46¹/₂"

**PRECAUTIONS**
**VELVET IS A DELICATE SURFACE**

The Velvet finish is a delicate surface that requires care.
To preserve its beauty and ensure proper use, please refer to our instructions on page 411.

La finitura Velvet è una superficie delicata che merita attenzione.
Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.




| | |
|---|---|
| **A** | 118,2 cm - 46¹/₂" |
| **B** | 59,5 cm - 23³/₈" |
| **a** | 29,4 cm - 11⁵/₈" |

**TRIM TILES P. 302**

| | Battiscopa | | | | | | Gradino * | | Scalino * | Scalino * | | | | Scalino Ang.* | | Battiscopa Sag. Scala * | | | | Davanzale / Soglia * | Corner * ∓ 6 mm | Corner A.E * ∓ 6 mm ▽ |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | | 7,2x150 cm 2⁷/₈"x59" | 7,2x120 cm 2⁷/₈"x47¹/₄" | | | 30x60 cm 11³/₄"x23⁵/₈" | 30x120 cm 11³/₄"x47¹/₄" | 33x150 cm 13"x59" | 33x120 cm 13"x47¹/₄" | | 33x60 cm 13"x23⁵/₈" | | 33x33 cm 13"x13" | | 7,2x30 cm 2⁷/₈"x11³/₄" | | | | max 315x50 H.4 cm 124"x19³/₄" H.1³/₄" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" |
| | Polished | Matte | Polished | Polished | Matte | Hammered Matte | Matte | Matte | Polished | Polished | Matte | Polished | Matte | Polished | Matte | Polished | | Matte | | Matte | Polished | Polished |
| | | | | | | | | | | | | | | | | DX | SX | DX | SX | | | |
| Calacatta Meraviglia | AJUG | AJUV | AJUQ | AJUL | AJUØ | AJU5 | AJVS | AJVX | AJWM | AJWH | AJV7 | AJWC | AJV2 | AJWW | AJWR | AJVD | AJU8 | AJVN | AJVI | • | AJW1 | AJW6 |
| Calacatta Bernini | AJUH | AJUW | AJUR | AJUM | AJU1 | AJU6 | AJVT | AJVY | AJWN | AJWI | AJV8 | AJWD | AJV3 | AJWX | AJWS | AJVE | AJU9 | AJVO | AJVJ | • | AJW2 | AJW7 |
| Silver Majestic | AJUI | AJUX | AJUS | AJUN | AJU2 | - | AJVU | AJVZ | AJWO | AJWJ | AJV9 | AJWE | AJV4 | AJWY | AJWT | AJVF | AJVA | AJVP | AJVK | • | AJW3 | AJW8 |
| Grigio Elegante | AJUJ | AJUY | AJUT | AJUO | AJU3 | AJU7 | AJVV | AJVØ | AJWP | AJWK | AJWA | AJWF | AJV5 | AJWZ | AJWU | AJVG | AJVB | AJVQ | AJVL | • | AJW4 | AJW9 |
| Black Origin | AJUK | AJUZ | AJUU | AJUP | AJU4 | - | AJVW | AJV1 | AJWQ | AJWL | AJWB | AJWG | AJV6 | AJWØ | AJWV | AJVH | AJVC | AJVR | AJVM | • | AJW5 | AJXA |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Onyx



**Onyx like never before.**
A contemporary and refined Interpretation.

**Superior aesthetics.**
Elegance and depth of details for sophisticated spaces.

**Timeless Allure.**
Transparent and translucent as a glass surface.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


WHITE


PEARL


ALABASTER


NOIR


SKY


QUARTZ

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47 1/4"x109 1/2" | ± 6 mm | Polished |
| **120x240 cm** - 47 1/4"x94 1/2" | ± 9 mm | Polished |
| **120x120 cm** - 47 1/4"x47 1/4" | ± 9 mm | Polished |
| **60x120 cm** - 23 5/8"x47 1/4" | ± 9 mm | Polished |
| **60x60 cm** - 23 5/8"x23 5/8" | ± 9 mm | Polished |

**LARGE SIZES** P. 307

atlasPLAN

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63 3/4"x127 1/2"<br>NON-RECTIFIED | ± 12 mm | Polished \| Silk |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Onyx

## Porcelain Tiles

MEDIUM TRAFFIC

Polished ≠ 6 - 9 mm

V3 Moderate Variation

### POLISHED SURFACE [1]

Floor — Wall

**≠ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AJAH Marvel White Polished
AJAI Marvel Alabaster Polished
AJAJ Marvel Pearl Polished
AJAK Marvel Noir Polished
AJAL Marvel Sky Polished
AJAM Marvel Quartz Polished

**≠ 9 mm**
**120x240 cm** - 47¹/₄"x94¹/₂"
AJBG Marvel White Polished
AJBH Marvel Alabaster Polished
AJBI Marvel Pearl Polished
AJBJ Marvel Noir Polished

**≠ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AJBK Marvel White Polished
AJBL Marvel Alabaster Polished
AJBM Marvel Pearl Polished
AJBN Marvel Noir Polished

**≠ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
AJBO Marvel White Polished
AJBQ Marvel Alabaster Polished
AJBS Marvel Pearl Polished
AJBT Marvel Noir Polished

**≠ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AJBU Marvel White Polished
AJBV Marvel Alabaster Polished
AJBW Marvel Pearl Polished
AJBX Marvel Noir Polished


[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Shine



**Inspired by Italian white marbles.**
Featuring exquisite marbles handpicked from the most prestigious quarries.

**Wide range of finishes.**
Available in an extensive array of finishes.

**Seamless vein graphics.**
Continuous vein patterns in large formats.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades













## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Silk |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Polished |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Polished I Silk |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Polished I Silk I Matte Sensitech **R10 B** |
| **30x60 cm** - 11⁸/₄"x23⁵/₈" | ± 9 mm | Silk |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Polished I Silk |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12 mm | Polished I Silk |
| **159x324 cm** - 62⁵/₈"x127¹/₂" NON-RECTIFIED | ± 20* mm | Polished I Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Shine

Polished ✣ 6 - 9 mm
Silk ✣ 6 - 9 mm
MEDIUM TRAFFIC

Matte ✣ 9 mm
HEAVY TRAFFIC

**R9 A** Matte ✣ 9 mm
**R10 B** Matte Sensitech ✣ 9 mm

V2 Slight Variation
Calacatta Delicato, Calacatta Prestigio

V3 Moderate Variation
Calacatta Imperiale

## Porcelain Tiles

### POLISHED SURFACE [1]

Floor — Wall

**✣ 6 mm**
**160x320 cm** - 63"x126"
A4RR Marvel Calacatta Prestigio Polished Endless
AKFL Marvel Calacatta Prestigio Polished Kit Endless [2] [3]

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
A4OY Marvel Calacatta Delicato Polished
A4OZ Marvel Calacatta Prestigio Polished
A4O2 Marvel Calacatta Prestigio Bookm A Lp [3] [5]
A4O3 Marvel Calacatta Prestigio Bookm B Lp [3] [5]
A6EO Marvel Calacatta Prestigio Polished Kit Endless [2] [3]
A4O1 Marvel Calacatta Imperiale Polished
A6EQ Marvel Calacatta Imperiale Polished Kit Endless [2] [3]

**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
A7GA Marvel Calacatta Delicato Polished
A7GB Marvel Calacatta Prestigio Polished
A7GD Marvel Calacatta Imperiale Polished

**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
A4RH Marvel Calacatta Delicato Polished
A4RI Marvel Calacatta Prestigio Polished
A4RK Marvel Calacatta Imperiale Polished

**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A4Q8 Marvel Calacatta Delicato Polished
A4Q9 Marvel Calacatta Prestigio Polished
A4RB Marvel Calacatta Imperiale Polished

**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A4QØ Marvel Calacatta Delicato Polished
A4Q1 Marvel Calacatta Prestigio Polished
A4Q2 Marvel Statuario Supremo Polished
A4Q3 Marvel Calacatta Imperiale Polished

**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A4QS Marvel Calacatta Delicato Polished
A4QT Marvel Calacatta Prestigio Polished
A4QV Marvel Calacatta Imperiale Polished

### SILK SURFACE [1]

Floor — Wall

**✣ 6 mm**
**160x320 cm** - 63"x126"
AJK1 Marvel Calacatta Imperiale Bookmatch Silk
AJKØ Marvel Calacatta Imperiale Silk

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
A4O6 Marvel Calacatta Prestigio Silk
A6ER Marvel Calacatta Prestigio Silk Kit Endless [2] [3]

**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
A7H2 Marvel Calacatta Delicato Silk
A7H3 Marvel Calacatta Prestigio Silk
A7H5 Marvel Calacatta Imperiale Silk

**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A5TC Marvel Calacatta Delicato Silk
A5TD Marvel Calacatta Prestigio Silk
A5TF Marvel Calacatta Imperiale Silk

**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
A5TG Marvel Calacatta Delicato Silk
A5TH Marvel Calacatta Prestigio Silk
A5TJ Marvel Calacatta Imperiale Silk

### MATTE SURFACE

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A4Q4 Marvel Calacatta Delicato
A4Q5 Marvel Calacatta Prestigio
A4Q7 Marvel Calacatta Imperiale

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A4QW Marvel Calacatta Delicato
A4QX Marvel Calacatta Prestigio
A4QY Marvel Statuario Supremo
A4QZ Marvel Calacatta Imperiale

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A4QO Marvel Calacatta Delicato
A4QQ Marvel Calacatta Prestigio
A4QP Marvel Calacatta Imperiale

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] [5] **Please read the notes at page 357**

Sensitech P. 412






CALACATTA DELICATO


CALACATTA PRESTIGIO


STATUARIO SUPREMO


CALACATTA IMPERIALE

| TRIM TILES P. 302 | Battiscopa | | | | | Gradino * | | Scalino * | | | | Scalino Ang.* | | | | | Battiscopa Sag. Scala * | | | | | | Davanzale / Soglia * | Corner * ✣ 6 mm | Corner A.E * ✣ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x150 cm 2 7/8"x59" | | 7,2x120 cm 2 7/8"x47 1/4" | 7,2x60 cm 2 7/8"x23 5/8" | | 30x120 cm 11 3/4"x47 1/4" | 30x60 cm 11 3/4"x23 5/8" | 37,5x150 cm 14 3/4"x59" | | 33x120 cm 13"x47 1/4" | 33x60 cm 13"x23 5/8" | 37,5x37,5 cm 14 3/4"x14 3/4" | | 33x33 cm 13"x13" | | | 7,2x30 cm 2 7/8"x11 3/4" | | | | | | max 315x50 H.4 cm 124"x19 3/4" H.1 3/4" | 1x120 cm 1/2"x47 1/4" | 1x1 cm 1/2"x1/2" |
| | Polish. | Silk | Matte | Polish. | Silk | Matte | Silk | Polish. | Silk | Matte | Polish. | Silk | Polish. | Silk | Polish. | Matte | Silk | Polished | Matte | | Silk | | Matte | Polish. | Silk | Polished |
| | | | | | | | | | | | | | | | | | | DX | SX | DX | SX | DX | SX | | | | |
| Calacatta Delicato | A43T | A43P | A535 | A43H | A539 | A55F | A54W | A443 | A44Z | A3CV | A44I | A543 | A45K | A45G | A45C | A547 | A55B | A54G | A54K | A43X | A431 | A54O | A54S | • | A45O | - | A45U |
| Calacatta Prestigio | A43U | A43Q | A536 | A43I | A54D | A55G | A54X | A444 | A44Ø | A54Ø | A44J | A544 | A45L | A45H | A45D | A548 | A55C | A54H | A54L | A43Y | A432 | A54P | A54T | • | A45P | A45S | A45X |
| Calacatta Imperiale | A43W | A43S | A538 | A43K | A54F | A55I | A54Z | A446 | A442 | A542 | A44L | A546 | A45N | A45J | A45F | A55A | A55E | A54J | A54N | A43Ø | A434 | A54R | A54V | • | A45R | - | A45V |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Shine

## Porcelain Tiles

### DECOR RANGE




A421 Marvel Calacatta Prestigio Scenic Bookm A Lp [1]
120x278 cm - 47¹/₄"x109¹/₂"



A43L Marvel Calacatta Prestigio Scenic Bookm B Lp [1]
120x278 cm - 47¹/₄"x109¹/₂"

± 6 mm




15x139 cm - 5⁷/₈"x54³/₄"




A423 Marvel Calacatta Delicato Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"



A424 Marvel Calacatta Prestigio Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"



A426 Marvel Calacatta Imperiale Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"



2,3x2,3 cm - ⁷/₈"x⁷/₈"




A413 Marvel Calacatta Delicato Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A414 Marvel Calacatta Prestigio Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A416 Marvel Calacatta Imperiale Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



3,1x3,1 cm - 1¹/₄"x1¹/₄"




A42K Marvel Calacatta Delicato Mosaico. Esagono Polished
30,5x35,2 cm - 12"x13³/₈"



A42W Marvel Calacatta Prestigio Mosaico Esagono Polished
30,5x35,2 cm - 12"x13³/₈"



A42Y Marvel Calacatta Imperiale Mosaico Esagono Polished
30,5x35,2 cm - 12"x13³/₈"




**A** 30,5 cm - 12"
**B** 35,2 cm - 13³/₈"
10x17 cm - 3⁷/₈"x6³/₄"



A417 Marvel Calacatta Delicato Mosaico Esagono Matte
30,5x35,2 cm - 12"x13³/₈"



A418 Marvel Calacatta Prestigio Mosaico Esagono Matte
30,5x35,2 cm - 12"x13³/₈"



A42J Marvel Calacatta Imperiale Mosaico Esagono Matte
30,5x35,2 cm - 12"x13³/₈"

[1] **120x278 cm slabs cut into modules that recompose the open vein. This makes it possible to lay them even on curved surfaces. Each slab is cut into 16 numbered modules measuring 15x139 cm. To recreate the open vein, follow the sequence of pieces indicated in the laying patterns inside the packaging. Each slab is placed in 4 boxes, each of which contains 4 modules, for a total of 16 modules, corresponding to a surface of 3.3 mq.** - Lastre 120cmx278cm tagliate in moduli che ricompongono la macchia aperta. Consentono la posa anche su superfici curve. Ogni lastra viene tagliata in 16 moduli numerati, di dimensione 15cmx139cm: per ricreare la macchia aperta seguire la sequenza dei pezzi indicata negli schemi di posa all'interno dell'imballo. Ogni lastra viene collocata in 4 scatole, ciascuna delle quali contiene 4 moduli, per un totale di 16 moduli, corrispondenti ad una superficie di 3,3mq. - Dalles de 120 cm x 278 cm découpées en modules qui recomposent la tache ouverte. Elles permettent la pose même sur des surfaces courbes. Chaque dalle est découpée en 16 modules numérotés, mesurant 15 cm x 139 cm: pour recréer la tache ouverte, suivez la séquence de pièces indiquée dans les schémas de pose à l'intérieur de l'emballage. Chaque dalle est placée dans 4 boîtes contenant chacune 4 modules, pour un total de 16 modules, correspondant à une surface de 3,3 mètres carrés. - Platten 120 cm x 278 cm, zu Modulen geschnitten, die das gespiegelte Motiv bilden. Die Verlegung ist auch auf gewölbten Oberflächen möglich. Jede Platte wird in 16 nummerierte Module mit Abmessungen 15 cm x 139 cm geschnitten. Um die Spiegeloptik zu erzielen, die auf den der Verpackung beiliegenden Verlegeplänen angegebene Reihenfolge beachten. Jede Platte wird in 4 Schachteln mit je 4 Modulen verpackt. Die insgesamt 16 Module entsprechen einer Oberfläche von 3,3 qm. - Placas 120cmx278cm cortadas en módulos que recomponen la mancha abierta. También permiten la colocación en superficies curvas. Cada losa se corta en 16 módulos numerados que miden 15cmx139cm: x para recrear la mancha abierta, se sigue la secuencia de las piezas indicadas en los esquemas de colocación dentro del embalaje. Cada losa se coloca en 4 cajas, cada una de estas contiene 4 módulos por un total de 16 módulos, lo que corresponde a un área de 3,3 metros cuadrados. - Плиты 120 см x278 см разрезаны на модули, которые впоследствии складываются в симметричный зеркальный рисунок. Также возможна укладка на изогнутые поверхности. Каждая плита разрезается на 16 пронумерованных модулей размером 15 см x 139 см: чтобы заново сложить исходный симметричный рисунок, необходимо соблюдать последовательность, указанную на схемах укладки внутри упаковки. Каждая плита помещается в 4 коробки по 4 модуля; всего - 16 модулей, соответствующих площади 3,3 кв.м.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Stone



**White and black marbles.**
The refined beauty of classic marble.

**Infinite Combinations.**
Rich graphic variations and endless pairing possibilities with marble, wood, and concrete effects.

**Unmatched elegance and personalized style.**
Subtle textures and tones for both modern and traditional spaces.





DISCOVER MORE

Floor | Wall | Decors | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


BIANCO DOLOMITE

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Polished I Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Polished |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Polished |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Polished I Matte Sensitech **R10 B** |
| **30x60 cm** - 11⁵/₈"x23⁵/₈" | ± 9 mm | Polished I Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Polished \| Silk |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12-20 mm | Polished \| Silk \| Matte |
| **159x324 cm** - 62⁵/₈"x127¹/₂" NON-RECTIFIED | ± 20 mm | Polished |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Stone

## Porcelain Tiles

MEDIUM TRAFFIC: Polished ✣ 6 - 9 mm · Silk ✣ 6 mm · Matte ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm

V2 Slight Variation

### POLISHED SURFACE [1]

Floor — Wall




✣ **6 mm**
**160x320 cm** - 63"x126"
AJKW Marvel Nero Marquina Polished



✣ **6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
AØBP Marvel Bianco Dolomite Polished



✣ **9 mm**
**120x240 cm** - 47¹/₄"x94¹/₂"
AZTV Marvel Bianco Dolomite Polished



✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
AZTT Marvel Bianco Dolomite Polished



✣ **9 mm**
**75x150 cm** - 29¹/₂"x59"
A7GE Marvel Bianco Dolomite Polished



✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A21K Marvel Bianco Dolomite Polished



✣ **9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AZRI Marvel Bianco Dolomite Polished



✣ **9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
DØ39 Marvel Bianco Dolomite Polished

### SILK SURFACE [2]




✣ **6 mm**
**160x320 cm** - 63"x126"
AJK2 Marvel Nero Marquina Silk

### MATTE SURFACE



✣ **6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
A2RS Marvel Bianco Dolomite




✣ **9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
A2Ø4 Marvel Bianco Dolomite




✣ **9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A21C Marvel Bianco Dolomite




✣ **9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
AZQS Marvel Bianco Dolomite




✣ **9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
D11Ø Marvel Bianco Dolomite

**TRIM TILES**
P. 302

| | Battiscopa | | | | Gradino * | Scalino * | Scalino Ang.* | | Battiscopa Sag. Scala * | | Davanzale / Soglia * |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | | Digitale 4,6x60 cm 1⁷/₈"x23⁵/₈" | | 30x60 cm 11³/₄"x23⁵/₈" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | | 7,2x30 cm 2⁷/₈"x11⁷/₈" | | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" |
| | Matte | Polished | Matte | Polished | Matte | Matte | Matte | | Matte | | Matte |
| | | | | | | | DX | SX | DX | SX | |
| Bianco Dolomite | ATDT | ATDO | ATDJ | ATDE | ATDY | ATD3 | ATEE | ATD8 | ATEO | ATEJ | • |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

Sensitech P. 412





### DECOR RANGE




AS3V Marvel Bianco Dolomite Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



3,5x3,5 cm - 1³/₈"x1³/₈"



AS2G Marvel Bianco Dolomite Mosaico Esagono Polished
30x35 cm - 11³/₄"x13³/₄"





**A** 30 cm - 11³/₄"
**B** 35 cm - 13³/₄"
10x17 cm - 3⁷/₈"x6⁷/₈"



AS31 Marvel Bianco Dolomite Mosaico Polished Burattato [4]
29,8x29,8 cm - 11³/₄"x11³/₄"



3,5x1,7 cm
1³/₈"x⅔"




AS2T Marvel Bianco Dolomite Mosaico Polished
30x30 cm - 11³/₄"x11³/₄"




AS36 Marvel Bianco Dolomite Mosaico Esagono 3D [3]
28,2x35,3 cm - 11"x14"




AS1Q Marvel Bianco Dolomite Chevron Polished
22,5x22,9 cm - 8⁷/₈"x9"



1,7x1,7 cm - ⅝"x⅝"




**A** 8,8 cm - 3¹/₁₂"
**B** 8,1 cm - 3¹/₈"




**A** 26,4 cm - 10³/₈"
**B** 9,6 cm - 3³/₄"

[3] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Мозаико multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

[4] **Tumbled. Irregularities in the edges are not defects but rather features intrinsic to this type of product.** - Burattato. Le irregolarità del bordo non sono da considerarsi un difetto ma una caratteristica intrinseca di questa tipologia di prodotto. - Tamisé. Les irrégularités des bords ne doivent pas être considérées comme un défaut mais comme une caractéristique intrinsèque de ce type de produit. - Genarbt. Die unregelmäßigen Kanten sind nicht als Fehler zu betrachten; sie sind ein für dieses Produkt charakteristisches Merkmal. - Tamboreado. Las irregularidades de los bordes no deben considerarse un defecto, sino una característica intrínseca de este tipo de productos. - Галтованная мозаика. Неровности граней являются не дефектом, а неотъемлемой характеристикой данного вида изделий.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel T

In collaboration with **HBA**






**Travertine experts.**

**Unique travertine experience.**
New colors, authentic texture.

**Trendy 3D surfaces.**
Travertine's natural texture enhances these finishes.

**Collaboration with HBA.**
Shared vision embracing authentic 3D sensory surfaces.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades






















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" - **ID Skin** | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

### OUTDOOR AND WET AREAS

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" - **ID Skin** | ± 6 mm | Hammered **R9 A** |

### SLABS FOR COUNTERTOPS & FURNITURE

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" - **ID Skin** NON-RECTIFIED | ± 12 mm | Hammered |

























## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 8,5 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

### 3D WALL TILES

| | | |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 10 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel T

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

### MATTE SURFACE — Floor — Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126" - **ID Skin**
HCLU Marvel Navona White Hammered
HCLX Marvel Halo White Hammered Endless
HDLZ M. Halo White Hammered Kit Endless [2] [3]
HCLW Marvel Romano Sand Hammered
HCLV Marvel Romano Silver Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2" - **ID Skin**
HCOW Marvel Navona White
HCOX Marvel Navona Sand
HCOY Marvel Halo White
HCOZ Marvel Halo Sand
HCOØ Marvel Romano Sand
HCO1 Marvel Romano Silver
HCO4 Marvel Stone Veil
HDOW Marvel Halo White Kit Endless [2] [3]
HDOX Marvel Halo Sand Kit Endless [2] [3]

Sensitech
**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
HCO5 Marvel Navona Sand
HCO6 Marvel Halo White

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
HCCW Marvel Navona White
HCCX Marvel Navona Sand
HCCY Marvel Halo White
HCCZ Marvel Halo Sand

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCCØ Marvel Navona White
HCC4 Marvel Navona Sand
HCC5 Marvel Halo White
HCC7 Marvel Halo Sand
HCC9 Marvel Romano Sand
HCDA Marvel Romano Silver
HCDB Marvel Stone Veil

Sensitech
**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
HCO7 Marvel Navona White
HCO8 Marvel Navona Sand
HCPA Marvel Halo White
HCPB Marvel Halo Sand

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HCBM Marvel Navona White
HCBN Marvel Navona Sand
HCBO Marvel Halo White
HCBP Marvel Halo Sand

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
HCPC Marvel Navona White
HCPD Marvel Navona Sand
HCPE Marvel Halo White
HCPF Marvel Halo Sand

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
HCPG Marvel Navona White
HCPH Marvel Navona Sand
HCPI Marvel Halo White
HCPJ Marvel Halo Sand

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCDC Marvel Navona Sand Grip
HCDD Marvel Halo Sand Grip
HCDE Marvel Romano Sand Grip

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCQE Marvel Navona Sand 20mm
HCQF Marvel Halo Sand 20mm
HCQG Marvel Romano Sand 20mm

| TRIM TILES P. 302 | Battiscopa | | | | Gradino * | | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Corner * ✣ 6 mm | | Elemento L |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7.2x150 cm 2 1/8"x59" | 7.2x120 cm 2 1/8"x47 1/4" | 7.2x80 cm 2 1/8"x31 1/2" | 7.2x60 cm 2 1/8"x23 5/8" | 30x120 cm 11 3/4"x47 1/4" | 30x60 cm 11 3/4"x23 5/8" | 33x150 cm 13"x59" | 33x120 cm 13"x47 1/4" | 33x60 cm 13"x23 5/8" | 33x33 cm 13"x13" | 7.2x30 cm 2 1/8"x11 3/4" | | max 315x50 H.4 cm 124"x19 3/4" H.1 5/8" | 1x120 cm 1/2"x47 1/4" | | 33x120 H. 4 cm 13"x47 1/4" H.1 5/8" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte DX | Matte SX | Matte | Matte | Line Matte | Grip |
| Navona White | HDN7 | HCPM | HDOB | HCPU | HDOF | HDOM | HDPD | HDO6 | HDPH | HDPL | HDO2 | HDOY | • | HDSE | HDSN | - |
| Navona Sand | HDN8 | HCPO | HDOC | HCPV | HDOG | HDON | HDPE | HDO7 | HDPI | HDPM | HDO3 | HDOZ | • | HDSF | HDSO | HDUG |
| Halo White | HDN9 | HCPP | HDOD | HCPW | HDOH | HDOO | HDPF | HDO8 | HDPJ | HDPN | HDO4 | HDOØ | • | HDSG | - | - |
| Halo Sand | HDOA | HCPQ | HDOE | HCPX | HDOI | HDOP | HDPG | HDO9 | HDPK | HDPO | HDO5 | HDO1 | • | HDSH | - | HDUH |
| Romano Sand | - | HCPR | - | - | HDOJ | - | - | HDPA | - | - | - | - | • | HDSI | - | HDUI |
| Romano Silver | - | HCPS | - | - | HDOK | - | - | HDPB | - | - | - | - | • | HDSJ | - | - |
| Stone Veil | - | HCPT | - | - | HDOL | - | - | HDPC | - | - | - | - | • | HDSK | - | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[2] [3] **Please read the notes at page 357**

Sensitech P. 412


























HAMMERED















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel T

## Porcelain Tiles

Matte ∓ 6 mm | **R9 A** Matte ∓ 6 mm | V3 Moderate Variation

### BIG SLABS



HCWB Marvel Navona White
Line ♦ Hammered
160x320 cm - 63"x126" - **ID Skin**



HCUØ Marvel Navona White
Line ♦ Matte
120x278 cm - 47 1/4"x109 1/2" - **ID Skin**



HCU1 Marvel Navona Sand
Line ♦ Matte
120x278 cm - 47 1/4"x109 1/2" - **ID Skin**



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





## Wall Tiles

### MATTE SURFACE — Wall

∓ **8,5 mm**
**40x80 cm** - 15 3/4"x31 1/2"
HCQA Marvel Navona White Field
HCQB Marvel Navona Sand Field

∓ **10 mm**
**40x80 cm** - 15 3/4"x31 1/2" **3D WALL** DESIGNED BY HBA
HCQC Marvel 3D Mini Qube Navona White
HCQD Marvel T 3D Mini Qube Navona Sand

∓ **8,5 mm**
**50x120 cm** - 19 5/8"x47 1/4"
HCPØ Marvel Navona White Field
HCP1 Marvel Navona Sand Field

∓ **10 mm**
**50x120 cm** - 19 5/8"x47 1/4" **3D WALL** DESIGNED BY HBA
HCP5 Marvel 3D Qube Navona White
HCP7 Marvel 3D Qube Navona Sand
HCP8 Marvel 3D Arch Navona White
HCP9 Marvel 3D Arch Navona Sand

### TRIM TILES

1,4x50 cm - 5/8"x19 5/8"
HDN1 Marvel Navona White Field Corner 50 *
HDN2 Marvel Navona Sand Field Corner 50 *

1,4x40 cm - 5/8"x15 3/4"
HDN3 Marvel Navona White Field Corner 40 *
HDN4 Marvel Navona Sand Field Corner 40 *


1,4x1,4 cm - 5/8"x5/8"
HDN5 Marvel Navona Sand White Corner A.E. *
HDN6 Marvel Navona Sand Field Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



























3D WALL : DESIGN BY **HBA**



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Travertine

In collaboration with **HBA**





**The Grandeur of Travertine.**
An iconic star of design.

**Eternal Material.**
Marble and Stone share a powerful identity.

**International Design Vocation.**
Exclusive decors designed in collaboration with HBA.

**Vein Cut and Cross Cut.**
Expanding Travertine application possibilities and design.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades



















## Porcelain Tiles RECTIFIED MONOCALIBER

### VEIN CUT

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⅝"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11⅞"x23⅝" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⅝"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23⅝"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Hammered **R9 A** |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12 mm | Hammered |

### CROSS CUT

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⅝"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⅝"x23⅝" | ± 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⅝"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel Travertine

MEDIUM TRAFFIC — Matte ✣ 6 mm, Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm, Grip Sensitech ✣ 9 mm, Outdoor Sensitech ✣ 20 mm

**R9 A** Hammered ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

## Porcelain Tiles

## Vein Cut

### MATTE SURFACE — Floor — Wall

atlasPLAN

✣ 6 mm
**160x320 cm** - 63"x126"
ALYW Marvel Travertino White Hammered
AJKQ Marvel Travertino Sand Hammered
ALYV Marvel Travertino Pearl Hammered

✣ 6 mm
**120x278 cm** - 47 1/4"x109 1/2"
AFS1 Marvel White Vein
AFS2 Marvel Sand Vein
AFS3 Marvel Pearl Vein

Sensitech
✣ 9 mm
**120x240 cm** - 47 1/4"x94 1/2"
AFT7 Marvel White Vein
AFT8 Marvel Sand Vein
AFT9 Marvel Pearl Vein

Sensitech
✣ 9 mm
**60x120 cm** - 23 5/8"x47 1/4"
A8UW Marvel White Vein
AFUA Marvel Sand Vein
AFUB Marvel Pearl Vein

Sensitech
✣ 9 mm
**30x60 cm** - 11 3/4"x23 5/8"
AUR9 Marvel White Vein
AUSA Marvel Sand Vein
AUSB Marvel Pearl Vein

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
**60x120 cm** - 23 5/8"x47 1/4"
AFUC Marvel White Vein Grip
AFUD Marvel Sand Vein Grip
AFUE Marvel Pearl Vein Grip

Sensitech
✣ 20 mm
**60x120 cm** - 23 5/8"x47 1/4"
AGE7 Marvel White Vein 20 mm
AGE8 Marvel Sand Vein 20 mm
AGE9 Marvel Pearl Vein 20 mm

## Cross Cut

### MATTE SURFACE — Floor — Wall

Sensitech
✣ 9 mm
**120x120 cm** - 47 1/4"x47 1/4"
A8WU Marvel White Cross
A8WV Marvel Sand Cross
A8WW Marvel Pearl Cross

Sensitech
✣ 9 mm
**60x120 cm** - 23 5/8"x47 1/4"
A8UZ Marvel White Cross
AFUF Marvel Sand Cross
AFUG Marvel Pearl Cross

Sensitech
✣ 9 mm
**60x60 cm** - 23 5/8"x23 5/8"
AFUK Marvel White Cross
AFUL Marvel Sand Cross
AFUM Marvel Pearl Cross

### GRIP SURFACE — Outdoor

Sensitech
✣ 9 mm
**60x120 cm** - 23 5/8"x47 1/4"
AFUH Marvel White Cross Grip
AFUI Marvel Sand Cross Grip
AFUJ Marvel Pearl Cross Grip

Sensitech P. 412


WHITE VEIN CUT


WHITE CROSS CUT


SAND VEIN CUT


SAND CROSS CUT


PEARL VEIN CUT


PEARL CROSS CUT

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Marvel Travertine

## Porcelain Tiles


### **DECOR RANGE** DESIGNED BY HBA



AF9S Marvel Travertine White Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9T Marvel Travertine Sand Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9U Marvel Travertine Pearl Diamond [2]
60x60 cm - 23⅝"x23⅝" Cross Cut



AF9P Marvel Travertine White Cross Chiselled Urban Grid [2]
30x60 cm - 11¾"x23⅝" Cross Cut




AF9Q Marvel Travertine Sand Cross Chiselled Urban Grid [2]
30x60 cm - 11¾"x23⅝" Cross Cut




AF9R Marvel Travertine Pearl Cross Chiselled Urban Grid [2]
30x60 cm - 11¾"x23⅝" Cross Cut


**For best results it is recommended to follow one of the following laying patterns.** - Per un risultato estetico ottimale si consiglia di seguire uno dei seguenti schemi di posa. - Nous vous invitons à respecter un des schémas de pose suivants pour un résultat esthétique optimal. - Für ein optisch optimales Resultat empfehlen wir, eines der nachstehenden Verlegemuster zu befolgen. - Para obtener un mejor resultado estético, es aconsejable seguir uno de los siguientes esquemas de colocación. - Для достижения наилучшего эстетического результата рекомендуется использовать одну из следующих схем укладки.



**LAYING PATTERN 1**



**LAYING PATTERN 2**



[1] **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки. использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaïque gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado; para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



### **DECOR RANGE** DESIGNED BY HBA




AF9J Marvel Travertine White Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9K Marvel Travertine Sand Mosaico Origami
28x41,2 cm - 11"x16¼"



AF9L Marvel Travertine Pearl Mosaico Origami
28x41,2 cm - 11"x16¼"




Vein Cut

| | |
|---|---|
| **A** | 38,81 cm - 15¼" |
| **B** | 28 cm - 11" |
| **C** | 48,05 cm - 18⅞" |
| **D** | 41,2 cm - 16¼" |




AF9M Marvel Travertine White Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9N Marvel Travertine Sand Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"



AF9O Marvel Travertine Pearl Mosaico Basketweave
35x46,8 cm - 13¾"x18¾"




Vein Cut
Cross Cut

| | |
|---|---|
| **A** | 35 cm - 13¾" |
| **B** | 49,8 cm - 19⅝" |
| **C** | 46,8 cm - 18⅜" |
| **D** | 14,5 cm - 5¾" |
| **E** | 1,3 cm - ½" |
| **F** | 5,7 cm - 2¼" |
| **G** | 8,7 cm - 3⅜" |




AF9G Marvel Travertine White Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9H Marvel Travertine Sand Mosaico Tessellation
22x26 cm - 8⅝"x10¼"



AF9I Marvel Travertine Pearl Mosaico Tessellation
22x26 cm - 8⅝"x10¼"




Vein Cut
Cross Cut

| | |
|---|---|
| **A** | 31,6 cm - 12½" |
| **B** | 26,2 cm - 10¼" |
| **C** | 22 cm - 8⅝" |

**TRIM TILES**
P. 302

| | **Battiscopa** | **Gradino *** | **Scalino *** | | **Scalino Ang.*** | | **Corner *** ∓ 6 mm | **Battiscopa Sag. Scala *** | | **Davanzale / Soglia *** | **Elemento L** |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Digitale 7,2x120 cm 2⅞"x47¼" | 30x120 cm 11¾"x47¼" | 33x120 cm 13"x47¼" | 33x60 cm 13"x23⅝" | 33x33 cm 13"x13" | | 1x120 cm ⅜"x47¼" | 7,2x30 cm 2⅞"x11¾" | | max 315x50 H.4 cm 124"x19⅝" H.1⅝" | 33x120 H. 4 cm 13"x47¼" H.1 ⅝" |
| | Matte | Matte | Matte | Matte | DX | SX | Matte | DX | SX | Matte | Grip |
| White Vein Cut | AF7B | AF7T | AF7Z | - | AF9V | AF9Y | AGE2 | AF7K | AF7H | • | AGEV |
| Sand Vein Cut | AF7C | AF7U | AF8A | - | AF9W | AF9Z | AGE3 | AF7L | AF7I | • | AGEW |
| Pearl Vein Cut | AF7D | AF7V | AF8B | - | AF9X | AF92 | AGE4 | AF7M | AF7J | • | AGEX |
| White Cross Cut | AF7E | AF7W | AF8C | AGAA | AGEQ | | - | AF7Q | AF7N | • | AGEY |
| Sand Cross Cut | AF7F | AF7X | AF8D | AGEO | AGET | | - | AF7R | AF7O | • | AGEZ |
| Pearl Cross Cut | AF7G | AF7Y | AF8E | AGEP | AGEU | | - | AF7S | AF7P | • | AGEØ |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel X



**10 years of Marvel.**
Five new essences that embody Marvel distinctive elements.

**Everyday Extraordinary.**
Soft hues, graphic depth, and attention to detail.

**Marble for outdoors.**
Hammered finish design with a texture inspired by freshly quarried marble.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED

## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" | 6 mm | Polished \| Silk |
| **120x240 cm** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" | 9 mm | Polished |
| **120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" | 9 mm | Polished \| Silk |
| **75x150 cm** - 29$^{1}/_{2}$"x59" | 9 mm | Polished \| Silk |
| **60x120 cm** - 23$^{5}/_{8}$"x47$^{1}/_{4}$" | 9 mm | Polished \| Matte Sensitech **R10 B**<br>Hammered Matte Sensitech **R10 B** |
| **60x60 cm** - 23$^{5}/_{8}$"x23$^{5}/_{8}$" | 9 mm | Polished \| Matte Sensitech **R10 B** |
| **30x60 cm** - 11$^{3}/_{4}$"x23$^{5}/_{8}$" | 9 mm | Polished \| Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23$^{5}/_{8}$"x47$^{1}/_{4}$" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | 6 mm | Polished \| Silk |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$"<br>NON-RECTIFIED | 12 mm | Polished \| Silk |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel X

## Porcelain Tiles

MEDIUM TRAFFIC

Polished ∓ 6 - 9 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

### POLISHED SURFACE [1]

Floor — Wall

atlasPLAN

**∓ 6 mm**
**160x320 cm** - 63"x126"
AJRV Marvel Fior di Bosco Polished
AJRW Marvel Fior di Bosco Bookmatch Polished
AJRR Marvel Calacatta Apuano Polished Endless
AKFN Marvel Calacatta Apuano Polished Kit Endless [2] [3]

**∓ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AFUS Marvel Calacatta Apuano Polished
AFUT Marvel Calacatta Sublime Polished
AFWN Marvel Calacatta Sublime Kit Endless [2] [3]
AFUU Marvel Calacatta Perla Polished
AFUV Marvel Grey Cloud Polished
AFUW Marvel Fior di Bosco Polished

**∓ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AFU2 Marvel Calacatta Apuano Polished
AFU3 Marvel Calacatta Sublime Polished
AFU4 Marvel Calacatta Perla Polished
AFU5 Marvel Grey Cloud Polished
AFU6 Marvel Fior di Bosco Polished

**∓ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AFU7 Marvel Calacatta Apuano Polished
A8YT Marvel Calacatta Sublime Polished
AFU8 Marvel Calacatta Perla Polished
AFU9 Marvel Grey Cloud Polished
AFVA Marvel Fior di Bosco Polished

**∓ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A8Z2 Marvel Calacatta Apuano Polished
A8Z3 Marvel Calacatta Sublime Polished
A8Z4 Marvel Calacatta Perla Polished
A8Z5 Marvel Grey Cloud Polished
A8Z6 Marvel Fior di Bosco Polished

**∓ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AFVY Marvel Calacatta Apuano Polished
AFVZ Marvel Calacatta Sublime Polished
AFVØ Marvel Calacatta Perla Polished
AFV1 Marvel Grey Cloud Polished
AFV2 Marvel Fior di Bosco Polished

**∓ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AFV8 Marvel Calacatta Apuano Polished
AFV9 Marvel Calacatta Sublime Polished
AFWA Marvel Calacatta Perla Polished
AFWB Marvel Grey Cloud Polished
AFWC Marvel Fior di Bosco Polished

**∓ 9 mm**
**75x150 cm** - 29 1/2"x59"
AFVB Marvel Calacatta Apuano Polished
AFVC Marvel Calacatta Sublime Polished
AFVD Marvel Calacatta Perla Polished
AEKQ Marvel Grey Cloud Polished
AEKR Marvel Fior di Bosco Polished

[1] **The glossy polished finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required, and for walls. The polished glossy surface finish, surprisingly brilliant and bright, features slight irregularities typical of natural marble. The extraordinary brilliance and the easy cleaning of the surface are the result of in-depth research aimed at guaranteeing its durability over time. If the product is in direct contact with the outdoors, provide devices for absorbing moisture and dirt to prevent scratches.** - La finitura lappata lucida è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo, e per rivestimenti. La finitura lappata lucida offre una superficie sorprendentemente brillante e specchiante, con lievi irregolarità tipiche dei marmi naturali. La straordinaria lucentezza e l'elevata pulibilità della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e della sporcizia per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**








CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel X

MEDIUM TRAFFIC

Silk ✣ 6 - 9 mm

HEAVY TRAFFIC

Matte Sensitech ✣ 9 mm
Hammered Matte Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R10 B** Matte Sensitech ✣ 9 mm
**R10 B** Hammered Matte Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation
Calacatta Apuano

V3 Moderate Variation
Calacatta Sublime, Calacatta Perla, Grey Cloud, Fior di Bosco

## Porcelain Tiles

### SILK SURFACE [1]

Floor — Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AFUX Marvel Calacatta Apuano Silk
AFUY Marvel Calacatta Sublime Silk
AFWO Marvel Calacatta Sublime 120x278 Silk Kit Endless [2] [3]
AFUZ Marvel Calacatta Perla Silk
AFUØ Marvel Grey Cloud Silk
AFU1 Marvel Fior di Bosco Silk

**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AFVJ Marvel Calacatta Apuano Silk
AFVK Marvel Calacatta Sublime Silk
AFVL Marvel Calacatta Perla Silk
AFVM Marvel Grey Cloud Silk
AFVN Marvel Fior di Bosco Silk

**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
AFVO Marvel Calacatta Apuano Silk
AFVP Marvel Calacatta Sublime Silk
AFVQ Marvel Calacatta Perla Silk
AFVR Marvel Grey Cloud Silk
AFVS Marvel Fior di Bosco Silk

### MATTE SURFACE

Sensitech

**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AFWI Marvel Calacatta Apuano
AFWJ Marvel Calacatta Sublime
AFWK Marvel Calacatta Perla
AFWL Marvel Grey Cloud
AFWM Marvel Fior di Bosco

Sensitech

**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AFV3 Marvel Calacatta Apuano
AFV4 Marvel Calacatta Sublime
AFV5 Marvel Calacatta Perla
AFV6 Marvel Grey Cloud
AFV7 Marvel Fior di Bosco

Sensitech

**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AFWD Marvel Calacatta Apuano
AFWE Marvel Calacatta Sublime
AFWF Marvel Calacatta Perla
AFWG Marvel Grey Cloud
AFWH Marvel Fior di Bosco

### HAMMERED MATTE SURFACE

Sensitech

**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AFM2 Marvel Calacatta Apuano Hammered
AFM3 Marvel Fior di Bosco Hammered

### OUTDOOR SURFACE

Outdoor

Sensitech

**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AGFA Marvel Calacatta Apuano Hammered 20 mm
AGFB Marvel Fior di Bosco Hammered 20 mm

[1] **The silk finish is suitable for residential or low-traffic commercial floors, where no anti-slip performance is required. The surface's shine and great ease of cleaning are the result of in-depth studies and technical research aimed at ensuring its durability over time. If the product is in direct contact with the outdoors, moisture and dirt absorption devices must be used to prevent scratching.** - La finitura silk è indicata per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi.

[2] [3] **Please read the notes at page 357**

Sensitech P. 412






SILK/MATTE


CALACATTA APUANO


CALACATTA SUBLIME


CALACATTA PERLA


GREY CLOUD


FIOR DI BOSCO

HAMMERED


CALACATTA APUANO HAMMERED


FIOR DI BOSCO HAMMERED



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Marvel X

## Porcelain Tiles

### DECOR RANGE




AF8W Marvel Calacatta Apuano
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8X Marvel Calacatta Sublime
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"




AF8Y Marvel Calacatta Perla
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"




**A** 46,3 cm - 18¼"
**B** 32,2 cm - 12⅝"
**C** 19,2 cm - 7½"



AF8Z Marvel Grey Cloud
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"




AF9A Marvel Fior di Bosco
Mosaico Chevron Polished [1]
46,3x19,2 cm - 18¼"x7½"



AF8Q Marvel
Mosaico Hive Hex Polished [2]
37,2x32,2 cm - 14⅝"x12⅝"

Calacatta Sublime + Grey Cloud + Fior di Bosco




**A** 37 cm - 14⅝"
**a** 32,2 cm - 12⅝"
**B** 40 cm - 15¾"
**b** 37,2 cm - 14⅝"



AF8R Marvel Calacatta Apuano
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"




AF8S Calacatta Sublime
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"




AF8T Calacatta Perla
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8U Calacatta Grey Cloud
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"



AF8V Calacatta Fior di Bosco
Mosaico Waterfall Polished
30,5x27,7 cm - 12"x10⅞"




**A** 34,2 cm - 13½"
**a** 30,5 cm - 12"
**B** 38 cm - 15"
**b** 27,7 cm - 10⅞"



AF8L Marvel Calacatta Apuano
Mosaico Esagono Silk
30x35 cm - 11¾"x13¾"



AF8M Marvel Calacatta Sublime
Mosaico Esagono Silk
30x35 cm - 11¾"x13¾"




AF8N Marvel Calacatta Perla
Mosaico Esagono Silk
30x35 cm - 11¾"x13¾"



AF8O Marvel Grey Cloud
Mosaico Esagono Silk
30x35 cm - 11¾"x13¾"



AF8P Marvel Fior di Bosco
Mosaico Esagono Silk
30x35 cm - 11¾"x13¾"




**A** 30 cm - 11¾"
**B** 35 cm - 13¾"
10x17 cm - 3⅞"x6¾"



AF9B Marvel Calacatta Apuano
Mosaico Matte
30x30 cm - 11¾"x11¾"




AF9C Marvel Calacatta Sublime
Mosaico Matte
30x30 cm - 11¾"x11¾"




AF9D Marvel Calacatta Perla
Mosaico Matte
30x30 cm - 11¾"x11¾"



AF9E Marvel Grey Cloud
Mosaico Matte
30x30 cm - 11¾"x11¾"



AF9F Marvel Fior di Bosco
Mosaico Matte
30x30 cm - 11¾"x11¾"



3,5x3,5 cm
1⅜"x1⅜"

| TRIM TILES P. 302 | Battiscopa | | | | | | | Gradino * | | Scalino * | | | | | Scalino Ang.* | | | | | Battiscopa Sag. Scala * | | | | | | Davanzale / Soglia * | Corner * ∓ 6 mm | | Corner A.E * ∓ 6 mm | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x150 cm 2⅜"x59" | | 7,2x120 cm 2⅜"x47⅛" | | | 7,2x60 cm 2⅜"x23⅝" | | 30x120 cm 11¾"x47⅛" | 30x60 cm 11¾"x23⅝" | 37,5x150 cm 14¾"x59" | | 33x120 cm 13"x47⅛" | | 33x60 cm 13"x23⅝" | 37,5x37,5 cm 14¾"x14¾" | | 33x33 cm 13"x13" | | | 7,2x30 cm 2⅜"x11¾" | | | | | | max 315x50 H 4 cm 124"x19¾" H 1½" | 1x120 cm ⅜"x47⅛" | | 1x1 cm ⅜"x⅜" | |
| | Pol. | Silk | Pol. | Silk | Matte | Pol. | Matte | Matte | Matte | Pol. | Silk | Matte | Pol. | Silk | Matte | Pol. | Silk | Pol. | Silk | Matte | Polished DX | Polished SX | Matte DX | Matte SX | Silk DX | Silk SX | Matte | Pol. | Silk | Pol. | Silk |
| Calacatta Apuano | AGF8 | AGGD | AGFV | AGFØ | AGFO | AGFI | AGFD | AGHM | AGHH | AGIO | AGIU | AGH7 | AGID | AGII | AGHS | AGHX | AGJN | AGJI | AGI8 | AGIZ | AGJD | AGGV | AGGØ | AGGI | AGGO | AGG6 | AGHC | • | AGJX | AGJS | AGJ9 | AGJ4 |
| Calacatta Sublime | AGF9 | AGGE | AGFW | AGF1 | AGFR | AGFJ | AGFE | AGHN | AGHI | AGIP | AGIV | AGH9 | AGIE | AGIJ | AGHT | AGHY | AGJO | AGJJ | AGI9 | AGIØ | AGJE | AGGW | AGG2 | AGGJ | AGGP | AGG7 | AGHD | • | AGJY | AGJT | AGKA | AGJ5 |
| Calacatta Perla | AGGA | AGGF | AGFX | AGF2 | AGFS | AGFK | AGFF | AGHO | AGHJ | AGIQ | AGIW | AGIA | AGIF | AGIK | AGHU | AGHZ | AGJP | AGJK | AGJA | AGI5 | AGJF | AGGX | AGG3 | AGGL | AGGQ | AGG8 | AGHE | • | AGJZ | AGJU | AGKB | AGJ6 |
| Grey Cloud | AGGB | AGGG | AGFY | AGF3 | AGFT | AGFM | AGFG | AGHP | AGHK | AGIS | AGIX | AGIB | AGIG | AGIL | AGHV | AGHØ | AGJQ | AGJL | AGJB | AGI6 | AGJG | AGGY | AGG4 | AGGM | AGGS | AGHA | AGHF | • | AGJØ | AGJV | AGKC | AGJ7 |
| Fior di Bosco | AGGC | AGGH | AGFZ | AGF5 | AGFU | AGFN | AGFH | AGHQ | AGHL | AGIT | AGIY | AGIC | AGIH | AGIN | AGHW | AGH5 | AGJR | AGJM | AGJC | AGI7 | AGJH | AGGZ | AGG5 | AGGN | AGGU | AGHB | AGHG | • | AGJ1 | AGJW | AGKD | AGJ8 |
| Calacatta Apuano Hammered | - | - | - | - | AGF6 | | | - | - | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | • | - | - | - | - |
| Fior di Bosco Hammered | - | - | - | - | AGF7 | | | - | - | - | - | - | - | - | - | | - | - | - | - | - | - | - | - | - | - | • | - | - | - | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **Contains gold. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Parti in oro. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. - Parties dorées. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives - Teile aus Gold. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Partes doradas. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Золотые детали. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[2] **For an optimal look it is advisable to lay the product in the same direction.** - Per un risultato estetico ottimale si consiglia di posare il prodotto mantenendo lo stesso verso. - Pour un résultat esthétique optimal, il est recommandé de poser le produit dans le même sens. - Für ein optisch optimales Resultat sollte die Verlegung stets in dieselbe Richtung erfolgen. - Para un resultado estético óptimo, se recomienda colocar el producto manteniendo la misma dirección. - Для оптимального эстетического результата рекомендуется укладывать изделие в одном направлении.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Icor

In collaboration
with **Archea Associati**





**Limestone, reimagined.**
Warm, modern, comfortable.

**Breaking barriers.**
Outdoor and indoor merged into one.

**Captivating textures.**
New exclusive 3D wall-tiles like carved in the stone.

**Outstanding range.**
New extensive choice of indoor&outdoor decors.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades



















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" **Railway** ♦ | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31¹/₂"x31¹/₂ | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" **Railway** ♦ | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Hammered |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | ± 12 mm | Hammered |



















## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Icor

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm
Hammered ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

### MATTE SURFACE

Floor — Wall

**✣ 6 mm**
**160x320 cm** - 63"x126"
AX6K Boost Icor Bone Hammered
AX6M Boost Icor Dune Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AYAO Boost Icor Dust
AYAN Boost Icor Bone
AYAQ Boost Icor Oyster
AYAP Boost Icor Dune

Sensitech
**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AX54 Boost Icor Dust
AX53 Boost Icor Bone
AX55 Boost Icor Oyster
AX1Y Boost Icor Dune

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AYAZ Boost Icor Dust
AYAY Boost Icor Bone
AYA2 Boost Icor Oyster
AYAØ Boost Icor Dune
AYA4 Boost Icor Sideral
AYA3 Boost Icor Crete

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HBAS Boost Icor Dust
HBAR Boost Icor Bone
HBAU Boost Icor Oyster
HBAT Boost Icor Dune
HBAW Boost Icor Sideral
HBAV Boost Icor Crete

Sensitech
**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
AYAT Boost Icor Dust
AYAR Boost Icor Bone
AYAV Boost Icor Oyster
AYAU Boost Icor Dune
AYAX Boost Icor Sideral
AYAW Boost Icor Crete

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AX59 Boost Icor Dust
AX58 Boost Icor Bone
AX6B Boost Icor Oyster
AX6A Boost Icor Dune
AX6D Boost Icor Sideral
AX6C Boost Icor Crete

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AYBA Boost Icor Dust
AYA9 Boost Icor Bone
AYBC Boost Icor Oyster
AYBB Boost Icor Dune
AYBE Boost Icor Sideral
AYBD Boost Icor Crete

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AYBG Boost Icor Dust
AYBF Boost Icor Bone
AYBI Boost Icor Oyster
AYBH Boost Icor Dune
AYBK Boost Icor Sideral
AYBJ Boost Icor Crete

### GRIP SURFACE

Outdoor

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AYA6 Boost Icor Dust Grip
AYA5 Boost Icor Bone Grip
AYA8 Boost Icor Oyster Grip
AYA7 Boost Icor Dune Grip

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AYBM Boost Icor Dust Grip
AYBL Boost Icor Bone Grip
AYBO Boost Icor Oyster Grip
AYBN Boost Icor Dune Grip

### OUTDOOR ✣ 20 mm

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AYCH Boost Icor Dust 20mm
AYCG Boost Icor Bone 20mm
AYCJ Boost Icor Oyster 20mm
AYCI Boost Icor Dune 20mm

Sensitech
**✣ 20 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HBAY Boost Icor Dust 20mm
HBAX Boost Icor Bone 20mm
HBAØ Boost Icor Oyster 20mm
HBAZ Boost Icor Dune 20mm

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AYCE Boost Icor Dust 20mm
AYCD Boost Icor Bone 20mm
AYCF Boost Icor Oyster 20mm
AX8J Boost Icor Dune 20mm

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AYCM Boost Icor Dust 20mm
AYCK Boost Icor Bone 20mm
AYCO Boost Icor Oyster 20mm
AYCN Boost Icor Dune 20mm

Sensitech P. 412






BONE


DUST


DUNE


CRETE


OYSTER


SIDERAL

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Icor

## Porcelain Tiles

### DECOR RANGE



Boost Icor Bone
Railway ♦
60x120 cm - 23⅝"x47¼"

AYBP 9 mm Matte Sensitech
AYBQ 9 mm Grip Sensitech



AYZC Boost Icor Bone
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZD Boost Icor Dust
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZE Boost Icor Dune
Mosaico Chevron
30,5x35,6 cm - 12"x14"




AYZG Boost Icor Crete
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZF Boost Icor Oyster
Mosaico Chevron
30,5x35,6 cm - 12"x14"



AYZH Boost Icor Sideral
Mosaico Chevron
30,5x35,6 cm - 12"x14"



30,5x35,6 cm
12"x14"



AZ82 Boost Icor Bone
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



AZ83 Boost Icor Dust
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



AZ84 Boost Icor Dune
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



AZ86 Boost Icor Crete
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



AZ85 Boost Icor Oyster
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



AZ87 Boost Icor Sideral
Mosaico Furnace
30x19,5 cm - 11¾"x7⅝"



30x19,5 cm
11¾"x7⅝"

**Bordi irregolari**
Uneven edges
Bords irréguliers
Kanten unterbrochen
Bordes irregulares
Неровными краями

| TRIM TILES P. 302 | Battiscopa | | | | Gradino * | | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Elemento L | Corner * ⧳ 6 mm | Corner A.E * ⧳ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x150 cm 2⅞"x59" | 7,2x120 cm 2⅞"x47¼" | 7,2x80 cm 2⅞"x31½" | 7,2x60 cm 2⅞"x23⅝" | 30x120 cm 11¾"x47¼" | 30x60 cm 11¾"x23⅝" | 33x150 cm 13"x59" | 33x120 cm 13"x47¼" | 33x60 cm 13"x23⅝" | 33x33 cm 13"x13" | 7,2x30 cm 2⅞"x11¾" | | 33x120 H. 4 cm 13"x47¼" H.1⅝" | 1x120 cm ⅜"x47¼" | 1x1 cm ⅜"x⅜" |
| | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech DX | SX | Grip Sensitech | Matte | Matte |
| Bone | AYHF | AYG2 | HBA6 | AYG9 | AYH3 | AYHX | AYJK | AYJE | AY11 | AYJQ | AYHR | AYHL | AYH9 | AYJW | AYJ2 |
| Dust | AYHG | AYG3 | HBA7 | AYHA | AYH4 | AYHY | AYJL | AYJF | AY12 | AYJR | AYHT | AYHM | AYIA | AYJX | AYJ3 |
| Dune | AYHH | AYG4 | HBA8 | AYHB | AYH5 | AYHZ | AYJM | AYJG | AY13 | AYJS | AYHU | AYHN | AYIB | AYJY | AYJ4 |
| Oyster | AYHI | AYG5 | HBA9 | AYHC | AYH6 | AYHØ | AYJN | AYJH | AY14 | AYJT | AYHV | AYHO | AYIC | AYJZ | AYJ5 |
| Crete | AYHJ | AYG7 | HBBA | AYHD | AYH7 | AYH1 | AYJO | AYJI | AY15 | AYJU | AYHS | AYHP | - | - | - |
| Sideral | AYHK | AYG8 | HBBB | AYHE | AYH8 | AYH2 | AYJP | AYJJ | AY17 | AYJV | AYHW | AYHQ | - | - | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

### OUTDOOR DECORS



Boost Icor Bone
Pebble A+B
59,5x59,5 cm - 23⅜"x23⅜"

AYZU 9 mm Grip Sensitech
AYZ1 20 mm Outdoor Sensitech



Boost Icor Dust
Pebble A+B
59,5x59,5 cm - 23⅜"x23⅜"

AYZV 9 mm Grip Sensitech
AYZ2 20 mm Outdoor Sensitech




Boost Icor Dune
Pebble A+B
59,5x59,5 cm - 23⅜"x23⅜"

AYZW 9 mm Grip Sensitech
AYZ3 20 mm Outdoor Sensitech




Boost Icor Oyster
Pebble A+B
59,5x59,5 cm - 23⅜"x23⅜"

AYZX 9 mm Grip Sensitech
AYZ4 20 mm Outdoor Sensitech




59,5x59,5 cm
23⅜"x23⅜"


**Pebble A:** 0.259 mq
**Pebble B:** 0.252 mq




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Icor

## Porcelain Tiles




48,4x119 cm
19$^{1}/_{8}$"x46$^{7}/_{8}$"
**Combo A**

42,5x119 cm
16$^{3}/_{4}$"x46$^{7}/_{8}$"
**Combo B**



AYZM Boost Icor Bone
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZQ Boost Icor Bone
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZN Boost Icor Dust
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZR Boost Icor Dust
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZO Boost Icor Dune
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZS Boost Icor Dune
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"



AYZP Boost Icor Oyster
Combo A 20mm Outdoor Sensitech
48,4x119 cm - 19$^{1}/_{8}$"x46$^{7}/_{8}$"

AYZT Boost Icor Oyster
Combo B 20mm Outdoor Sensitech
42,5x119 cm - 16$^{3}/_{4}$"x46$^{7}/_{8}$"





## Wall Tiles

### MATTE SURFACE —— Wall

**8,5 mm**
**50x120 cm** - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AYQM Boost Icor Bone Field
AYQN Boost Icor Dust Field

**10 mm 3D WALL**
**50x120 cm** - 19$^{5}/_{8}$"x47$^{1}/_{4}$"
AYQO Boost Icor 3D Wheat Bone
AYQP Boost Icor 3D Wheat Dust

AYQQ Boost Icor 3D Masonry Bone
AYQR Boost Icor 3D Masonry Dust

### TRIM TILES

1,4x50 cm - $^{5}/_{8}$"x19$^{5}/_{8}$"
AYQS Boost Icor Bone Field Corner 50 *
AYQT Boost Icor Dust Field Corner 50 *


1,4x1,4 cm - $^{5}/_{8}$"x$^{5}/_{8}$"
AYQU Boost Icor Bone Field Corner A.E. *
AYQV Boost Icor Dust Field Corner A.E. *

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ





















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Mineral



**Quartzite effect.**
A rich and comprehensive project inspired by the elegance of quartzite.

**In&Out versatility:**
Perfect for both indoor and outdoor spaces.

**Natural contemporary style.**
A modern solution for those who love the natural stone look in a contemporary design setting.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Facades
















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** ✖ |
| **120x240 cm** - 47¹/₄"x94¹/₂" | 9 mm | Matte Sensitech **R10 B** ✖ |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈ | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Grip Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x90 cm** - 23⁵/₈"x35³/₈" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | 6 mm | Hammered **R9 A** |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | 12 mm | Hammered |

✖ Elegant surface

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Mineral

## Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

**R9 A** Matte / Hammered ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

### MATTE SURFACE — Floor — Wall

atlasPLAN
**✣ 6 mm**
**160x320 cm** - 63"x126"
AKGA Boost Mineral Grey Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
AHWZ Boost Mineral Smoke Elegant
AHWØ Boost Mineral Tarmac Elegant
AHWW Boost Mineral White Elegant
AHWX Boost Mineral Pearl Elegant
AHWY Boost Mineral Grey Elegant

Sensitech
**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
AHW4 Boost Mineral Smoke Elegant
AHW5 Boost Mineral Tarmac Elegant
AHW1 Boost Mineral White Elegant
AHW2 Boost Mineral Pearl Elegant
AHW3 Boost Mineral Grey Elegant

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AHT9 Boost Mineral Smoke
AHUA Boost Mineral Tarmac
AHT6 Boost Mineral White
AHT7 Boost Mineral Pearl
AHT8 Boost Mineral Grey

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AHUE Boost Mineral Smoke
AHUF Boost Mineral Tarmac
AHUB Boost Mineral White
AHUC Boost Mineral Pearl
AHUD Boost Mineral Grey

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AHW9 Boost Mineral Smoke
AHXA Boost Mineral Tarmac
AHW6 Boost Mineral White
AHW7 Boost Mineral Pearl
AHW8 Boost Mineral Grey

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
AH2V Boost Mineral Smoke
AH2W Boost Mineral Tarmac
AH2S Boost Mineral White
AH2T Boost Mineral Pearl
AH2U Boost Mineral Grey

Sensitech
**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
AHWU Boost Mineral Smoke
AHWV Boost Mineral Tarmac
AHWS Boost Mineral White
AHWT Boost Mineral Pearl
AHSD Boost Mineral Grey

### GRIP SURFACE — Outdoor

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AHXJ Boost Mineral Smoke Grip
AHXK Boost Mineral Tarmac Grip
AHXG Boost Mineral White Grip
AHXH Boost Mineral Pearl Grip
AHXI Boost Mineral Grey Grip

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AHXO Boost Mineral Smoke Grip
AHXP Boost Mineral Tarmac Grip
AHXL Boost Mineral White Grip
AHXM Boost Mineral Pearl Grip
AHXN Boost Mineral Grey Grip

### OUTDOOR ✣ 20 mm

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
AH37 Boost Mineral Smoke 20 mm
AH38 Boost Mineral Tarmac 20 mm
AH35 Boost Mineral White 20 mm
AH36 Boost Mineral Grey 20 mm

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AH4B Boost Mineral Smoke 20 mm
AH4C Boost Mineral Tarmac 20 mm
AH39 Boost Mineral White 20 mm
AH4A Boost Mineral Grey 20 mm

Sensitech
**✣ 20 mm**
**60x90 cm** - 23 5/8"x35 3/8"
AH4F Boost Mineral Smoke 20 mm
AH4G Boost Mineral Tarmac 20 mm
AH4D Boost Mineral White 20 mm
AH4E Boost Mineral Grey 20 mm

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AH4J Boost Mineral Smoke 20 mm
AH4K Boost Mineral Tarmac 20 mm
AH4H Boost Mineral White 20 mm
AH4I Boost Mineral Grey 20 mm

**TRIM TILES** P. 302

| | Battiscopa | | | Gradino * | | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L | Corner * ✣ 6 mm | Corner A.E * ✣ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7.2x150 cm 2 7/8"x59" | 7.2x120 cm 2 7/8"x47 1/4" | 7.2x60 cm 2 7/8"x23 5/8" | 30x120 cm 11 3/4"x47 1/4" | 30x60 cm 11 3/4"x23 5/8" | 33x150 cm 13"x59" | 33x120 cm 13"x47 1/4" | 33x60 cm 13"x23 5/8" | 33x33 cm 13"x13" | 7.2x30 cm 2 7/8"x11 1/4" | | max 315x50 H.4 cm 124"x19 3/8" H.1 1/8" | 33x120 H. 4 cm 13"x47 1/4" H. 1 5/8" | 1x120 cm 3/8"x47 1/4" | 1x1 cm 3/8"x3/8" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | DX | SX | Matte | Grip | Matte | Matte |
| White | AIIR | AIIK | AIIA | AIJC | AII7 | AIJW | AIJR | AIJM | AIJ1 | AIIW | AII1 | • | AIJH | AIJ6 | AIKB |
| Pearl | AIIS | AIIL | AIIB | AIJD | AII8 | AIJX | AIJS | AIJN | AIJ2 | AIIX | AII2 | • | AIJI | AIJ7 | AIKC |
| Grey | AIIT | AIIN | AIIC | AIJE | AII9 | AIJY | AIJT | AIJO | AIJ3 | AIIY | AII4 | • | AIJJ | AIJ8 | AIKD |
| Smoke | AIIU | AIIO | AIID | AIJF | AIJA | AIJZ | AIJU | AIJP | AIJ4 | AIIZ | AII5 | • | AIJK | AIJ9 | AIKE |
| Tarmac | AIIV | AIIP | AIIE | AIJG | AIJB | AIJØ | AIJV | AIJQ | AIJ5 | AIIØ | AII6 | • | AIJL | AIKA | AIKF |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412























INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Mineral

## Porcelain Tiles

### DECOR RANGE



AIGS Boost Mineral White
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"




AIGT Boost Mineral Pearl
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



AIGU Boost Mineral Grey
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"



AIGW Boost Mineral Smoke
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"




AIGX Boost Mineral Tarmac
Mosaico Matte
30x30 cm - 11$^{3}/_{4}$"x11$^{3}/_{4}$"




4,8x4,8 cm - 1$^{7}/_{8}$"x1$^{7}/_{8}$"




AIHG Boost Mineral White
Domino Lux (*)
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"




AIHH Boost Mineral Pearl
Domino Lux (*)
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"




AIHI Boost Mineral Grey
Domino Lux (*)
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"



AIHJ Boost Mineral Smoke
Domino Lux (*)
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"



AIHK Boost Mineral Tarmac
Domino Lux (*)
35x29,2 cm - 13$^{3}/_{4}$"x11$^{1}/_{2}$"




**A** 35 cm - 13$^{3}/_{4}$"
**a** 1,5 cm - 1$^{8}/_{4}$"
**B** 29,2 cm - 11$^{1}/_{2}$"
**b** 9,6 cm - 7$^{1}/_{2}$"

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.







AIG4 Boost Mineral White
Venus Lux (*)(1)
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"




AIG5 Boost Mineral Pearl
Venus Lux (*)(1)
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"




AIG7 Boost Mineral Grey
Venus Lux (*)(1)
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"



AIG8 Boost Mineral Smoke
Venus Lux (*)(1)
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"



AIG9 Boost Mineral Tarmac
Venus Lux (*)(1)
60x120 cm - 23$^{5}/_{8}$"x47$^{1}/_{4}$"




**A** 120 cm - 18$^{1}/_{4}$"
**B** 60 cm - 12$^{5}/_{8}$"

(*) **Application of decorative materials. The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Applicazione di materie decorative. Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti e pagliette di metallo o abrasive. - Application de matériaux décoratifs. Nous conseillons l'emploi de détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Dekorationsmaterial. Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Stahlwolle- bzw. Scheuerschwämme sind zu vermeiden. - Aplicación de materiales decorativos. Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Применение декоративных материалов. Рекомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

(1) **Engraved mosaic. For best results it is advisable to completely plaster the engravings.** - Mosaico inciso, per risultato ottimale si consiglia di stuccare completamente le incisioni. - Mosaique gravée; pour de meilleurs résultats, il est recommandé de remplir complètement les gravures. - Graviertes Mosaik; für ein optimales Resultat sollten die Gravuren vollständig verspachtelt werden. - Mosaico grabado, para obtener los mejores resultados se recomienda enmasillar el grabado en su totalidad. - Высеченная мозаика. Для оптимального результата рекомендуется полностью заделать углубления затиркой.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Mix



**Inspired by Ceppo di Grè.**
The iconic stone of 20th-century Milanese architecture, reinterpreted.

**Elegant Personality.**
Featuring a distinctive but stylish pebble-like appearance.

**Sought-after solution.**
One of the most coveted choices for contemporary interior and exterior design.







COLLECTION
**CATALOG**

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades




## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄ | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Mix

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm; Grip Sensitech ✣ 9 mm; Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V3 Moderate Variation

### MATTE SURFACE — Floor — Wall

✣ 6 mm
**120x278 cm** - 47¹/₄"x109¹/₂"
A8Y7 Boost Mix Ivory
A8Y8 Boost Mix Pearl
A8Y9 Boost Mix Smoke

Sensitech
✣ 9 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
A8XD Boost Mix Ivory
A8XE Boost Mix Pearl
A8XF Boost Mix Smoke

Sensitech
✣ 9 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
A8ØI Boost Mix Ivory
A8ØJ Boost Mix Pearl
A8ØK Boost Mix Smoke

Sensitech
✣ 9 mm
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A8ØL Boost Mix Ivory
A8ØM Boost Mix Pearl
A8ØN Boost Mix Smoke

Sensitech
✣ 9 mm
**30x60 cm** - 11³/₄"x23⁵/₈"
A8ØO Boost Mix Ivory
A8ØP Boost Mix Pearl
A8ØQ Boost Mix Smoke

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
✣ 9 mm
**30x60 cm** - 11³/₄"x23⁵/₈"
A8ØR Boost Mix Ivory Grip
A8ØS Boost Mix Pearl Grip
A8ØT Boost Mix Smoke Grip

Sensitech
✣ 20 mm
**120x120 cm** - 47¹/₄"x47¹/₄"
A84U Boost Mix Ivory 20 mm
A84V Boost Mix Pearl 20 mm
A84W Boost Mix Smoke 20 mm

Sensitech
✣ 20 mm
**60x120 cm** - 23⁵/₈"x47¹/₄"
A84R Boost Mix Ivory 20 mm
A84S Boost Mix Pearl 20 mm
A84T Boost Mix Smoke 20 mm

Sensitech
✣ 20 mm
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A84O Boost Mix Ivory 20 mm
A84P Boost Mix Pearl 20 mm
A84Q Boost Mix Smoke 20 mm

**TRIM TILES** P. 302

| | Battiscopa | | Gradino * | | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L | Corner * ✣ 6 mm | Corner A.E * ✣ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x120 cm 2⁷/₈"x47¹/₄" | 7,2x60 cm 2⁷/₈"x23⁵/₈" | 30x120 cm 11³/₄"x47¹/₄" | 30x60 cm 11³/₄"x23⁵/₈" | 33x120 cm 13"x47¹/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11³/₄" | | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" | 15x60 H. 4 cm 5⁷/₈"x23⁵/₈" H. 1⁵/₈" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Grip | Matte | Matte |
| | | | | | | | | DX | SX | | | | |
| Ivory | A83O | A83L | A832 | A83X | A838 | A835 | A84C | A83U | A83R | • | A84F | A84I | A84L |
| Pearl | A83P | A83M | A833 | A83Y | A839 | A836 | A84D | A83V | A83S | • | A84G | A84J | A84M |
| Smoke | A83Q | A83N | A834 | A83Z | A84B | A837 | A84E | A83W | A83T | • | A84H | A84K | A84N |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412






## Porcelain Tiles


### DECOR RANGE



A829 Boost Mix Ivory
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A83G Boost Mix Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A83H Boost Mix Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A83I Boost Mix Ivory
Mosaico Slide (1)
29x32,6 cm - 11⁵/₈"x12⁷/₈"



A83J Boost Mix Pearl
Mosaico Slide (1)
29x32,6 cm - 11⁵/₈"x12⁷/₈"



A83K Boost Mix Smoke
Mosaico Slide (1)
29x32,6 cm - 11⁵/₈"x12⁷/₈"




**a** 6,3x28,8 cm - 2¹/₂"x11³/₈"
**b** 6,3x29,8 cm - ⁵/₈"x11³/₄"
**C** 32,57 cm - 12⁷/₈"

(1) **For the best performance of the mosaic we recommend the use of epoxy mortars (class RG - EN 13888/ISO 13007) or decorative resins-cement, following the manufacturer's instructions.** - Al fine di ottenere una resa ottimale del mosaico, è consigliato l'utilizzo di malte epossidiche (classe RG - EN 13888/ISO 13007) o di resine cementizie attendendosi alle indicazioni di utilizzo fornite dal produttore. - Afin d'obtenir un rendu optimal de la mosaïque, nous vous conseillons d'utiliser des mortiers époxy (classe RG - EN 13888/ISO 13007) ou des résines à base de ciment, en suivant les indications d'utilisation fournies par le fabricant. - Um das Mosaik optimal zur Geltung zu bringen, empfehlen wir die Verwendung von Epoxidharzfugenmörtel (Klasse RG - EN 13888/ISO 13007) oder von vergüteten Fugenmörteln unter Beachtung der vom Hersteller angegebenen Verwendungshinweise. - Para obtener un rendimiento óptimo del mosaico, se aconseja utilizar mortero epoxi (clase RG - EN 13888/ISO 13007) o resinas de cemento siguiendo las indicaciones entregadas por el fabricante. - Для наилучшего эстетического результата при укладке мозаики рекомендуется использовать эпоксидные растворы (класс RG - EN 13888/ISO 13007) или полимерцемент, соблюдая инструкции производителя.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Stone



**Inspired by Pyrenean Limestone.**
Timeless sophistication
and modern charm.

**Contemporary style.**
Create spaces with subtle tones, delicate hues, and minimal color variations.


**Perfect micro-details.**
Flawlessly replicate the varied surface of the inspirational stone.

**Ten Neutral Colors.**
Derived from the cement-effect collections of Boost and Boost Pro.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades


































## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

### OUTDOOR AND WET AREAS

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 9 mm | Grip Sensitech **R11 C** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | 6 mm | Hammered **R9 A** |

### SLABS FOR COUNTERTOPS & FURNITURE

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" NON-RECTIFIED | 12 mm | Hammered |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Stone

## Porcelain Tiles

MEDIUM TRAFFIC: Matte ✣ 6 mm · Matte Sensitech ✣ 6 mm · Hammered ✣ 6 mm

HEAVY TRAFFIC: Matte Sensitech ✣ 9 mm · Grip Sensitech ✣ 9 mm · Outdoor Sensitech ✣ 20 mm

**R9 A** Matte / Hammered ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE — Floor — Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
AJRX B.Stone Ivory Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
A6R7 B.Stone White
A6SC B.Stone Pearl
A6SD B.Stone Grey
A6SE B.Stone Smoke
A6SG B.Stone Tarmac
A6R8 B.Stone Ivory
A6R9 B.Stone Cream
A6SA B.Stone Clay
A6SB B.Stone Taupe
A6SF B.Stone Tobacco

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A6QS B.Stone White
A6QX B.Stone Pearl
A6QY B.Stone Grey
A6L8 B.Stone Smoke
A6QØ B.Stone Tarmac
A6QT B.Stone Ivory
A6QU B.Stone Cream
A6QV B.Stone Clay
A6QW B.Stone Taupe
A6QZ B.Stone Tobacco

Sensitech
**✣ 9 mm**
**80x80cm** - 31 1/2"x31 1/2"
A9R1 Boost Stone White
A9R3 Boost Stone Pearl
A9R4 Boost Stone Grey
A9RV Boost Stone Smoke
A9RZ Boost Stone Tarmac
A9R2 Boost Stone Ivory
A9RØ Boost Stone Cream
A9RX Boost Stone Clay
A9RY Boost Stone Taupe
A9RW Boost Stone Tobacco

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A6Q2 B.Stone White
A6Q7 B.Stone Pearl
A6Q8 B.Stone Grey
A6Q9 B.Stone Smoke
A6RB B.Stone Tarmac
A6Q3 B.Stone Ivory
A6Q4 B.Stone Cream
A6Q5 B.Stone Clay
A6Q6 B.Stone Taupe
A6RA B.Stone Tobacco

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A6RC B.Stone White
A6RL B.Stone Pearl
A6RM B.Stone Grey
A6RN B.Stone Smoke
A6RP B.Stone Tarmac
A6RD B.Stone Ivory
A6RI B.Stone Cream
A6RJ B.Stone Clay
A6RK B.Stone Taupe
A6RO B.Stone Tobacco

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
A6RX B.Stone White
A6R2 B.Stone Pearl
A6R3 B.Stone Grey
A6R4 B.Stone Smoke
A6R6 B.Stone Tarmac
A6RY B.Stone Ivory
A6RZ B.Stone Cream
A6RØ B.Stone Clay
A6R1 B.Stone Taupe
A6R5 B.Stone Tobacco

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A66R B.Stone White Grip
A66W B.Stone Pearl Grip
A66X B.Stone Grey Grip
A66Y B.Stone Smoke Grip
A66Ø B.Stone Tarmac Grip
A66S B.Stone Ivory Grip
A66T B.Stone Cream Grip
A66U B.Stone Clay Grip
A66V B.Stone Taupe Grip
A66Z B.Stone Tobacco Grip

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
A661 B.Stone White Grip
A666 B.Stone Pearl Grip
A667 B.Stone Grey Grip
A668 B.Stone Smoke Grip
A67A B.Stone Tarmac Grip
A662 B.Stone Ivory Grip
A663 B.Stone Cream Grip
A664 B.Stone Clay Grip
A665 B.Stone Taupe Grip
A669 B.Stone Tobacco Grip

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
A67M B.Stone White 20 mm
A67P B.Stone Grey 20 mm
A7II B.Stone Smoke 20 mm
A67Q B.Stone Tarmac 20 mm
A67N B.Stone Cream 20 mm
A67O B.Stone Clay 20 mm

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
A67R B.Stone White 20 mm
A67U B.Stone Grey 20 mm
A7IJ B.Stone Smoke 20 mm
A67V B.Stone Tarmac 20 mm
A67S B.Stone Cream 20 mm
A67T B.Stone Clay 20 mm

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
A67W B.Stone White 20 mm
A67Z B.Stone Grey 20 mm
A7IK B.Stone Smoke 20 mm
A67Ø B.Stone Tarmac 20 mm
A67X B.Stone Cream 20 mm
A67Y B.Stone Clay 20 mm

**TRIM TILES** P. 302

| | Battiscopa 7.2x80 cm 2 7/8"x31 1/2" Matte | Battiscopa 7.2x60 cm 2 7/8"x23 5/8" Matte | Gradino * 30x60 cm 11 3/4"x23 5/8" Matte | Scalino * 33x120 cm 13"x47 1/4" Matte | Scalino * 33x60 cm 13"x23 5/8" Matte | Scalino Ang.* 33x33 cm 13"x13" Matte | Battiscopa Sag. Scala * 7.2x30 cm 2 7/8"x11 1/4" Matte DX | Battiscopa Sag. Scala * SX | Davanzale / Soglia * max 315x50 H.4 cm 124"x19 5/8" H.1 1/8" Matte | Elemento L 33x120 H. 4 cm 13"x47 1/4" H. 1 5/8" Grip | Corner * ✣ 6 mm 1x120 cm 3/8"x47 1/4" Matte | Corner A.E * ✣ 6 mm 1x1 cm 3/8"x1/8" Matte |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| White | HAMT | A7NC | A7N6 | A7OQ | A7OG | A7OØ | A7NW | A7NM | • | A7P8 | A7PA | A7PK |
| Pearl | HAMV | A7NH | A7OB | A7OV | A7OL | A7O5 | A7N1 | A7NR | • | A7QD | A7PF | A7PP |
| Grey | HAMW | A7NI | A7OC | A7OW | A7OM | A7O6 | A7N2 | A7NS | • | A7QE | A7PG | A7PQ |
| Smoke | HAMN | A7NJ | A7OD | A7OX | A7ON | A7O7 | A7N3 | A7NT | • | A7QF | A7PH | A7PR |
| Tarmac | HAMR | A7NL | A7OF | A7OZ | A7OP | A7O9 | A7N5 | A7NV | • | A7QH | A7PJ | A7PT |
| Ivory | HAMU | A7ND | A7N7 | A7OR | A7OH | A7O1 | A7NX | A7NN | • | A7P9 | A7PB | A7PL |
| Cream | HAMS | A7NE | A7N8 | A7OS | A7OI | A7O2 | A7NY | A7NO | • | A7QA | A7PC | A7PM |
| Clay | HAMP | A7NF | A7N9 | A7OT | A7OJ | A7O3 | A7NZ | A7NP | • | A7QB | A7PD | A7PN |
| Taupe | HAMQ | A7NG | A7OA | A7OU | A7OK | A7O4 | A7NØ | A7NQ | • | A7QC | A7PE | A7PO |
| Tobacco | HAMO | A7NK | A7OE | A7OY | A7OO | A7O8 | A7N4 | A7NU | • | A7QG | A7PI | A7PS |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412



































INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Boost Stone

## Porcelain Tiles


### DECOR RANGE



A7C3 Boost Stone White
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C4 Boost Stone Ivory
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




**A** 3,9x60 cm - 1¹/₂"x23⁵/₈"
**B** 1,7x60 cm - ⅝"x23⁵/₈"
**C** 4,6x60 cm - 1³/₄"x23⁵/₈"



A7C8 Boost Stone Pearl
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C5 Boost Stone Cream
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7C9 Boost Stone Grey
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7C6 Boost Stone Clay
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7DA Boost Stone Smoke
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"




A7C7 Boost Stone Taupe
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DC Boost Stone Tarmac
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DB Boost Stone Tobacco
Mosaico Brick
30x60 cm - 11³/₄"x23⁵/₈"



A7DD Boost Stone White
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A7DI Boost Stone Pearl
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DJ Boost Stone Grey
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DK Boost Stone Smoke
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DM Boost Stone Tarmac
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A7DE Boost Stone Ivory
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A7DF Boost Stone Cream
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DG Boost Stone Clay
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DH Boost Stone Taupe
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"



A7DL Boost Stone Tobacco
Mosaico Matte
30x30 cm - 11³/₄"x11³/₄"




A67I Boost Stone White
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CY Boost Stone Pearl
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7CZ Boost Stone Grey
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CØ Boost Stone Smoke
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7C2 Boost Stone Tarmac
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




**A** 9,7x3,8 cm - 3⁷/₈"x1¹/₂"
**B** 4,8x3,8 cm - 1⁷/₈"x1¹/₂"
**C** 4,6x3,6 cm - 1³/₄"x1⁵/₈"



A7CU Boost Stone Ivory
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7CV Boost Stone Cream
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CW Boost Stone Clay
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7CX Boost Stone Taupe
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"




A7C1 Boost Stone Tobacco
Mosaico Hex
25x28,5 cm - 9⁷/₈"x11¹/₄"



A7DO Boost Stone
Mosaico Cube Warm
30x30 cm - 11³/₄"x11³/₄"
Warm:
Boost Stone Cream
Boost Stone Clay
Boost Stone Ivory
Boost Pro Ivory



A7DN Boost Stone
Mosaico Cube Cold
30x30 cm - 11³/₄"x11³/₄"
Cold:
Boost Stone Smoke
Boost Stone Grey
Boost Stone Pearl
Boost Pearl




**A** 29,8 cm - 11³/₄"
**a** 14,6 cm - 5³/₄"
**b** 14,8 cm - 5⁷/₈"
**c** 20,8 cm - 8¹/₄"
**D** 29,8 cm - 11³/₄"
**d** 29,5 cm - 11⁵/₈"





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Brave



**Inspired by Italian alpine quartzites.**
Timeless elegance
and modern sophistication.

**The feature of the natural stone.**
Distinctive veins, colors and inclusions
inspired by natural stones.

**Five Color Variants.**
From warm, natural white to deep
anthracite, perfect for modern
design projects.

**Indoor and Outdoor Versatility.**
Combining the realism of stone-effect
surfaces with the allure of trendy
natural hues.

DISCOVER
MORE

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades













## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **75x150 cm** - 29 1/2"x59" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23 5/8"x23 5/8" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11 3/4"x23 5/8" | 9 mm | Matte Sensitech **R10 B** |
| **OUTDOOR AND WET AREAS** | | |
| **30x60 cm** - 11 3/4"x23 5/8" | 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23 5/8"x47 1/4" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23 5/8"x23 5/8" | 20 mm | Outdoor Sensitech **R11 C** |










## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15 3/4"x31 1/2" | 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **40x80 cm** - 15 3/4"x31 1/2" | 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Brave

## Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE

Floor — Wall

**Sensitech**
✣ **9 mm**
**75x150 cm** - 29 1/2"x59"
A7G5 Brave Gypsum
A7G6 Brave Pearl
A7G7 Brave Grey
A7G9 Brave Coke

**Sensitech**
✣ **9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AW9U Brave Gypsum
AW9V Brave Pearl
AW9W Brave Grey
AW9Y Brave Coke

**Sensitech**
✣ **9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
DØ46 Brave Gypsum
DØ47 Brave Pearl
DØ48 Brave Grey
DØ5Ø Brave Coke

### GRIP SURFACE — OUTDOOR ✣ 20 mm

Outdoor

**Sensitech**
✣ **9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
DØ51 Brave Gypsum Grip
DØ52 Brave Pearl Grip
DØ53 Brave Grey Grip
DØ55 Brave Coke Grip

**Sensitech**
✣ **20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
AT5I Brave Gypsum 20 mm
AT5J Brave Pearl 20 mm
AT5K Brave Grey 20 mm
AT5M Brave Coke 20 mm

**Sensitech**
✣ **20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
AXAT Brave Gypsum 20 mm
AXAU Brave Pearl 20 mm
AXAV Brave Grey 20 mm
AXAX Brave Coke 20 mm

**TRIM TILES** P. 302

| | Battiscopa | Gradino * | Scalino * | Scalino * | | | Scalino Ang.* | | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L * |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 2 7/8"x23 5/8" | 30x60 11 3/4"x23 5/8" | 33x150 13"x59" | 33x90 13"x35 1/8" | 33x75 13"x29 1/2" | 33x60 13"x23 5/8" | 33x33 13"x13" | | 7,2x30 2 7/8"x11 3/4" | | max 315x50 H.4 cm 124"x19 5/8" H.1 5/8" | 15x60 H. 4 5 7/8"x23 5/8" H. 1 5/8" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | | Matte | Grip |
| | | | | | | | DX | SX | DX | SX | | |
| Gypsum | A1IE | A1IJ | AZT9 | A1IP | A1IU | A1IZ | A1JA | A1I4 | A1JK | A1JF | • | A1JP |
| Pearl | A1IF | A1IL | AZUA | A1IQ | A1IV | A1Iø | A1JB | A1I5 | A1JL | A1JG | • | A1JQ |
| Grey | A1IG | A1IM | A1ZQ | A1IR | A1IW | A1I1 | A1JC | A1I6 | A1JM | A1JH | • | A1JR |
| Coke | A1II | A1IO | AZEW | A1IT | A1IY | A1I3 | A1JE | A1I8 | A1JO | A1JJ | • | A1JT |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

**Sensitech** P. 412

















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# Brave

## Porcelain Tiles

### DECOR RANGE



A1FM Brave Gypsum
Mosaico
30x30 cm - 11³/₄"x11³/₄"



A1FO Brave Grey
Mosaico
30x30 cm - 11³/₄"x11³/₄"




A1FQ Brave Coke
Mosaico
30x30 cm - 11³/₄"x11³/₄"



A1FN Brave Pearl
Mosaico
30x30 cm - 11³/₄"x11³/₄"




4,8x4,8 cm - 1⁷/₈"x1⁷/₈"



A1F1 Brave Gypsum
Brick 3D [1]
29x59 cm - 11³/₈"x23¹/₄"



A1F2 Brave Pearl
Brick 3D [1]
29x59 cm - 11³/₈"x23¹/₄"




**A** 19,9x7,1 cm - 7⁷/₈"x2⁷/₈"
**B** 38,6x7,1 cm - 15⁷/₈"x2⁷/₈"



A1F3 Brave Grey
Brick 3D [1]
29x59 cm - 11³/₈"x23¹/₄"



A1F5 Brave Coke
Brick 3D [1]
29x59 cm - 11³/₈"x23¹/₄"

[1] **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito.- Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины; укладка встык без затирки швов.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.






## Wall Tiles


### MATTE SURFACE —— Wall

**± 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
8BWU Brave Gypsum

**± 10 mm 3D WALL**
**40x80 cm** - 15³/₄"x31¹/₂"
8BDG Brave 3D Wave Gypsum
8BBG Brave 3D Blade Gypsum








### DECOR RANGE



9BBG Brave Gypsum
Mosaic
30,5x30,5 cm - 12"x12"




### TRIM TILES



LBSU Brave Gypsum
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"



A1BU Brave Gypsum
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"



LB1G Brave Gypsum
Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"



LBSL Brave Pearl
Spigolo 0,8
0,8x20 cm - ³/₈"x7⁷/₈"



A1BL Brave Pearl
Spigolo 0,8 A.E.
0,8x0,8 cm - ³/₈"x³/₈"



LB1R Brave Pearl
Spigolo 10mm * [1]
1x20 cm - ³/₈"x7⁷/₈"

### 3D TRIM TILES

* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

[1] **The 10 mm edge matches three-dimensional wall tiles having a 10-11 mm thickness** - Lo spigolo 10 mm si abbina a rivestimenti tridimensionali di spessore 10-11 mm - Le bord 10 mm s'adapte aux revêtements tridimensionnels épaisseur 10-11 mm - Die 10 mm Kante ist mit dreidimensionalen Wandfliesen mit einer Dicke von 10-11 mm kombinierbar - La arista de 10 mm se combina con revestimientos tridimensionales de 10 -11 mm de grosor - Угловой элемент 10 мм сочетается с трехмерной настенной плиткой толщиной 10-11 мм



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Lims



**Inspired by global limestone selections.**
Experience the seamless blend of nature and design.

**Variety and detail.**
Featuring a wide range of graphics and rich details.

**Contemporary style.**
Essential and welcoming, perfect for modern spaces.

**Warm and natural tones.**
Achieve stylistic harmony in residential, commercial, and hospitality spaces.





DISCOVER MORE

Floor | Wall | Outdoor | Bathroom furniture | Facades




## Porcelain Tiles RECTIFIED MONOCALIBER

### MATTE SURFACE — Floor | Wall

**≠ 6 mm**
**120x278 cm** - 47¹/₄"x109¹/₂"
A3EI Lims Ivory

Sensitech
**≠ 9 mm**
**120x120 cm** - 47¹/₄"x47¹/₄"
A3DI Lims Ivory

Sensitech
**≠ 9 mm**
**75x150 cm** - 29¹/₂"x59"
A7HT Lims Ivory

### OUTDOOR ≠ 20 mm — Outdoor

Sensitech
**≠ 20 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A3LU Lims Ivory 20 mm

Sensitech
**≠ 20 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A3LY Lims Ivory 20 mm

MEDIUM TRAFFIC — Matte ≠ 6 mm

HEAVY TRAFFIC — Matte Sensitech ≠ 9 mm
Outdoor Sensitech ≠ 20 mm

**R9 A** Matte ≠ 6 mm
**R10 B** Matte Sensitech ≠ 9 mm
**R11 C** Outdoor Sensitech ≠ 20 mm

V3 Moderate Variation

**TRIM TILES** P. 302

| | Gradino * | Scalino * | Scalino * | Scalino Ang.* | | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L * | Corner * ≠ 6 mm | Corner A.E * ≠ 6 mm |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 37,5x75 cm 14¹/₄"x29¹/₂" | 37,5x150 cm 14¹/₄"x59" | 33x120 cm 13"x47¹/₄" | 37,5x75 cm 14¹/₄"x29¹/₂" | 37,5x37,5 cm 14¹/₄"x14¹/₄" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11⁷/₈" | | max 315x50 H 4 cm 124"x19⁷/₈" H.1⁵/₈" | 15x75 H. 4 cm 5⁷/₈"x29¹/₂" H. 1⁵/₈" | 1x120 cm ³/₈"x47¹/₄" | 1x1 cm ³/₈"x³/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Grip | Matte | Matte |
| | | | | | | | DX | SX | | | | |
| Ivory | A3VV | A3NU | A3NQ | A3VZ | A3WD | A3NY | A3JQ | A3JM | • | A3N2 | A3WH | A3WL |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Nyra

In collaboration with **Alberto Apostoli**





**First of his kind.**
Nyra gives rise to Nyra World, the Atlas Concorde new stone-effect range.

**Exclusive collaboration.**
Wellness expertise and unique design by Alberto Apostoli.

**Ceramic meets natural materials.**
Unique blend of nature-inspired, original design.

**First stone with graphic accents.**
Ambrosia adds bold graphics for larger formats.

**In and out.**
Seamless indoor-outdoor design with unmatched continuity.





COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Slabs for countertops and furniture | Bathroom furniture | Tables | Facades






















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | ± 6 mm | Matte **R9 A** |
| **120x240 cm** - 47¹/₄"x94¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |
| **80x80 cm** - 31¹/₂"x31¹/₂" | ± 9 mm | Matte Sensitech **R10 B** |
| **75x150 cm** - 29¹/₂"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 9 mm | Grip Sensitech **R11 C** |
| **30x60 cm** - 11³/₄"x23⁵/₈" | ± 9 mm | Grip Sensitech **R11 C** |
| **120x120 cm** - 47¹/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x120 cm** - 23⁵/₈"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31¹/₂"x31¹/₂ | ± 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⁵/₈"x23⁵/₈" | ± 20 mm | Outdoor Sensitech **R11 C** |

atlasPLAN

| | | |
|---|---|---|
| **160x320 cm** - 63"x126" | ± 6 mm | Hammered |

**SLABS FOR COUNTERTOPS & FURNITURE**

| | | |
|---|---|---|
| **162x324 cm** - 63³/₄"x127¹/₂" - **ID Skin** NON-RECTIFIED | ± 12 mm | Hammered |



















## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 8,5 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 8,5 mm | Matte |

**3D WALL TILES**

| | | |
|---|---|---|
| **40x80 cm** - 15³/₄"x31¹/₂" | ± 10 mm | Matte |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | ± 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Nyra

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte / Hammered ✣ 6 mm
**R10 B** Matte Sensitech ✣ 6 - 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE

Floor — Wall

atlasPLAN

**✣ 6 mm**
**160x320 cm** - 63"x126"
HCWC Nyra Hay Hammered
HCWD Nyra Mist Hammered
HCLY Nyra Ambrosia Hammered

**✣ 6 mm**
**120x278 cm** - 47 1/4"x109 1/2"
HCQI Nyra Star
HCQJ Nyra Hay
HCQK Nyra Sunlight
HCQL Nyra Mist
HCQM Nyra Ambrosia

Sensitech
**✣ 9 mm**
**120x240 cm** - 47 1/4"x94 1/2"
HCQN Nyra Star
HCQO Nyra Hay
HCQP Nyra Sunlight
HCQQ Nyra Mist

Sensitech
**✣ 9 mm**
**120x120 cm** - 47 1/4"x47 1/4"
HCQX Nyra Star
HCQY Nyra Hay
HCQZ Nyra Sunlight
HCQØ Nyra Mist
HCQ1 Nyra Meteor
HCQ2 Nyra Charcoal
HCQ3 Nyra Ambrosia

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCQ4 Nyra Star
HCQ5 Nyra Hay
HCQ6 Nyra Sunlight
HCQ7 Nyra Mist
HCQ8 Nyra Meteor
HCQ9 Nyra Charcoal
HCRA Nyra Ambrosia

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
HCRF Nyra Star
HCRG Nyra Hay
HCRH Nyra Sunlight
HCRI Nyra Mist
HCRJ Nyra Meteor
HCRK Nyra Charcoal
HEWX Nyra Ambrosia

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
HCRN Nyra Star
HCRO Nyra Hay
HCRP Nyra Sunlight
HCRQ Nyra Mist
HCRR Nyra Meteor
HCRS Nyra Charcoal

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HCRX Nyra Star
HCRY Nyra Hay
HCRZ Nyra Sunlight
HCRØ Nyra Mist
HCR5 Nyra Meteor
HCR7 Nyra Charcoal
HEWY Nyra Ambrosia

Sensitech
**✣ 9 mm**
**75x150 cm** - 29 1/2"x59"
HCQR Nyra Star
HCQS Nyra Hay
HCQT Nyra Sunlight
HCQU Nyra Mist
HCQV Nyra Meteor
HCQW Nyra Charcoal

### GRIP SURFACE

Outdoor

Sensitech
**✣ 9 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCRB Nyra Star
HCRC Nyra Hay
HCRD Nyra Sunlight
HCRE Nyra Mist
HEWW Nyra Ambrosia

Sensitech
**✣ 9 mm**
**60x60 cm** - 23 5/8"x23 5/8"
HCRL Nyra Hay
HCRM Nyra Mist

Sensitech
**✣ 9 mm**
**30x60 cm** - 11 3/4"x23 5/8"
HCRT Nyra Star
HCRU Nyra Hay
HCRV Nyra Sunlight
HCRW Nyra Mist

### OUTDOOR ✣ 20 mm

Sensitech
**✣ 20 mm**
**120x120 cm** - 47 1/4"x47 1/4"
HCSE Nyra Star
HCSF Nyra Hay
HCSG Nyra Sunlight
HCOJ Nyra Mist

Sensitech
**✣ 9 mm**
**80x80 cm** - 31 1/2"x31 1/2"
HCSP Nyra Star
HCSQ Nyra Hay
HCSR Nyra Sunlight
HCSS Nyra Mist
HEW0 Nyra Ambrosia

Sensitech
**✣ 20 mm**
**60x120 cm** - 23 5/8"x47 1/4"
HCSH Nyra Star
HCSI Nyra Hay
HCSJ Nyra Sunlight
HCSK Nyra Mist
HEWZ Nyra Ambrosia

Sensitech
**✣ 20 mm**
**60x60 cm** - 23 5/8"x23 5/8"
HCSL Nyra Star
HCSM Nyra Hay
HCSN Nyra Sunlight
HCSO Nyra Mist

Sensitech P. 412





























INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Nyra
## Porcelain Tiles

### DECOR RANGE



HCYK Nyra Star
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"




HCYL Nyra Hay
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"




HCYM Nyra Sunlight
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"




HCYN Nyra Mist
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"




**A** 26 cm - 10¹/₄"
**B** 30 cm - 11¹/₄"



HCYO Nyra Meteor
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYP Nyra Charcoal
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCYQ Nyra Ambrosia
Mosaico Favus
30x26 cm - 11¹/₄"x10¹/₄"



HCU5 Nyra Star
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"




HCU7 Nyra Hay
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"



HCU8 Nyra Sunlight
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"



HCU9 Nyra Mist
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"





**A** 32 cm - 12³/₈"
**B** 32 cm - 12³/₈"
**a** 3,2 cm - 1¹/₄"
**b** 4,3 cm - 7³/₈"



HCVA Nyra Meteor
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"



HCVB Nyra Charcoal
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"



HCVC Nyra Ambrosia
Mosaico Opus
32x32 cm - 12³/₈"x12³/₈"

| TRIM TILES P. 302 | Battiscopa | | | | Gradino * | | Scalino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Corner * ⧗ 6 mm | Corner A.E * ⧗ 6 mm | Elemento L * |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 7,2x150 cm 2⅞"x59" | 7,2x120 cm 2⅞"x47¼" | 7,2x80 cm 2⅞"x31½" | 7,2x60 2⅞"x23⅝" | 30x120 11¾"x47¼" | 30x60 11¾"x23⅝" | 33x150 13"x59" | 33x120 13"x47¼" | 33x60 13"x23⅝" | 33x33 13"x13" | 7,2x30 2⅞"x11¾" Matte | | max 315x50 H.4 cm 124"x19⅜" H.1¼" | 1x120 cm ⅜"x47¼" | 1x1 cm ⅜"x⅜" | 15x60 H. 4 5⅞"x23⅝" H. 1¼" |
| | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | DX | SX | Matte | Matte | Matte | Grip |
| Star | HC4F | HCX5 | HC4L | HCYD | HC4Y | HC4R | HC6M | HC6F | HC58 | HC6S | HC51 | HC5U | • | HC5A | HC5E | HC45 |
| Hay | HC4G | HCX6 | HC4M | HCYE | HC4Z | HC4S | HC6N | HC6G | HC59 | HC6T | HC52 | HC5V | • | HC5A | HC5F | HC46 |
| Sunlight | HC4H | HCX7 | HC4N | HCYF | HC4Ø | HC4T | HC6O | HC6H | HC6A | HC6U | HC53 | HC5W | • | HC5B | HC5G | HC47 |
| Mist | HC4I | HCX8 | HC4O | HCYG | HC41 | HC4U | HC6P | HC6I | HC6B | HC6V | HC54 | HC5X | • | HC5C | HC5H | HC48 |
| Meteor | HC4J | HCX9 | HC4P | HCYH | HC42 | HC4V | HC6Q | HC6J | HC6C | HC6W | HC55 | HC5Y | • | - | - | - |
| Charcoal | HC4K | HCYB | HC4Q | HCYI | HC43 | HC4W | HC6R | HC6K | HC6D | HC6X | HC56 | HC5Z | • | - | - | - |
| Ambrosia | - | HCYC | - | HCYJ | HC44 | HC4X | - | HC6L | HC6E | HC6Y | HC57 | HC5Ø | • | HC5D | HC5I | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

## Wall Tiles

### MATTE SURFACE —— Wall

**⧗ 8,5 mm**
**40x80 cm** - 15³/₄"x31¹/₂"
HCSX Nyra Star Field
HCSY Nyra Hay Field

**⧗ 10 mm 3D WALL**
**40x80 cm** - 15³/₄"x31¹/₂"
HCSZ Nyra 3D Saddle Star
HCSØ Nyra 3D Saddle Hay

**⧗ 8,5 mm**
**50x120 cm** - 19⅝"x47¼"
HCST Nyra Star Field
HCSU Nyra Hay Field

**⧗ 10 mm 3D WALL**
**50x120 cm** - 19⅝"x47¼"
HCSV Nyra 3D Qube Star
HCSW Nyra 3D Qube Hay


### TRIM TILES

1,4x50 cm - ⅝"x19⅜"
HCVX Nyra Star Field Corner 50 *
HCVY Nyra Hay Field Corner 50 *
HCV1 Nyra Hay Field Corner 40 *
HCV2 Nyra Hay Field Corner 40 *

1,4x1,4 cm - ⅝"x⅝"
HCVZ Nyra Star Field Corner A.E. *
HCVØ Nyra Hay Field Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ
















INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Norde



**Bold Quartzite Effect.**
Strong, dynamic personality.

**High Accuracy.**
Meticulous, realistic reproduction.

**Seamless Integration.**
Blends indoor and outdoor.

**Outdoor selection.**
Unique decors range for customized and modern outdoor flooring.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor | Bathroom furniture | Facades













## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **60x120 cm** - 23⅝"x47¼" | 9 mm | Matte Sensitech **R10 B** |
| **60x60 cm** - 23⅝"x23⅝" | 9 mm | Matte Sensitech **R10 B** |
| **30x60 cm** - 11¾"x23⅝" | 9 mm | Matte Sensitech **R10 B** |

### OUTDOOR AND WET AREAS

| | | |
|---|---|---|
| **60x120 cm** - 23⅝"x47¼" | 9 mm | Grip Sensitech **R11 C** |
| **60x120 cm** - 23⅝"x47¼" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x90 cm** - 23⅝"x35⅜" | 20 mm | Outdoor Sensitech **R11 C** |
| **60x60 cm** - 23⅝"x23⅝" | 20 mm | Outdoor Sensitech **R11 C** |
| **80x80 cm** - 31½"x31½" | 20 mm | Outdoor Sensitech **R11 C** |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Norde

## Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ≠ 9 mm
Grip Sensitech / Roccia ≠ 9 mm
Outdoor Sensitech ≠ 20 mm

**R10 B** Matte Sensitech ≠ 9 mm
**R11 C** Grip Sensitech ≠ 9 mm
**R11 C** Outdoor Sensitech ≠ 20 mm

V3 Moderate Variation

### MATTE SURFACE — Floor — Wall

Sensitech
**≠ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A5LM Norde Magnesio
A5LN Norde Oro
A45Z Norde Platino
A5LO Norde Piombo

Sensitech
**≠ 9 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A5M6 Norde Magnesio
A5M7 Norde Oro
A5M8 Norde Platino
A5M9 Norde Piombo

Sensitech
**≠ 9 mm**
**30x60 cm** - 11³/₄"x23⁵/₈"
A5ND Norde Magnesio
A5NE Norde Oro
A5NF Norde Platino
A5NG Norde Piombo

### GRIP SURFACE — Outdoor

Sensitech
**≠ 9 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A5MH Norde Magnesio Grip
A5MI Norde Oro Grip
A45Ø Norde Platino Grip
A5MJ Norde Piombo Grip

### OUTDOOR ≠ 20 mm

Sensitech
**≠ 20 mm**
**60x120 cm** - 23⁵/₈"x47¹/₄"
A5TV Norde Magnesio 20 mm
A5TW Norde Oro 20 mm
A451 Norde Platino 20 mm
A5TX Norde Piombo 20 mm

Sensitech
**≠ 20 mm**
**60x90 cm** - 23⁵/₈"x35³/₈"
A5T2 Norde Magnesio 20 mm
A5T3 Norde Oro 20 mm
A5T4 Norde Platino 20 mm
A5T5 Norde Piombo 20 mm

Sensitech
**≠ 20 mm**
**60x60 cm** - 23⁵/₈"x23⁵/₈"
A5TY Norde Magnesio 20 mm
A5TZ Norde Oro 20 mm
A5TØ Norde Platino 20 mm
A5T1 Norde Piombo 20 mm

Sensitech
**≠ 20 mm**
**80x80 cm** - 31¹/₂"x31¹/₂"
A56L Norde Magnesio 20 mm
A56M Norde Oro 20 mm
A56N Norde Platino 20 mm
A56O Norde Piombo 20 mm

**TRIM TILES**
P. 302

| | Battiscopa | Gradino * | Scalino * | | Scalino Ang.* | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L * |
|---|---|---|---|---|---|---|---|---|---|
| | 7,2x60 cm 2⁷/₈"x23⁵/₈" | 30x60 cm 11³/₄"x23⁵/₈" | 33x120 cm 13"x47¹/₄" | 33x60 cm 13"x23⁵/₈" | 33x33 cm 13"x13" | 7,2x30 cm 2⁷/₈"x11³/₄" | | max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" | 33x120 H. 4 cm 13"x47¹/₄" H.1⁵/₈" |
| | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Grip |
| | | | | | | DX | SX | | |
| Magnesio | A58Y | A59D | A59T | A59H | A59X | A583 | A587 | • | A592 |
| Oro | A58Z | A59E | A59U | A59I | A59Y | A584 | A588 | • | A593 |
| Platino | A581 | A59F | A59V | A59J | A59Z | A585 | A589 | • | A594 |
| Piombo | A582 | A59G | A59W | A59K | A591 | A586 | A59C | • | A595 |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

Sensitech P. 412













INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Norde

## Porcelain Tiles


### DECOR RANGE



A59P Norde Magnesio Brick
30x60 cm - 11³/₄"x23⁵/₈"



A59Q Norde Oro Brick
30x60 cm - 11³/₄"x23⁵/₈"



30x60 cm - 11³/₄"x23⁵/₈"



A59R Norde Platino Brick
30x60 cm - 11³/₄"x23⁵/₈"



A59S Norde Piombo Brick
30x60 cm - 11³/₄"x23⁵/₈"



A58U Norde Magnesio
Composizione Palladiana Grip Sensitech [1] [2]



A58V Norde Oro
Composizione Palladiana Grip Sensitech [1] [2]



A58W Norde Platino
Composizione Palladiana Grip Sensitech [1] [2]



A58X Norde Piombo
Composizione Palladiana Grip Sensitech [1] [2]

Sensitech P. 412







A59L Norde Magnesio
Mosaico
30x30 cm - 11³/₄"x11³/₄"



A59M Norde Oro
Mosaico
30x30 cm - 11³/₄"x11³/₄"



A59N Norde Platino
Mosaico
30x30 cm - 11³/₄"x11³/₄"



A59O Norde Piombo
Mosaico
30x30 cm - 11³/₄"x11³/₄"



"4,8x4,8 cm - 1⁷/₈"x1⁷/₈




A58M Norde Magnesio Path A+B 20 mm Outdoor Sensitech [3]
54x54 cm - 21¹/₄"x21¹/₄"

A58Q Norde Magnesio Path C 20 mm Outdoor Sensitech [3]
55x109 cm - 21⁵/₈"x42⁷/₈"



A58N Norde Oro Path A+B 20mm Outdoor Sensitech [3]
54x54 cm - 21¹/₄"x21¹/₄"

A58R Norde Oro Path C 20mm Outdoor Sensitech [3]
55x109 cm- 21⁵/₈"x42⁷/₈"




**a** 53,7 cm - 21¹/₈"
**b** 40,1 cm - 15¹/₄"
**c** 45 cm - 17³/₄"
**d** 105 cm - 41³/₈"
**e** 39,6 cm - 15⁵/₈"
**f** 55,6 cm - 21⁷/₈"



A58O Norde Platino Path A+B 20 mm Outdoor Sensitech [3]
54x54 cm - 21¹/₄"x21¹/₄"

A58S Norde Platino Path C 20 mm Outdoor Sensitech [3]
55x109 cm - 21⁵/₈"x42⁷/₈"



A58P Norde Piombo Path A+B 20mm Outdoor Sensitech [3]
54x54 cm - 21¹/₄"x21¹/₄"

A58T Norde Piombo Path C 20mm Outdoor Sensitech [3]
55x109 cm- 21⁵/₈"x42⁷/₈"

[1] **Minimum order: 8 m2. Variable tessera size and shape with tumbled edge. We recommend installation with a joint of no less than 10 mm.** - Ordine minimo di 8 mq. Dimensione e forma delle tessere variabile con bordo burattato. Si consiglia posa con fuga non inferiore a 10mm. - Commande minimum: 8 mètres carrés. Dimensions et forme des tesselles variables avec bord tamisé. Pose conseillée avec un joint non inférieur à 10mm. - Mindestbestellmenge 8 qm. Abmessung und Form der Steine sind unterschiedlich, aber alle weisen getrommelte Kanten auf. Für die Verlegung wird eine Fugenbreite von nicht weniger als 10 mm empfohlen. - Pedido mínimo de 8 m2. Tamaño y forma variable de los mosaicos con borde bruñido. Se recomienda colocación con junta de no menos de 10 mm. - Минимальный объем заказа - 8 кв.м. Размер и форма чипа варьируются, чипы имеют выщербленные края. Рекомендуется укладка с межплиточным швом не менее 10 мм.

[2] **Example of layout measuring about 1 m².** - Esempio di posato corrispondente a circa 1 mq. - Exemple de produit posé correspondant à 1 mètre carré environ. - Verlegebeispiel für circa 1 qm. - Ejemplo de colocación correspondiente aproximadamente a 1 m². - Пример укладки, соответствующий примерно 1 кв.м.

[3] **We recommend "dry" installation on gravel and/or grass.** - Si consiglia posa "a secco" su ghiaia e/o erba. - Pose « à sec » sur gravillons et/ou herbe conseillée. - Es wird eine Trockenverlegung auf Kies bzw. Rasen empfohlen. - Se recomienda colocación «en seco» sobre grava o hierba. - Рекомендуется «сухая» укладка на гравий и/или траву.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Entice



**Oak Effect.**
Embrace the timeless beauty with tone-on-tone shades.

**Two Selections:**
Choose between Natural and Elegant, with or without knots.

**Sophisticated color range.**

COLLECTION CATALOG

VIDEO

Floor | Wall | Outdoor













## Porcelain Tiles RECTIFIED MONOCALIBER

### NATURAL

| Sizes | Thickness | Surface finish |
|---|---|---|
| **18,5x150 cm** - 7¹/₄"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7⁷/₈"x47¹/₄" | ± 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **20x120 cm** - 7⁷/₈"x47¹/₄" | ± 9 mm | Grip Sensitech **R11 C** |
| **30x120 cm** - 11³/₄"x47¹/₄" | ± 20 mm | Outdoor Sensitech **R11 C** |













### ELEGANT

| Sizes | Thickness | Surface finish |
|---|---|---|
| **18,5x150 cm** - 7¹/₄"x59" | ± 9 mm | Matte **R9 A** |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Entice

## Porcelain Tiles

HEAVY TRAFFIC
Matte ✣ 9 mm
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 9 mm ELEGANT
**R10 B** Matte Sensitech ✣ 9 mm NATURAL
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE - NATURAL

Floor Wall















Sensitech
✣ 9 mm
**18,5x150 cm** - 7¹/₄"x59"
A8X6 Entice Pale Oak Natural
A8X7 Entice Copper Oak Natural
A8X9 Entice Browned Oak Natural
A8YA Entice Ash Oak Natural

Sensitech
✣ 9 mm
**20x120 cm** - 7⁷/₈"x47¹/₄"
A841 Entice Pale Oak Natural
A84Y Entice Copper Oak Natural
A84Z Entice Browned Oak Natural
A84Ø Entice Ash Oak Natural

### GRIP SURFACE

### OUTDOOR ✣ 20 mm

Outdoor

Sensitech
✣ 9 mm
**20x120 cm** - 7⁷/₈"x47¹/₄"
A842 Entice Pale Oak Natural Grip
A843 Entice Copper Oak Natural Grip
A844 Entice Browned Oak Natural Grip
A845 Entice Ash Oak Natural Grip

Sensitech
✣ 20 mm
**30x120 cm** - 11³/₄"x47¹/₄"
A9DD Entice Pale Oak Natural 20 mm
A9DE Entice Copper Oak Natural 20 mm
A9DF Entice Browned Oak Natural 20 mm
A9DG Entice Ash Oak Natural 20 mm

Sensitech P. 412

### MATTE SURFACE - ELEGANT

Floor Wall















✣ 9 mm
**18,5x150 cm** - 7¹/₄"x59"
A8YB Entice Pale Oak Elegant
A8YC Entice Copper Oak Elegant
A8YD Entice Browned Oak Elegant
A8YE Entice Ash Oak Elegant

**TRIM TILES**
P. 302

| | Battiscopa 7,2x150 cm 2⁷/₈"x59" Matte | Battiscopa 6,5x120 cm 2¹/₂"x47¹/₄" Matte | Scalino * 33x150 cm 13"x59" Matte | Scalino * 33x120 cm 13"x7¹/₄" Matte | Battiscopa Sag. Scala * 7,2x30 cm 2⁷/₈"x11¹/₄" Matte DX | Battiscopa Sag. Scala * SX | Davanzale / Soglia * max 315x50 H.4 cm 124"x19⁵/₈" H.1⁵/₈" Matte | Elemento L * 20x120 H. 4 cm 7⁷/₈"x59" H. 1⁵/₈" Grip |
|---|---|---|---|---|---|---|---|---|
| Pale Oak Natural | A85B | AHAB | AFIØ | AFI9 | A85N | A85J | • | AFJD |
| Copper Oak Natural | A85C | AHAA | AFI1 | AFJA | A85O | A85K | • | AFJE |
| Browned Oak Natural | A85D | AG95 | AFI3 | AFJB | A85P | A85L | • | AFJF |
| Ash Oak Natural | A85E | AG94 | AFI4 | AFJC | A85Q | A85M | • | AFJG |
| Pale Oak Elegant | A85F | - | AFI5 | - | - | - | • | - |
| Copper Oak Elegant | A85G | - | AFI6 | - | - | - | • | - |
| Browned Oak Elegant | A85H | - | AFI7 | - | - | - | • | - |
| Ash Oak Elegant | A85I | - | AFI8 | - | - | - | • | - |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Etic



Untreated wood essences.
Delicate color and fine structure.





DISCOVER
**MORE**

Floor | Wall | Decors




## Porcelain Tiles RECTIFIED MONOCALIBER

**MATTE SURFACE** — Floor | Wall


**≑ 9 mm**
**22,5x90 cm** - 8⅞"x35⅜"
AJ8D Etic Rovere

HEAVY-TRAFFIC Matte ≑ 9 mm | **R9 A** Matte ≑ 9 mm | V3 Moderate Variation Rovere

### DECOR RANGE



AM8D Etic Rovere
Tatami
22,5x90 cm - 8⅞"x35⅜"



2,3x90 cm - ⅞"x35⅜"

COMPLETE WITH FURNITURE
atlas concorde habitat

| TRIM TILES P. 302 | Battiscopa | Scalino * | Scalino Ang.* | | Battiscopa Sag. Scala * | | Davanzale / Soglia * |
|---|---|---|---|---|---|---|---|
| |  |  |  | |  | |  |
| | 7,2x90 cm 2⅞"x35⅜" Matte | 22,5x90 cm 8⅞"x35⅜" Matte | 22,5x22,5 cm 8⅞"x8⅞" Matte | | 7,2x30 cm 2⅞"x11¾" Matte | | max 315x50 H.4 cm 124"x19⅝" H.1⅝" Matte |
| | | | DX | SX | DX | SX | |
| Rovere | AM76 | AM97 | ANAF | ANCW | ANCH | ANCO | * |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Etic Pro



**Rovere Venice.**
A reinterpretation of the "Briccola" of Venice lagoon.

**Indoor and Outdoor versatility.**









## Porcelain Tiles RECTIFIED MONOCALIBER

### MATTE SURFACE — Floor — Wall

**± 9 mm**
**25x150 cm** - 9⅞"x59"
AV4I Etic Rovere Venice

**± 9 mm**
**22,5x90 cm** - 8⅞"x35⅜"
AV4M Etic Rovere Venice

### OUTDOOR ± 20 mm — Outdoor

Sensitech
**± 20 mm**
**30x120 cm** - 11¾"x47¼"
AV42 Etic Rovere Venice 20mm

HEAVY TRAFFIC — Matte ± 9 mm
Outdoor Sensitech ± 20 mm

**R9 A** Matte ± 9 mm
**R11 C** Outdoor Sensitech ± 20 mm

V3 Moderate Variation

Sensitech P. 412





DISCOVER MORE

Floor | Wall | Decors | Outdoor

## DECOR RANGE



2,3x90 cm
⅞"x35⅜"

AWVZ Etic Rovere Venice
Tatami
22,5x90 cm - 8⅞"x35⅜"




AWYI Etic Rovere Venice
Industrial 3D (1)
44x28,5 cm - 17⅜"x11¼"



2,4x22 cm
1"x8⅝"




AWV3 Etic Rovere Venice
Herringbone
36,2x41,2 cm - 14⅛"x16⅛"



4,9x29 cm
1⅞"x11⅜"




AWV7 Etic Rovere Venice
Chevron A+B
35x34,5 cm - 13¾"x13⅜"




**A** 17 cm - 6¾"
**B** 39,8 cm - 15⅝"
**C** 14,7 cm - 5¾"



AWYE Etic Rovere Venice
Chevron Tatami A+B
74x22,2 cm - 291/8"x85/8"




**A** 3,2 cm - 1¼"
**B** 73,8 cm - 29"
**C** 2,3 cm - ⅞"

COMPLETE WITH FURNITURE
atlas concorde habitat

| TRIM TILES P. 302 | Battiscopa | Scalino * | Scalino * | Scalino Ang.* | | Battiscopa Sag. Scala * | | Davanzale / Soglia * |
|---|---|---|---|---|---|---|---|---|
| | 7,2x90 cm 2⅞"x35⅜" Matte | 22,5x90 cm 8⅞"x35⅜" Matte | 33x150 cm 13"x59" Matte | 22,5x22,5 cm 8⅞"x8⅞" Matte | | 7,2x30 cm 2⅞"x11¾" Matte | | max 315x50 H.4 cm 124"x19⅝" H.1⅝" Matte |
| | | | | DX | SX | DX | SX | |
| Rovere Venice | AV68 | AV7Z | AZFC | AV78 | AV73 | AV8G | AV8C | • |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

(1) **Multi-thickness mosaic, close joint installation without grouting.** - Mosaico multispessore, posa senza stuccatura a giunto unito. - Mosaique multi-épaisseur, pose sans mastic avec joint nul. - Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel. - Mosaico multiespesor, colocación sin mástique y sin juntas. - Мозаика разной толщины, укладка встык без затирки швов.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Exence



**Italian Oak.**
Ideal for cozy and welcoming spaces.

**Natural Graphics.**
Featuring diverse shades, knots, and grain patterns.

**Highlighted Knots and Veins.**
Emphasize the natural beauty of the wood.

COLLECTION
**CATALOG**

Floor | Wall | Decors | Outdoor










## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **18,5x150 cm** - 7¹/₄"x59" | ⫩ 9 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7⁷/₈"x47¹/₄" | ⫩ 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **18,5x150 cm** - 7¹/₄"x59" | ⫩ 9 mm | Grip Sensitech **R11 C** |
| **30x120 cm** - 11⁸/₄"x47¹/₄" | ⫩ 20 mm | Outdoor Sensitech **R11 C** |

COMPLETE WITH FURNITURE
atlas concorde habitat

**TRIM TILES**
P. 302

| | Battiscopa | | Scalino * | Battiscopa Sag. Scala * | | Davanzale / Soglia * | Elemento L * |
|---|---|---|---|---|---|---|---|
| | 7,2x150 cm 2⁷/₈"x59" Matte | 6,5x120 cm 2¹/₂"x47¹/₄" Matte | 33x150 cm 13"x59" Matte | 7,2x30 cm 2⁷/₈"x11¹/₄" Matte DX | SX | max 315x50 H.4 cm 124"x19³/₈" H.1³/₈" Matte | 18,5x150 H. 4 cm 7¹/₄"x59" H. 1³/₈" Grip |
| Vanilla | AOUX | AHAF | AOUY | AOU1 | AOU2 | • | AOZI |
| Almond | AMA2 | AHAC | AMA6 | AMBE | AMBG | • | AOZJ |
| Amber | AMA5 | AHAD | AMA7 | AMBF | AMBH | • | AOZK |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Exence

## Porcelain Tiles

HEAVY TRAFFIC
Matte Sensitech ✣ 9 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R10 B** Matte Sensitech ✣ 9 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation

### MATTE SURFACE — Floor — Wall












Sensitech
**✣ 9 mm**
**18,5x150 cm** - 7¹/₄"x59"
AOUH Exence Vanilla
AL87 Exence Almond
AL88 Exence Amber

Sensitech
**✣ 9 mm**
**20x120 cm** - 7⁷/₈"x47¹/₄"
AO47 Exence Vanilla
AO48 Exence Almond
AO49 Exence Amber

### GRIP SURFACE — OUTDOOR ✣ 20 mm — Outdoor

Sensitech
**✣ 9 mm**
**18,5x150 cm** - 7¹/₄"x59"
AOUK Exence Vanilla Grip
AOUI Exence Almond Grip
AOUJ Exence Amber Grip

Sensitech
**✣ 20 mm**
**30x120 cm** - 11³/₄"x47¹/₄"
A2RY Exence Almond 20 mm
A2RZ Exence Amber 20 mm

Sensitech P. 412

### DECOR RANGE



AOUU Exence
Vanilla Square
56,1x56,1 cm - 22"x22"



AOUV Exence
Almond Square
56,1x56,1 cm - 22"x22"



AOUW Exence
Amber Square
56,1x56,1 cm - 22"x22"



AOUR Exence
Vanilla Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"



AOUS Exence
Almond Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"



AOUT Exence
Amber Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"



AOUG Exence
Vanilla Chevron
32,5x45 cm - 12³/₄"x17³/₄"



AMBJ Exence
Almond Chevron
32,5x45 cm - 12³/₄"x17³/₄"



AMBL Exence
Amber Chevron
32,5x45 cm - 12³/₄"x17³/₄"

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Heartwood



**Exquisite aged parquet.**
Evoke the charm of historic villas and palaces.

**Rich surface.**
Smoothed, planed, and polished oak.

**Harmonic Shades.**
From deep brown to blonde, honey to amber.

COLLECTION
CATALOG

Floor | Wall | Decors










## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **18,5x150 cm** - 7 1/4"x59" | ± 9 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7 7/8"x47 1/4" | ± 9 mm | Matte Sensitech **R10 B** |

COMPLETE WITH FURNITURE
atlas concorde habitat





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Heartwood

## Porcelain Tiles

HEAVY TRAFFIC — Matte Sensitech ✣ 9 mm | **R10 B** Matte Sensitech ✣ 9 mm | V3 Moderate Variation

### MATTE SURFACE

Floor — Wall












Sensitech
**✣ 9 mm**
**18,5x150 cm** - 7¹/₄"x59"
AL68 Heartwood Malt
AL84 Heartwood Brandy
AL69 Heartwood Moka

Sensitech
**✣ 9 mm**
**20x120 cm** - 7⁷/₈"x47¹/₄"
AL7E Heartwood Malt
AL85 Heartwood Brandy
AL7F Heartwood Moka

Sensitech P. 412

### DECOR RANGE



AOYG Heartwood Malt
Mansion Weave
34,6x40 cm - 13⁵/₈"x15¹/₄"



AOYH Heartwood Brandy
Mansion Weave
34,6x40 cm - 13⁵/₈"x15¹/₄"



AOYJ Heartwood Moka
Mansion Weave
34,6x40 cm - 13⁵/₈"x15¹/₄"



AOYD Heartwood Malt Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"



AOYE Heartwood Brandy Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"



AOYF Heartwood Moka Tatami
18,5x75 cm - 7¹/₄"x29¹/₂"

**TRIM TILES**
P. 302

| | Battiscopa | | Scalino * | Battiscopa Sag. Scala * | | Davanzale / Soglia * |
|---|---|---|---|---|---|---|
| | 7,2x150 cm 2⁷/₈"x59" | 6,5x120 cm 2¹/₂"x47¹/₄" | 33x150 cm 13"x59" | 7,2x30 cm 2⁷/₈"x11³/₄" | | max 315x50 H.4 cm 124"x19⁷/₈" H.1⁵/₈" |
| | Matte | Matte | Matte | Matte | | Matte |
| | | | | DX | SX | |
| Malt | AMAH | AHAI | AMAK | AMAW | AMAZ | • |
| Brandy | AMAI | AHAH | AMAL | AMAX | AMAØ | • |
| Moka | AMAJ | AHAJ | AMAM | AMAY | AMA1 | • |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log








COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor































## Porcelain Tiles RECTIFIED MONOCALIBER

### NATURAL SELECTION

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" - **ID Skin** | 6 mm | Matte **R9 A** |
| **20x180 cm** - 7¹/₈"x70⁷/₈" - **ID Skin** | 9,5 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7¹/₈"x47¹/₄" - **ID Skin** | 9 mm | Matte Sensitech **R10 B** |
| **18,5x150 cm** - 7¹/₄"x59" | 9 mm | Matte Sensitech **R10 B** |

**LARGE SIZES** P. 307

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **60x120 cm** - 23⁵/₈"x47¹/₄" **Deck** ♦ | 20 mm | Outdoor Sensitech **R11 C** |

### FOREST SELECTION

| Sizes | Thickness | Surface finish |
|---|---|---|
| **20x180 cm** - 7¹/₈"x70⁷/₈" - **ID Skin** | 9,5 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7¹/₈"x47¹/₄" - **ID Skin** | 9 mm | Matte Sensitech **R10 B** |
| **18,5x150 cm** - 7¹/₄"x59" | 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **20x120 cm** - 7¹/₈"x47¹/₄" - **ID Skin** | 9 mm | Grip Sensitech **R11 C** |
| **30x120 cm** - 11³/₄"x47¹/₄" | 20 mm | Outdoor Sensitech **R11 C** |
















## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **3D WALL TILES** | | |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log

## Porcelain Tiles

MEDIUM TRAFFIC — Matte ✣ 6 mm

HEAVY TRAFFIC — Matte Sensitech ✣ 9 - 9,5 mm
Grip Sensitech ✣ 9 mm
Outdoor Sensitech ✣ 20 mm

**R9 A** Matte ✣ 6 mm
**R10 B** Matte Sensitech ✣ 9 - 9,5 mm
**R11 C** Grip Sensitech ✣ 9 mm
**R11 C** Outdoor Sensitech ✣ 20 mm

V2 Slight Variation
Natural Selection
all colors

V3 Moderate Variation
Forest Selection
all colors

### MATTE SURFACE - NATURAL SELECTION

Floor — Wall


















Sensitech
**✣ 9,5 mm**
**20x180 cm** - 7⁷/₈"x70⁷/₈" - **ID Skin**
AX5T Log Icon Oak
AX5V Log Bright Oak
AX5X Log Amber Oak
AX5Z Log Deep Oak
AX51 Log Moon Oak

Sensitech
**✣ 9 mm**
**20x120 cm** - 7⁷/₈"x47¹/₄" - **ID Skin**
AX3A Log Icon Oak
AX3C Log Bright Oak
AX3E Log Amber Oak
AX3G Log Deep Oak
AX3I Log Moon Oak


Sensitech
**✣ 9 mm**
**18,5x150 cm** - 7¹/₄"x59"
AX3K Log Icon Oak
AX3M Log Bright Oak
AX3O Log Amber Oak
AX3Q Log Deep Oak
AX3S Log Moon Oak


Sensitech P. 412


### MATTE SURFACE - FOREST SELECTION


Floor — Wall





Sensitech
**✣ 9,5 mm**
**20x180 cm** - 7⁷/₈"x70⁷/₈" - **ID Skin**
AX5U Log Icon Oak Forest
AX5W Log Bright Oak Forest
AX5Y Log Amber Oak Forest
AX5Ø Log Deep Oak Forest
AX52 Log Moon Oak Forest

Sensitech
**✣ 9 mm**
**20x120 cm** - 7⁷/₈"x47¹/₄" - **ID Skin**
AX3B Log Icon Oak Forest
AX3D Log Bright Oak Forest
AX3F Log Amber Oak Forest
AX3H Log Deep Oak Forest
AX3J Log Moon Oak Forest

Sensitech
**✣ 9 mm**
**18,5x150 cm** - 7¹/₄"x59"
AX3L Log Icon Oak Forest
AX3N Log Bright Oak Forest
AX3P Log Amber Oak Forest
AX3R Log Deep Oak Forest
AX3T Log Moon Oak Forest

Sensitech P. 412

### GRIP SURFACE

Outdoor

Sensitech
**✣ 9 mm**
**20x120 cm** - 7⁷/₈"x47¹/₄" - **ID Skin**
AX4H Log Icon Oak Forest Grip
AX4I Log Bright Oak Forest Grip
AX4J Log Amber Oak Forest Grip
AX4K Log Deep Oak Forest Grip
AX4L Log Moon Oak Forest Grip

### OUTDOOR ✣ 20 mm

Sensitech
**✣ 20 mm**
**30x120 cm** - 11³/₄"x47¹/₄"
AX4A Log Icon Oak Forest 20mm
AX4B Log Bright Oak Forest 20mm
AX4C Log Amber Oak Forest 20mm
AX4D Log Deep Oak Forest 20mm
AX4E Log Moon Oak Forest 20mm





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log

## Porcelain Tiles

### OUTDOOR ⧳ 20 mm - NATURAL SELECTION — Outdoor







Sensitech

**⧳ 20 mm**

**60x120 cm** - 23⁵/₈"x47¹/₄"

AXØT Log Icon Oak Deck 20mm ♦

AXØU Log Bright Oak Deck 20mm ♦

**TRIM TILES**
P. 302

| | Battiscopa | | Scalino * | Scalino * | Elemento L |
|---|---|---|---|---|---|
| | 7.2x150 cm<br>2"⅞x59" | w.2x120 cm<br>2"⅞x47¹/₄" | 33x150 cm<br>13"x59" | 33x120 cm<br>13"x47¹/₄" | 20x120 H.4 cm<br>7"⅞x47¹/₄" H.1⁹/₁₆" |
| | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Grip Sensitech |
| Icon Oak | AX3Z | AX3U | AX2U | AX2M | AX34 |
| Bright Oak | AX3Ø | AX3V | AX2V | AX2N | AX35 |
| Amber Oak | AX31 | AX3W | AX2W | AX2O | AX36 |
| Deep Oak | AX32 | AX3X | AX2X | AX2P | AX37 |
| Moon Oak | AX33 | AX3Y | AX2Y | AX2Q | AX38 |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

Sensitech P. 412

### DECOR RANGE



AX4M Log Icon Oak
Classic Frame ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4N Log Icon Oak
Modern Frame 1 ♦ Matte Sensitech
120x120 cm - 47¹/₄"x47¹/₄"



AX4O Log Icon Oak
Modern Frame 2 ♦ Matte Sensitech
60x60 cm - 23⁵/₈"x23⁵/₈"



AYCQ Log Bright Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCP Log Icon Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCR Log Amber Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCS Log Deep Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"



AYCT Log Moon Oak
3D Tatami ■ Matte Sensitech
18,5x120 cm - 7¹/₄"x47¹/₄"

■ **Multi-thickness mosaic, close joint installation without grouting.**
Mosaico multispessore, posa senza stuccatura a giunto unito.
Mosaique multi-épaisseur, pose sans mastic avec joint nul.
Mosaik mit verschieden Stärken, fugenlose Verlegung ohne Mörtel.
Mosaico multiespesor, colocación sin mástique y sin juntas.
Мозаика разной толщины; укладка встык без затирки швов.



18,5x120 cm
7¹/₄"x47¹/₄"

### CHEVRON



AX4Q Log Bright Oak Chevron ♦ Matte
7,5x45 cm - 3"x17²/₄"



AX4P Log Icon Oak Chevron ♦ Matte
7,5x45 cm - 3"x17²/₄"




AX4R Log Amber Oak Chevron ♦ Matte
7,5x45 cm - 3"x17²/₄"



AX4S Log Deep Oak Chevron ♦ Matte
7,5x45 cm - 3"x17²/₄"



AX4T Log Moon Oak Chevron ♦ Matte
7,5x45 cm - 3"x17²/₄"




**C** 7,5 cm - 3"
**D** 45 cm - 17¹/₄"

● **At least 12 pairs A + B are guaranteed in each box.** - All'interno di ciascuna scatola è garantita la presenza di almeno 12 coppie A+B. - À l'intérieur de chaque boîte, la présence d'au moins 12 couples A+B est garantie. - Es wird garantiert, dass in jeder Schachtel mindestens 12 Paare A+B enthalten sind. - Se garantiza la presencia de al menos 12 parejas A+B dentro de cada caja. - Внутри каждой коробки гарантируется наличие не менее 12 пар A+B





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log

## Porcelain Tiles

Matte ≑ 6 mm

**R9 A** Matte ≑ 6 mm

V2 Slight Variation
Natural Selection all colors

### BIG SLABS



AX28 Log Bright Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX29 Log Bright Oak
Line ♦ Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX26 Log Icon Oak
Matte
120x278 cm - 47¹/₄"x109¹/₂"



AX27 Log Icon Oak
Line ♦ Matte
120x278 cm - 47¹/₄"x109¹/₂"



♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



## Wall Tiles

V2 Slight Variation

### MATTE SURFACE —— Wall

**≑ 8,5 mm 3D WALL**
**50x120 cm** - 19⁵/₈"x47¹/₄"
AX16 Log 3D Pleat Icon Oak
AX17 Log 3D Pleat Bright Oak
AX18 Log 3D Pleat Amber Oak
AX19 Log 3D Pleat Deep Oak
AX2A Log 3D Pleat Moon Oak
















### TRIM TILES



1,4x50 cm - ⁵/₈"x19⁵/₈"
AX2B Log 3D Pleat Icon Oak Corner 50 *
AX2C Log 3D Pleat Bright Oak Corner 50 *
AX2D Log 3D Pleat Amber Oak Corner 50 *
AX2E Log 3D Pleat Deep Oak Corner 50 *
AX2F Log 3D Pleat Moon Oak Corner 50 *



1,4x1,4 cm - ⁵/₈"x⁵/₈"
AX2G Log 3D Pleat Icon Oak Corner A.E. *
AX2H Log 3D Pleat Bright Oak Corner A.E. *
AX2I Log 3D Pleat Amber Oak Corner A.E. *
AX2J Log 3D Pleat Deep Oak Corner A.E. *
AX2K Log 3D Pleat Moon Oak Corner A.E. *

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log Cansei








COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor
















## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **20x120 cm** - 7⅞"x47¼" | ± 9 mm | Matte Sensitech **R10 B** |
| **18,5x150 cm** - 7¼"x59" | ± 9 mm | Matte Sensitech **R10 B** |

### OUTDOOR AND WET AREAS

| | | |
|---|---|---|
| **20x120 cm** - 7⅞"x47¼" | ± 9 mm | Grip Sensitech **R11 C** |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log Cansei

## Porcelain Tiles

HEAVY TRAFFIC

Matte Sensitech ǂ 9 - 9,5 mm
Grip Sensitech ǂ 9 mm

**R10 B** Matte Sensitech ǂ 9 mm
**R11 C** Grip Sensitech ǂ 9 mm

V3 Moderate Variation

### MATTE SURFACE

Floor — Wall


















Sensitech
ǂ 9 mm
**20x120 cm** - 7⅞"x47⅛"
AX68 Log Cansei Sospiro
AX69 Log Cansei Rialto
AX7A Log Cansei Fenice
AX7B Log Cansei Murano
AX7C Log Cansei Darsena

Sensitech
ǂ 9 mm
**18,5x150 cm** - 7⅛"x59"
AX7D Log Cansei Sospiro
AX7E Log Cansei Rialto
AX7F Log Cansei Fenice
AX7G Log Cansei Murano
AX7H Log Cansei Darsena

Sensitech P. 412

### GRIP SURFACE

Outdoor

Sensitech
ǂ 9 mm
**20x120 cm** - 7⅞"x47⅛"
AX7J Log Cansei Sospiro Grip
AX7K Log Cansei Rialto Grip
AX7L Log Cansei Fenice Grip
AX7M Log Cansei Murano Grip
AX7N Log Cansei Darsena Grip

### DECOR RANGE



AX9S Log Cansei Sospiro
Riga ♦ Matte Sensitech
18,5x150 cm - 7⅛"x59"



AX9T Log Cansei Rialto
Riga ♦ Matte Sensitech
18,5x150 cm - 7⅛"x59"



AX9U Log Cansei Murano
Riga ♦ Matte Sensitech
18,5x150 cm - 7⅛"x59"

18,5x150 cm
7⅛"x59"

**TRIM TILES**
P. 302

| | Battiscopa | | Scalino * | Scalino * | Elemento L |
|---|---|---|---|---|---|
| | 7,2x150 cm 2⅞"x59" Matte Sensitech | 7,2x120 cm 2⅞"x47⅛" Matte Sensitech | 33x150 cm 13"x59" Matte Sensitech | 33x120 cm 13"x47⅛" Matte Sensitech | 20x120 H.4 cm 7⅞"x47⅛" H.1⅝" Grip Sensitech |
| Sospiro | AX73 | AX7Y | AX6Z | AX7O | AX7T |
| Rialto | AX74 | AX7Z | AX6Ø | AX7P | AX7U |
| Fenice | AX75 | AX7Ø | AX61 | AX7Q | AX7V |
| Murano | AX76 | AX71 | AX62 | AX7R | AX7W |
| Darsena | AX77 | AX72 | AX63 | AX7S | AX7X |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log Select









COLLECTION CATALOG

VIDEO

Floor | Wall | Decors | Outdoor
















## Porcelain Tiles RECTIFIED MONOCALIBER

### PURE SELECTION

| Sizes | Thickness | Surface finish |
|---|---|---|
| **20x180 cm** - 7 1/8"x70 7/8" | 9,5 mm | Matte Sensitech **R10 B** |
| **20x120 cm** - 7 1/8"x47 1/4" | 9 mm | Matte Sensitech **R10 B** |
| **18,5x150 cm** - 7 1/4"x59" | 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **20x120 cm** - 7 1/8"x47 1/4" | 9 mm | Grip Sensitech **R11 C** |
















### FLAMED SELECTION

| Sizes | Thickness | Surface finish |
|---|---|---|
| **20x120 cm** - 7 1/8"x47 1/4" - **ID Skin** | 9 mm | Matte Sensitech **R10 B** |
| **18,5x150 cm** - 7 1/4"x59" | 9 mm | Matte Sensitech **R10 B** |

**OUTDOOR AND WET AREAS**

| | | |
|---|---|---|
| **20x120 cm** - 7 1/8"x47 1/4" - **ID Skin** | 9 mm | Grip Sensitech **R11 C** |
| **30x120 cm** - 11 3/4"x47 1/4" | 20 mm | Outdoor Sensitech **R11 C** |










### SAWN SELECTION

| Sizes | Thickness | Surface finish |
|---|---|---|
| **20x120 cm** - 7 1/8"x47 1/4" - **ID Skin** | 9 mm | Matte Sensitech **R10 B** |

COMPLETE WITH FURNITURE
atlas concorde habitat



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log Select

## Porcelain Tiles

HEAVY TRAFFIC — Matte Sensitech ǂ 9 - 9,5 mm
Grip Sensitech ǂ 9 mm

**R10 B** Matte Sensitech ǂ 9 - 9,5 mm
**R11 C** Grip Sensitech ǂ 9 mm

V2 Slight Variation

### MATTE SURFACE - PURE SELECTION — Floor — Wall



















Sensitech
**ǂ 9,5 mm**
**20x180 cm** - 7⅞"x70⅞"
HCAV Log Select Bright Pure
HCAW Log Select Icon Pure
HCAX Log Select Amber Pure

Sensitech
**ǂ 9 mm**
**20x120 cm** - 7⅞"x47¼"
HB8F Log Select Ivory Pure
HB8C Log Select Bright Pure
HB8D Log Select Icon Pure
HB8E Log Select Amber Pure
HB8G Log Select Moon Pure

Sensitech
**ǂ 9 mm**
**18,5x150 cm** - 7¼"x59"
HB85 Log Select Ivory Pure
HB82 Log Select Bright Pure
HB83 Log Select Icon Pure
HB84 Log Select Amber Pure
HB86 Log Select Moon Pure

### GRIP SURFACE — Outdoor

Sensitech
**ǂ 9 mm**
**20x120 cm** - 7⅞"x47¼"
HCAY Log Select Bright Pure Grip
HCAZ Log Select Icon Pure Grip
HCAØ Log Select Amber Pure Grip

Sensitech P. 412

### MATTE SURFACE - FLAMED SELECTION — Floor — Wall



















Sensitech
**ǂ 9 mm**
**20x120 cm** - 7⅞"x47¼" - **ID Skin**
HB8M Log Select White Flamed
HB8K Log Select Bright Flamed
HB8L Log Select Icon Flamed
HB8N Log Select Moka Flamed
HB8O Log Select Silver Flamed

Sensitech
**ǂ 9 mm**
**18,5x150 cm** - 7¼"x59"
HCFO Log Select White Flamed
HCFM Log Select Bright Flamed
HCFN Log Select Icon Flamed
HCFP Log Select Moka Flamed
HCFQ Log Select Silver Flamed

Sensitech P. 412

### GRIP SURFACE — Outdoor

Sensitech
**ǂ 9 mm**
**20x120 cm** - 7⅞"x47¼" - **ID Skin**
HCFJ Log Select Bright Flamed Grip
HCFK Log Select Icon Flamed Grip
HCFL Log Select Silver Flamed Grip

### OUTDOOR ǂ 20 mm

Sensitech
**ǂ 20 mm**
**30x120 cm** - 11¾"x47¼"
HCAD Log Select Icon Flamed 20mm
HCAH Log Select Silver Flamed 20mm





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Log Select

## Porcelain Tiles

HEAVY TRAFFIC

Matte Sensitech ✣ 9 - 9,5 mm
Grip Sensitech ✣ 9 mm

**R10 B** Matte Sensitech ✣ 9 - 9,5 mm
**R11 C** Grip Sensitech ✣ 9 mm

V2 Slight Variation

### MATTE SURFACE - SAWN SELECTION

Floor — Wall













Sensitech
**✣ 9 mm**
**20x120 cm** - 7⅞"x47¼" - **ID Skin**
HB8J Log Select Ivory Sawn
HB8H Log Select Bright Sawn
HB8I Log Select Icon Sawn

Sensitech P. 412



| TRIM TILES P. 302 | Battiscopa | | Scalino * | Scalino * | Elemento L |
|---|---|---|---|---|---|
| | 7,2x150 cm 2⅞"x59" | 7,2x120 cm 2⅞"x47¼" | 33x150 cm 13"x59" | 33x120 cm 13"x47¼" | 20x120 H.4 cm 7⅞"x47¼" H.1⅝" |
| | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Grip Sensitech |
| Bright Pure | HB9Q | HB87 | HB98 | HB9V | HCA2 |
| Icon Pure | HB9R | HB88 | HB99 | HB9W | HCA3 |
| Amber Pure | HB9S | HB89 | HCAA | HB9X | HCA5 |
| Ivory Pure | HB9T | HB9A | HCAB | HB9Y | - |
| Moon Pure | HB9U | HB9B | HCAC | HB9Z | - |
| Bright Sawn | - | HB9C | - | HB9Ø | - |
| Icon Sawn | - | HB9D | - | HB91 | - |
| Ivory Sawn | - | HB9E | - | HB92 | - |
| Bright Flamed | HCFR | HB9L | HCFW | HB93 | HCF1 |
| Icon Flamed | HCFS | HB9M | HCFX | HB94 | HCF5 |
| White Flamed | HCFT | HB9N | HCFY | HB95 | - |
| Moka Flamed | HCFU | HB9O | HCFZ | HB96 | - |
| Silver Flamed | HCFV | HB9P | HCFØ | HB97 | HCF7 |

*** These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Vest




**Exclusive textile effect.**
Inspired by natural fabrics, offering unique experience.

**Elegant visual contrast.**
Solid color from afar, rich fabric texture up close.

**Natural combinations.**
Perfect harmony with wood, stone, marble, concrete.

**Hygienic fabric innovation.**
Fabric aesthetics meet hygiene and durability demands.

COLLECTION CATALOG

VIDEO

Floor | Wall | Decors













## Porcelain Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **120x278 cm** - 47¹/₄"x109¹/₂" | 6 mm | Matte **R9 A** |


**LARGE SIZES** P. 307













## Wall Tiles RECTIFIED MONOCALIBER

| Sizes | Thickness | Surface finish |
|---|---|---|
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 8,5 mm | Matte |
| **3D WALL TILES** | | |
| **50x120 cm** - 19⁵/₈"x47¹/₄" | 10 mm | Matte |

COMPLETE WITH FURNITURE
atlas concorde habitat

INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Vest

## Porcelain Tiles

Matte ∓ 6 mm | **R9 A** Matte ∓ 6 mm | V2 Slight Variation

### BIG SLABS



HCH1 Vest Cotton
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HCH2 Vest Linen
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HCH3 Vest Ecru
Matte
120x278 cm - 47¹/₄"x109¹/₂"



HDUD Vest Breath ♦
Matte
120x278 cm - 47¹/₄"x109¹/₂"




♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.





V2 Slight Variation

## Wall Tiles


### MATTE SURFACE — Wall

**∓ 8,5 mm**
**50x120 cm** - 19⁵/₈"x47¹/₄"
HCDP Vest Cotton
HCDQ Vest Linen
HCDR Vest Ecru

**∓ 10 mm 3D WALL**
**50x120 cm** - 19⁵/₈"x47¹/₄"
HCDS Vest 3D Qube White
HCDT Vest 3D Qube Glam


COTTON



LINEN



ECRU

### TRIM TILES

1x120 cm - ³/₈"x47¹/₄"
HCH7 Vest Cotton Corner 50 *
HCH8 Vest Linen Corner 50 *
HCH9 Vest Ecru Corner 50 *

1x1 cm - ³/₈"x³/₈"
HCIA Vest Cotton Corner A.E. *
HCIB Vest Linen Corner A.E.*
HCIC Vest Ecru Corner A.E. *


3D QUBE WHITE


3D QUBE GLAM


* **These parts are supplied to order** - I pezzi sono disponibili su ordinazione - Les pièces sont disponibles sur commande - Die Teile sind auf Bestellung lieferbar - Las piezas se hacen por encargo - Изготовляются на заказ




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Trim tiles

## TRIM TILES ∓ 9 mm - ∓ 9,5 mm





## OUTDOOR TRIM TILES ∓ 9 mm





## OUTDOOR TRIM TILES ∓ 20 mm


Lineare




Smussato




Costa Design




Round [1]




Round 60 [1]




Curve




Gradino round 60 [1]




Bordo Piscina [1]




Top




Elemento L [1]



Alzata




Griglia [1]




[1] **Right/left angular elements are available** - Sono disponibili gli elementi angolari dx/sx

## TRIM TILES TECHNICAL DRAWS


Gradino





Scalino




Elemento L Strutturato/Grip





Battiscopa sagomato





t = thickness

Scalino angolare





Davanzale / Soglia





## STEPS


Round + Alzata



Lineare + Alzata



Elemento L + Alzata







INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Trim tiles, 20 mm

| | Lineare | Round | | | | | Round Angolare Dx/Sx | | | | | | | | | | Round 60 | | Round 60 Angolare | | Gradino Round | Gradino Round Angolare Dx/Sx | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 30x60 cm 11⅞"x23⅝" | 30x60 cm 11⅞"x23⅝" | 33x120 cm 13"x47⅛" | 30x120 cm 11⅞"x23⅝" | 60x90 cm 23⅝"x35⅜" | 40x80 cm 15¾"x31⅛" | 30x60 cm 11⅞"x23⅝" | | 33x120 cm 13"x47⅛" | | 30x120 cm 11⅞"x23⅝" | | 60x90 cm 23⅝"x35⅜" | | 40x80 cm 15¾"x31⅛" | | 60x60 cm 23⅝"x23⅝" | | 30x120 cm 11⅞"x23⅝" | | 30x60 cm 11⅞"x23⅝" | 30x60 cm 11⅞"x23⅝" | |
| | | | | | | | DX | SX | DX | SX | DX | SX | DX | SX | DX | SX | | | | | | DX | SX |
| BOOST | • | • | • | | | • | • | • | • | • | | | | | • | • | • | • | | | • | • | • |
| BOOST BALANCE | | • | • | | | | • | • | • | • | | | | | | | | | | | • | • | • |
| BOOST EXPRESSION | | • | • | | | | • | • | • | • | | | | | | | | | | | • | • | • |
| BOOST ICOR | | • | • | | | • | • | • | • | • | | | | | • | • | | | | | • | • | • |
| BOOST NATURAL | • | • | • | | | | • | • | • | • | | | | | | | • | • | | | • | • | • |
| BOOST NATURAL PRO | | • | • | | | | • | • | • | • | | | | | | | | | | | • | • | • |
| BOOST MINERAL | | • | • | | • | | • | • | • | • | | | • | • | | | | | | | • | • | • |
| BOOST MIX | • | • | • | | | | • | • | • | • | | | | | | | • | • | | | • | • | • |
| BOOST PRO | • | • | • | | | • | • | • | • | • | | | | | • | • | • | • | | | • | • | • |
| BOOST STONE | • | • | • | | | | • | • | • | • | | | | | | | • | • | | | • | • | • |
| BOOST VISION | | • | • | | | | • | • | • | • | | | | | | | | | | | • | • | • |
| BRAVE | | • | • | | | | • | • | • | • | | | | | | | • | • | | | • | • | • |
| ENTICE | | | | • | | | | | | | • | • | | | | | | | | | | | |
| ETIC PRO | | | | • | | | | | | | • | • | | | | | | | | | | | |
| EXENCE | | | | • | | | | | | | • | • | | | | | | | | | | | |
| LIMS | • | • | • | | | | • | • | • | • | | | | | | | • | • | | | • | • | • |
| LOG | | | | • | | | | | | | • | • | | | | | | | | | | | |
| MARVEL MERAVIGLIA | | | • | | | | | | • | • | | | | | | | | | | | | | |
| MARVEL T | | | • | | | | | | • | • | | | | | | | | | | | | | |
| MARVEL TRAVERTINE | | | • | | | | | | • | • | | | | | | | | | | | | | |
| MARVEL X | | | • | | | | | | • | • | | | | | | | | | | | | | |
| NYRA | | • | • | | | • | • | • | • | • | | | | | • | • | | | | | • | • | • |
| NORDE | • | • | • | | • | • | • | • | • | • | | | • | • | • | • | • | • | | | • | • | • |

| | Elemento L | | | | | | Elemento L Angolare | | Alzata | | | | Top | | | Costa Design | Bordo Piscina | Bordo Piscina Angolare Dx/Sx | | Griglia | Griglia Angolare Dx/Sx | | | | Curve | Smussato |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 20x60 cm 7⅞"x23⅝" | 30x120 cm 11⅞"x23⅝" | 33x120 cm 13"x47⅛" | 33x90 cm 13"x35⅜" | 33x80 cm 13"x31⅛" | 20x20 cm 7⅞"x7⅞" | 33x33 cm 13"x13" | 20x120 cm 7⅞"x47⅛" | 30x120 cm 11⅞"x23⅝" | 20x90 cm 7⅞"x35⅜" | 20x80 cm 7⅞"x31⅛" | 30x60 cm 11⅞"x23⅝" | 30x120 cm 11⅞"x23⅝" | 33x120 cm 13"x47⅛" | 33x120 cm 13"x47⅛" | 30x60 cm 11⅞"x23⅝" | 30x60 cm 11⅞"x23⅝" | 30x60 cm 11⅞"x23⅝" | 30x60 cm 11⅞"x23⅝" | 15x60 cm 5⅞"x23⅝" | 20x60 cm 7⅞"x23⅝" | 15x60 cm 5⅞"x23⅝" | 20x60 cm 7⅞"x23⅝" | | 60x60 cm 23⅝"x23⅝" | 30x60 cm 11⅞"x23⅝" |
| | | | | | | | | | | | | | | | | | | | DX | SX | | | DX | SX | DX | SX | | |
| BOOST | • | | • | | • | • | • | • | | | • | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST BALANCE | | | • | | | | • | • | | | | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST EXPRESSION | | | • | | • | | • | • | | | • | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST ICOR | | | • | | • | | • | • | | | • | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST NATURAL | • | | • | | | • | • | • | | | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST NATURAL PRO | | | • | | | | • | • | | | | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST MINERAL | | | • | • | | | • | • | • | | | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST MIX | • | | • | | | • | • | • | | | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST PRO | • | | • | | • | • | • | • | | | • | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST STONE | • | | • | | | • | • | • | | | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| BOOST VISION | | | • | | | | • | • | | | | | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| BRAVE | • | | • | | | • | • | • | | | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| ENTICE | | • | | | | | | | • | | | | | | | | | | | | | | | | | | | |
| ETIC PRO | | | | | | | | | • | | | | | • | | | | | | | | | | | | | | |
| EXENCE | | | | | | | | | • | | | | | • | | | | | | | | | | | | | | |
| LIMS | • | | • | | | • | • | • | | | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |
| LOG | | • | | | | | • | • | | | | | | | | | | | | | | | | | | | | |
| MARVEL MERAVIGLIA | | | • | | | | • | • | | | | | | • | | • | | | | | | | | | | | | |
| MARVEL T | | | • | | | | | • | | | | | | | • | | | | | | | | | | | | | |
| MARVEL TRAVERTINE | | | • | | | | | • | | | | | | • | | • | | | | | | | | | | | | |
| MARVEL X | | | • | | | | | • | | | | | | • | | • | | | | | | | | | | | | |
| NYRA | | | • | | • | | | • | | | | • | | | | | • | • | • | • | • | • | • | • | • | • | • | • |
| NORDE | • | | • | • | • | • | • | • | | • | | | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • |


INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

3D WALL
CONCRETE & RESIN LOOK
MARBLE LOOK
STONE LOOK
WOOD LOOK
FABRIC LOOK

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS



# Large Sizes

- MARBLE LOOK
- STONE LOOK
- CONCRETE LOOK
- WOOD, METAL & FABRIC LOOK
- SOLID, COLOR & DECOR LOOK

- KIT ENDLESS LAYING PATTERNS
- BOOKMATCH LAYING PATTERNS

atlas concorde

Floor | Wall | Furniture | Facades

120x278 | 120x240 | 120x120

- MARBLE LOOK
- STONE LOOK
- CONCRETE LOOK
- WOOD LOOK
- SOLID LOOK

atlasPLAN

Floor | Wall | Slabs for furniture

160x320

- SLABS FOR COUNTERTOPS & FURNITURE

Slabs for countertops and furniture

**162x324** ∓ 12-20 mm
NON-RECTIFIED SINGLE SLAB

**159x324** ∓ 20 mm
NON-RECTIFIED SINGLE SLAB

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Marble Look**



**MARVEL - CALACATTA EXTRA**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AY2R Calacatta Extra Polished
A2ØY Calacatta Extra Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AY2N Calacatta Extra Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AØBM Calacatta Extra Polished
AØBT Calacatta Extra Matte
AOTJ Calacatta Extra Bookmatch A Polished
AOTK Calacatta Extra Bookmatch B Polished
A6DU Calacatta Extra Kit Endless Polished
AOUB Calacatta Extra Endless Polished *

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKY Calacatta Extra Silk
AJKZ Calacatta Extra Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

* Calacatta Extra Endless is composed of four graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns. (SEE PAGE 365)



**MARVEL STONE - BIANCO DOLOMITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AZTT Bianco Dolomite Polished
A2Ø4 Bianco Dolomite Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AZTV Bianco Dolomite Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AØBP Bianco Dolomite Polished
A2RS Bianco Dolomite Matte

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL GALA - CRYSTAL WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFXN Crystal White Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFXW Crystal White Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKU Crystal White Polished
AJKV Crystal White Bookmatch Polished
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL SHINE - CALACATTA DELICATO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A4Q8 Calacatta Delicato Polished
A4Q4 Calacatta Delicato Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
A4RH Calacatta Delicato Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A4OY Calacatta Delicato Polished

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




**MARVEL X - CALACATTA APUANO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFU7 Calacatta Apuano Polished
AFVJ Calacatta Apuano Silk
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFU2 Calacatta Apuano Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFUS Calacatta Apuano Polished
AFUX Calacatta Apuano Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJRR Calacatta Apuano Endless Polished
AKFN Calacatta Apuano Kit Endless Polished
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL MERAVIGLIA - CALACATTA MERAVIGLIA**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJIC Calacatta Meraviglia Polished
AJII Calacatta Meraviglia Velvet Velvetech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJH7 Calacatta Meraviglia Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH2 Calacatta Meraviglia Polished
AKF8 Calacatta Meraviglia Kit Endless Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJJ9 Calacatta Meraviglia Polished
AJKA Calacatta Meraviglia Bookmatch Polished
AJSZ Calacatta Meraviglia Matte Endless
AKFJ Calacatta Meraviglia Kit Endless Matte
AJG9 Calacatta Meraviglia Endless Polished
AKFI Calacatta Meraviglia Kit Endless Polished
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL MERAVIGLIA - CALACATTA BERNINI**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJID Calacatta Bernini Polished
AJIJ Calacatta Bernini Velvet Velvetech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJH8 Calacatta Bernini Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH3 Calacatta Bernini Polished
AKF9 Calacatta Bernini Kit Endless Polished

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.


(translations: page 357)





**MARVEL SHINE - CALACATTA PRESTIGIO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A4Q9 Calacatta Prestigio Polished
A4Q5 Calacatta Prestigio Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
A4RI Calacatta Prestigio Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A4OZ Calacatta Prestigio Polished
A4O6 Calacatta Prestigio Silk
A4O2 Calacatta Prestigio Bookmatch A Polished
A4O3 Calacatta Prestigio Bookmatch B Polished
A6EO Calacatta Prestigio Kit Endless Polished
A6ER Calacatta Prestigio Kit Endless Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
A4RR Calacatta Prestigio Endless Polished
AKFL Calacatta Prestigio Kit Endless Polished
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL X - CALACATTA SUBLIME**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A8YT Calacatta Sublime Polished
AFVK Calacatta Sublime Silk
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFU3 Calacatta Sublime Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFUT Calacatta Sublime Polished
AFUY Calacatta Sublime Silk
AFWN Calacatta Sublime Kit Endless Polished
AFWO Calacatta Sublime Kit Endless Silk



**MARVEL T - HALO WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCCY Marvel Halo White Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm*
HCO6 Marvel Halo White Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCOY Marvel Halo White Matte
HDOW Marvel Halo White Kit Endless Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HCLX Marvel Halo White Hammered Endless
HDLZ Marvel Halo White Hammered Kit Endless
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL SHINE - STATUARIO SUPREMO**
atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL SHINE - CALACATTA IMPERIALE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A4RB Calacatta Imperiale Polished
A4Q7 Calacatta Imperiale Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
A4RK Calacatta Imperiale Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A4O1 Calacatta Imperiale Polished
A6EQ Calacatta Imperiale Kit Endless Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKØ Calacatta Imperiale Silk
AJK1 Calacatta Imperiale Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**CALACATTA GOLD**
atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AKE6 Calacatta Gold Polished
AKE7 Calacatta Gold Bookmatch Polished
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL EPIC - TAJ MAHAL WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HEVI Marvel Taj Mahal White Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEU8 Marvel Taj Mahal White Polished
HEVB Marvel Taj Mahal White Polished Kit Endless
HEAF Marvel Taj Mahal White Silk
HEIQ Marvel Taj Mahal White Silk Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HD7C Marvel Taj Mahal White Silk
HD7D Marvel Taj Mahal White Silk Kit Endless
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Sensitech P. 412 Velvetech P. 410

*ID-Skin



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Marble Look**



**MARVEL T - NAVONA WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCCW Marvel Navona White Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCOW Marvel Navona White Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HCLU Marvel Navona White Hammered

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL T - NAVONA WHITE LINE**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCUØ Marvel Navona White Line♦ Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HCWB Marvel Navona White Line♦ Hammered



**MARVEL EPIC - ONYX IVORY**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEAD Marvel Onyx Ivory Polished
HEIM Marvel Onyx Ivory Polished Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HDZS Marvel Onyx Ivory Polished
HECD Marvel Onyx Ivory Polished Kit Endless

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL ONYX - WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJBK Onyx White Polished

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJBG Onyx White Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAH Onyx White Polished

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - ICE CRYSTAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AU8X Ice Crystal Velvet Velvetech

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AXJU Marvel Ice Crystal Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8K Ice Crystal Polished
AX81 Ice Crystal Silk
AYV3 Ice Crystal Kit Endless Polished
AYWC Ice Crystal Kit Endless Silk



atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AXXG Ice Crystal Endless Polished
AXXH Ice Crystal Endless Silk
AXYJ Ice Crystal Kit Endless Polished
AXYK Ice Crystal Kit Endless Silk

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL X - CALACATTA PERLA**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFU8 Calacatta Perla Polished
AFVL Calacatta Perla Silk

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFU4 Calacatta Perla Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFUU Calacatta Perla Polished
AFUZ Calacatta Perla Silk



**MARVEL ONYX - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJBM Pearl Polished

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJBI Pearl Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAJ Pearl Polished



**MARVEL TRAVERTINE - WHITE VEIN CUT**
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFT7 White Vein Cut Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFS1 White Vein Cut Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
ALYW Travertino White Hammered

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

**MARVEL TRAVERTINE - WHITE CROSS CUT**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A8WU Marvel White Cross Matte Sensitech



**MARVEL T - HALO SAND**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCCZ Marvel Halo Sand Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCOZ Marvel Halo Sand Matte
HDOX Marvel Halo Sand Kit Endless Matte



**MARVEL TRAVERTINE - SAND VEIN CUT**
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFT8 Sand Vein Cut Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFS2 Sand Vein Cut Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKQ Travertino Sand Hammered

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

**MARVEL TRAVERTINE - SAND CROSS CUT**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A8WV Marvel Sand Cross Matte Sensitech



**MARVEL T - NAVONA SAND**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCCX Marvel Navona Sand Matte Sensitech

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm*
HCO5 Marvel Navona Sand Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCOX Marvel Navona Sand Matte



**MARVEL T - NAVONA SAND LINE**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCU1 Marvel Navona Sand Line♦ Matte



**MARVEL DIVA - TAJ MAHAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AX8Q Taj Mahal Velvet Velvetech

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AXJV Taj Mahal Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8L Taj Mahal Polished
AX82 Taj Mahal Silk
AYV4 Taj Mahal Kit Endless Polished
AYWD Taj Mahal Kit Endless Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AXXO Taj Mahal Endless Polished
AXXP Taj Mahal Endless Silk
AXYL Taj Mahal Kit Endless Polished
AXYM Taj Mahal Kit Endless Silk

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL TRAVERTINE - PEARL VEIN CUT**
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFT9 Pearl Vein Cut Matte Sensitech

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFS3 Pearl Vein Cut Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
ALYV Travertino Pearl Hammered

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

**MARVEL TRAVERTINE - PEARL CROSS CUT**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A8WW Pearl Cross Matte Sensitech

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Sensitech P. 412 Velvetech P. 410

*ID-Skin

# Large Sizes[1]

## Porcelain Tiles **Marble Look**



**MARVEL ONYX - ALABASTER**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJBL Alabaster Polished
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJBH Alabaster Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAI Alabaster Polished



**MARVEL T - ROMANO SAND**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCOØ Marvel Romano Sand Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HCLW Marvel Romano Sand Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL EPIC - TAJ MAHAL NOISETTE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HEVH Marvel Taj Mahal Noisette Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEAE Marvel Taj Mahal Noisette Silk
HEIP Marvel Taj Mahal Noisette Silk Kit Endless
HEU7 Marvel Taj Mahal Noisette Polished
HEVA Marvel Taj Mahal Noisette Polished Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HDT2 Marvel Taj Mahal Noisette Silk Endless
HDT3 Marvel Taj Mahal Noisette Silk Kit Endless
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - PRECIOUS BROWN**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8Y Precious Brown Silk
AYV9 Precious Brown Kit Endless Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AKGB Precious Brown Silk
AKGC Precious Brown Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL T - STONE VEIL**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCO4 Marvel Stone Veil



**MARVEL T - ROMANO SILVER**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HCO1 Marvel Romano Silver Matte Sensitech

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HCLV Marvel Romano Silver Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - WHITE EVEREST**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AX8R White Everest Velvet Velvetech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AXJW White Everest Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8M White Everest Polished
AX83 White Everest Silk
AYV5 White Everest Kit Endless Polished
AYWE White Everest Kit Endless Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
ARTK Appennino Silk
ARTM Appennino Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL X - GREY CLOUD**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFU9 Grey Cloud Polished
AFVM Grey Cloud Silk
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFU5 Grey Cloud Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFUV Grey Cloud Polished
AFUØ Grey Cloud Silk

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 337)





**SILVER ROOT**

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
ARTN Silver Root Silk
ARTO Silver Root Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL MERAVIGLIA - SILVER MAJESTIC**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJIE Silver Majestic Polished
AJIK Silver Majestic Velvet Velvetech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJH9 Silver Majestic Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH4 Silver Majestic Polished
AKQU Silver Majestic Kit Endless Polished



**LIGHT GREY STONE**

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL MERAVIGLIA - GRIGIO ELEGANTE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJIF Grigio Elegante Polished
AJIL Grigio Elegante Velvet Velvetech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJIA Grigio Elegante Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH5 Grigio Elegante Polished
AKQV Grigio Elegante Kit Endless Polished



**MARVEL X - FIOR DI BOSCO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFVA Fior di Bosco Polished
AFVN Fior di Bosco Silk
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AFU6 Fior di Bosco Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFUW Fior di Bosco Polished
AFU1 Fior di Bosco Silk

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJRV Fior di Bosco Polished
AJRW Fior di Bosco Bookmatch Polished
AYB4 Fior di Bosco Silk
AYB5 Fior di Bosco Bookmatch Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL - GREY STONE**

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKX Grey Stone Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL GALA - CALACATTA BLACK**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFXO Calacatta Black Polished
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFXY Calacatta Black Polished



**MARVEL STONE - NERO MARQUINA**

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKW Nero Marquina Polished
AJK2 Nero Marquina Silk
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

Sensitech P. 412

Velvetech P. 410

*ID-Skin



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Marble Look**



**MARVEL DREAM - BLACK ATLANTIS**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AOSG Black Atlantis Polished

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL MERAVIGLIA - BLACK ORIGIN**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJIG Black Origin Polished

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJIB Black Origin Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJH6 Black Origin Polished
AKQW Black Origin Kit Endless Polished



**MARVEL ONYX - NOIR**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJBN Noir Polished

**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AJBJ Noir Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAK Noir Polished



**MARVEL DIVA - BLACK TEMPEST**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8Ø Black Tempest Silk
AYWB Black Tempest Kit Endless Silk

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - AMETHYST**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8P Amethyst Polished
AYV8 Amethyst Kit Endless Polished



**MARVEL EPIC - NATURAL ROOTS**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEII Marvel Natural Roots Polished
HEIN Marvel Natural Roots Polished Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HEAØ Marvel Natural Roots Silk Endless
HEAY Marvel Natural Roots Silk Kit Endless


**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL EPIC - ZEPHYR**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEU9 Marvel Zephyr Silk
HEVC Marvel Zephyr Silk Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HEAU Marvel Zephyr Silk Endless
HEAV Marvel Zephyr Silk Kit Endless

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL ONYX - SKY**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAL Sky Polished



**MARVEL EPIC - CALACATTA VIOLA**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HEAC Marvel Calacatta Viola Polished
HEIL Marvel Calacatta Viola Polished Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HCLZ Marvel Calacatta Viola Polished Endless
HDV5 Marvel Calacatta Viola Polished Kit Endless

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL EPIC - ALPINUS**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm*
HEAG Marvel Alpinus Matte Endless
HEIR Marvel Alpinus Matte Kit Endless

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm*
HDV6 Marvel Alpinus Hammered
HEAW Marvel Alpinus Hammered Kit Endless

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL GALA - DESERT SOUL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AFXM Desert Soul Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFXV Desert Soul Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJKG Desert Soul Polished
AJKH Desert Soul Bookmatch Polished

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL ONYX - QUARTZ**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJAM Quartz Polished



**EXOTIC WAVE**

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJRN Exotic Wave Polished
AJRO Exotic Wave Bookmatch Polished

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL GALA - AMAZZONITE**
**120x120 cm** - 47¹/₄"x47¹/₄"
ABKB Amazzonite Polished

**120x278 cm** - 47¹/₄"x109¹/₂"
AFXX Amazzonite Polished



**MARVEL GALA - EXOTIC GREEN**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
ABKA Exotic Green Polished

**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AFXU Exotic Green Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJRP Exotic Green Polished
AJRQ Exotic Green Bookmatch Polished

**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - AQUA**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX8N Aqua Polished
AYV6 Aqua Kit Endless Polished

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

*ID-Skin

# Large Sizes[1]

## Porcelain Tiles **Marble Look**



**MARVEL DIVA - GALAXY**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
AX8O Galaxy Polished
AYV7 Galaxy Kit Endless Polished



**MARVEL DIVA - SKY STONE**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
AX8Z Sky Stone Silk
AYWA Sky Stone Kit Endless Silk

atlasPLAN
**162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**MARVEL DIVA - BAOBAB**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
ARR3 Baobab Polished
AYV2 Baobab Kit Endless Polished

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AXXV Baobab Endless Polished
AXYN Baobab Kit Endless Polished
**162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

## Stone Look



**BOOST ICOR - BONE**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
AYAY Bone Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
AYCG Bone 20mm Outdoor Sensitech
**120x240 cm** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" ✠ 9 mm
AX53 Bone Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
AYAN Bone Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AX6K Bone Hammered
**162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**NYRA - STAR**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
HCQX Nyra Star Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
HCSE Nyra Star 20mm Outdoor Sensitech
**120x240 cm** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" ✠ 9 mm
HCQN Nyra Star Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
HCQI Nyra Star Matte



**BOOST MINERAL - WHITE**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
AHT6 White Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
AH35 White 20 mm Outdoor Sensitech
**120x240 cm** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" ✠ 9 mm
AHW1 White Elegant Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
AHWW White Elegant Matte



**BOOST MIX - IVORY**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
A8XD Ivory Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
A84U Ivory 20 mm Outdoor Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
A8Y7 Ivory Matte



**LIMS - IVORY**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
A3DI Ivory Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
A3EI Ivory Matte



**NYRA - HAY**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
HCQY Nyra Hay Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
HCSF Nyra Hay 20mm Outdoor Sensitech
**120x240 cm** - 47$^{1}/_{4}$"x94$^{1}/_{2}$" ✠ 9 mm
HCQO Nyra Hay Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
HCQJ Nyra Hay Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HCWC Nyra Hay Hammered
**162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST STONE - IVORY**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
A6QT Ivory Matte Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
A6R8 Ivory Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AJRX Ivory Hammered
**162x324 cm** - 63$^{3}/_{4}$"x127$^{1}/_{2}$" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST STONE - WHITE**
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 9 mm
A6QS White Matte Sensitech
**120x120 cm** - 47$^{1}/_{4}$"x47$^{1}/_{4}$" ✠ 20 mm
A67M White 20 mm Outdoor Sensitech
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ✠ 6 mm
A6R7 White Matte

Sensitech P. 412

# Large Sizes[1]

## Porcelain Tiles **Stone Look**



**BOOST ICOR - DUST**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYAZ Dust Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AYCH Dust 20mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AX54 Dust Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AYAO Dust Matte



**BOOST STONE - CREAM**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QU Cream Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
A67N Cream 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6R9 Cream Matte



**BOOST ICOR - DUNE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYAØ Dune Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AYCI Dune 20mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AX1Y Dune Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AYAP Dune Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AX6M Dune Hammered
**162x324 cm** - 63³/₄"x127¹/₂" **P. 358**
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**NYRA - AMBROSIA**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCQ3 Nyra Ambrosia Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCQM Nyra Ambrosia Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HCLY Nyra Ambrosia Hammered
**162x324 cm** - 63³/₄"x127¹/₂" **P. 358**
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST ICOR - SIDERAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYA4 Sideral Matte Sensitech



**BOOST STONE - TAUPE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QW Taupe Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6SB Taupe Matte



**BOOST STONE - TOBACCO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QZ Tobacco Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6SF Tobacco Matte



**BOOST MIX - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A8XE Pearl Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
A84V Pearl 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A8Y8 Pearl Matte



**NYRA - SUNLIGHT**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCQZ Nyra Sunlight Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
HCSG Nyra Sunlight 20mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
HCQP Nyra Sunlight Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCQK Nyra Sunlight Matte



**BOOST ICOR - CRETE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYA3 Crete Matte Sensitech



**BOOST STONE - CLAY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QV Clay Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
A67O Clay 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6SA Clay Matte



**BOOST ICOR - OYSTER**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYA2 Oyster Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AYCJ Oyster 20mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AX55 Oyster Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AYAQ Oyster Matte



**BOOST STONE - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QX Pearl Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6SC Pearl Matte



**NYRA - MIST**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCQØ Nyra Mist Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
HCOJ Nyra Mist 20mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
HCQQ Nyra Mist Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCQL Nyra Mist Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
HCWD Nyra Mist Hammered
**162x324 cm** - 63³/₄"x127¹/₂" **P. 358**
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST MINERAL - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AHT7 Pearl Matte Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AHW2 Pearl Elegant Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AHWX Pearl Elegant Matte



**BOOST STONE - GREY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A6QY Grey Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
A67P Grey 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A6SD Grey Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Sensitech P. 412

# Large Sizes[1]

## Porcelain Tiles **Stone Look**



**KONE - MIX**
atlasPLAN
**160x320 cm** - 63"x126" ✣ 6 mm
AJKP Kone Mix Hammerd
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE




**BOOST MINERAL - GREY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AHT8 Grey Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AH36 Grey 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AHW3 Grey Elegant Matte Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
AHWY Grey Elegant
atlasPLAN
**160x320 cm** - 63"x126" ✣ 6 mm
AKGA Grey Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST MINERAL - SMOKE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AHT9 Smoke Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AH37 Smoke 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AHW4 Smoke Elegant Matte Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
AHWZ Smoke Elegant Matte



**BOOST STONE - SMOKE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A6L8 Smoke Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A7II Smoke 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
A6SE Smoke Matte



**NYRA - CHARCOAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
HCQ2 Nyra Charcoal Matte Sensitech



**BOOST STONE - TARMAC**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A6QØ Tarmac Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A67Q Tarmac 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
A6SG Tarmac Matte



**NYRA - METEOR**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
HCQ1 Nyra Meteor Matte Sensitech



**BOOST MIX - SMOKE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A8XF Smoke Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A84W Smoke 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
A8Y9 Smoke Matte



**BOOST MINERAL - TARMAC**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AHUA Tarmac Matte Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AH38 Tarmac 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AHW5 Tarmac Elegant Matte Sensitech
**120x278 cm** - 47¹/₄"x109³/₈" ✣ 6 mm
AHWØ Tarmac Elegant Matte



**MARVEL STONE - BASALTINA VOLCANO**
atlasPLAN
**160x320 cm** - 63"x126" ✣ 6 mm
AJKO Basaltina Volcano Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Sensitech P. 412





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Concrete Look**



**BOOST BALANCE - PURE**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AJMS Pure Matte Sensitech
AJM2 Pure Velvet Velvetech
AJNC Pure Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AJMI Pure Matte



**BOOST VISION - GLOW**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
HCJI Glow Matte Sensitech
HCJN Glow Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
HCJA Glow Matte

atlasPLAN
**160x320 cm** - 63"x126" ∓ 6 mm
HCWE Glow Hammered
**162x324 cm** - 63 3/4"x127 1/2" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST NATURAL PRO - SALT**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AQ8U Salt Matte Sensitech
AQ8K Salt Velvet Velvetech
AQ9J Salt Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AQ9E Salt Matte



**PRISM - COTTON**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
A4OO Cotton Silk
A4OI Cotton Matte Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
A4UR Cotton Matte



**BOOST EXPRESSION - CAMEL**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AYT9 Camel Matte Sensitech
AYUR Camel Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AYSI Camel Matte



**BOOST NATURAL PRO - OAT**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AQ8V Oat Matte Sensitech
AQ8L Oat Velvet Velvetech
AQ9K Oat Grip Sensitech
**120x120 cm** - 47 1/4"x47 1/4" ∓ 20 mm
ARB2 Oat 20 mm Outdoor Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AQ9F Oat Matte



**BOOST NATURAL PRO - SAND**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AQ8W Sand Matte Sensitech
AQ8M Sand Velvet Velvetech
AQ9L Sand Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AQ9G Sand Matte

atlasPLAN
**162x324 cm** - 63 3/4"x127 1/2" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST EXPRESSION - TAN**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AYUA Tan Matte Sensitech
AYUS Tan Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AYSJ Tan Matte



**BOOST BALANCE - IVORY**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AJMU Ivory Matte Sensitech
AJM4 Ivory Velvet Velvetech
AJNE Ivory Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AJMK Ivory Matte



**BOOST PRO - IVORY**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 6 - 9 mm
AØCQ Ivory 6 mm Matte
AØAF Ivory 9 mm Matte Sensitech
AØAO Ivory 9 mm Grip Sensitech
**120x240 cm** - 47 1/4"x94 1/2" ∓ 9 mm
AØCF Ivory Matte Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AØCK Ivory Matte



**BOOST NATURAL - KAOLIN**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
A65N Kaolin Matte Sensitech
A653 Kaolin Grip Sensitech
**120x120 cm** - 47 1/4"x47 1/4" ∓ 20 mm
A7Q7 Kaolin 20 mm Outdoor Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
A67B Kaolin Matte

atlasPLAN
**160x320 cm** - 63"x126" ∓ 6 mm
ALRØ Kaolin Hammered



**BOOST EXPRESSION - SHELL**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AYT8 Shell Matte Sensitech
AYUP Shell Grip Sensitech
**120x120 cm** - 47 1/4"x47 1/4" ∓ 20 mm
AYRU Shell 20mm Outdoor Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AYSH Shell Matte



**PRISM - CORD**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
A4ON Cord Silk
A4OH Cord Matte Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
A4UQ Cord Matte



**BOOST VISION - CAMEL**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
HCJJ Camel Matte Sensitech
HCJO Camel Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
HCJB Camel Matte

atlasPLAN
**160x320 cm** - 63"x126" ∓ 6 mm
HCWF Camel Hammered
**162x324 cm** - 63 3/4"x127 1/2" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST BALANCE - CREAM**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 9 mm
AJMV Cream Matte Sensitech
AJM5 Cream Velvet Velvetech
AJNF Cream Grip Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AJML Cream Matte



**BOOST PRO - CREAM**
**120x120 cm** - 47 1/4"x47 1/4" ∓ 6 - 9 mm
AØCR Cream 6 mm Matte
AØAH Cream 9 mm Matte Sensitech
AØAQ Cream 9 mm Grip Sensitech
**120x120 cm** - 47 1/4"x47 1/4" ∓ 20 mm
A3DD Cream 20 mm Outdoor Sensitech
**120x240 cm** - 47 1/4"x94 1/2" ∓ 9 mm
AØCG Cream Matte Sensitech
**120x278 cm** - 47 1/4"x109 1/2" ∓ 6 mm
AØCM Cream Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Sensitech P. 412 Velvetech P. 410

# Large Sizes[1]

## Porcelain Tiles **Concrete Look**



**BOOST NATURAL - ASH**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A6WT Ash Matte Sensitech
A654 Ash Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A7Q8 Ash 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
A67C Ash Matte



**BOOST BALANCE - ASH**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AJMW Ash Matte Sensitech
AJM6 Ash Velvet Velvetech
AJNG Ash Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AJPF Ash 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AJMM Ash Matte

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST PRO - CLAY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 6 - 9 mm
AØCS Clay 6 mm Matte
AØAJ Clay 9 mm Matte Sensitech
AØBV Clay 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A3DE Clay 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AØCJ Clay Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AØCN Clay Matte



**BOOST NATURAL - ECRU**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A6WU Ecru Matte Sensitech
A655 Ecru Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A7Q9 Ecru 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
A67D Ecru Matte

atlasPLAN
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST EXPRESSION - GLOW**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AYT7 Glow Matte Sensitech
AYUQ Glow Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AYSG Glow Matte



**BOOST BALANCE - MOON**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AJMX Moon Matte Sensitech
AJM7 Moon Velvet Velvetech
AJNH Moon Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AJMN Moon Matte



**BOOST - WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 6 - 9mm
A2TK White 6 mm Matte
AMGI White 9 mm Matte Sensitech
AMGN White 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AMG3 White 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AMGD White Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AØBD White Matte

atlasPLAN
**160x320 cm** - 63"x126" ✣ 6 mm
AO5Z White Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST BALANCE - WHITE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AJMT White Matte Sensitech
AJM3 White Velvet Velvetech
AJND White Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄"
AJPE White 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AJMJ White Matte



**BOOST NATURAL - CORAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A65R Coral Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
A67H Coral Matte



**BOOST PRO - TAUPE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 6 - 9 mm
AØCT Taupe 6 mm Matte
AØAL Taupe 9 mm Matte Sensitech
AØBW Taupe 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A3DF Taupe 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AØCO Taupe Matte



**BOOST NATURAL - UMBER**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
A65O Umber Matte Sensitech
A656 Umber Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
A67E Umber Matte



**BOOST PRO - TOBACCO**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 6 - 9 mm
AØCU Tobacco 6 mm Matte
AØAN Tobacco 9 mm Matte Sensitech
AØBX Tobacco 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
A3DH Tobacco 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✣ 9 mm
AØCI Tobacco Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AØCP Tobacco Matte



**BOOST EXPRESSION - ICE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AYT2 Ice Matte Sensitech
AYUN Ice Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AYRS Ice 20mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AYSE Ice Matte



**BOOST EXPRESSION - HAZE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AYT4 Haze Matte Sensitech
AYUO Haze Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
AYRT Haze 20mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AYSF Haze Matte



**BOOST NATURAL PRO - CINDER**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AQ8X Cinder Matte Sensitech
AQ8N Cinder Velvet Velvetech
AQ9M Cinder Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 20 mm
ARB4 Cinder 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AQ9H Cinder Matte



**BOOST NATURAL PRO - DOVE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✣ 9 mm
AQ8Y Dove Matte Sensitech
AQ8O Dove Velvet Velvetech
AQ9N Dove Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✣ 6 mm
AQ9I Dove Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)

Sensitech P. 412 Velvetech P. 410



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Concrete Look**



**BOOST VISION - ASH**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCJK Ash Matte Sensitech
HCJP Ash Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
HCKØ Ash 20mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJC Ash Matte



**BOOST BALANCE - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJMY Pearl Matte Sensitech
AJM8 Pearl Velvet Velvetech
AJNI Pearl Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AJMH Pearl 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJMO Pearl Matte



**BOOST VISION - HAZE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCJL Haze Matte Sensitech
HCJQ Haze Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
HCK1 Haze 20mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJD Haze Matte



**PRISM - CLOUD**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A4OP Cloud Silk
A4OJ Cloud Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A4US Cloud Matte



**BOOST VISION - GREY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
HCJM Grey Matte Sensitech
HCJR Grey Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
HCK2 Grey 20mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJD Haze Matte



**BOOST - PEARL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 6 - 9 mm
A2TM Pearl 6 mm Matte
AMGJ Pearl 9 mm Matte Sensitech
AMGO Pearl 9 mm Grip Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AMGE Pearl Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AØBE Pearl Matte



**BOOST BALANCE - GREY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJMZ Grey Matte Sensitech
AJM9 Grey Velvet Velvetech
AJNJ Grey Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AJPG Grey 20 mm Outdoor Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJMP Grey Matte



**BOOST - GREY**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 6 - 9 mm
A2TN Grey 6 mm Matte
AMGK Grey 9 mm Matte Sensitech
AMGP Grey 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AMG5 Grey 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AMGF Grey Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AØBF Grey Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
A68I Grey Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)



**BOOST - SMOKE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 6 - 9 mm
A2TO Smoke 6 mm Matte
AMGL Smoke 9 mm Matte Sensitech
AMGQ Smoke Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AMG6 Smoke 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AMGG Smoke Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AØBG Smoke Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
AO5Ø Smoke Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST BALANCE - SMOKE**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJMØ Smoke Matte Sensitech
AJNA Smoke Velvet Velvetech
AJNK Smoke Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJMQ Smoke Matte



**BOOST NATURAL - COAL**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
A65P Coal Matte Sensitech
A657 Coal Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
A67F Coal Matte



**BOOST - TARMAC**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 6 - 9 mm
A2TP Tarmac 6 mm Matte
AMGM Tarmac 9 mm Matte Sensitech
AMGR Tarmac 9 mm Grip Sensitech
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 20 mm
AMG7 Tarmac 20 mm Outdoor Sensitech
**120x240 cm** - 47¹/₄"x94¹/₂" ✠ 9 mm
AMGH Tarmac Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AOQB Tarmac Matte

atlasPLAN
**160x320 cm** - 63"x126" ✠ 6 mm
A68J Tarmac Hammered
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST BALANCE - TARMAC**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AJM1 Tarmac Matte Sensitech
AJNB Tarmac Velvet Velvetech
AJNL Tarmac Grip Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AJMR Tarmac Matte



**BOOST EXPRESSION - CARBON**
**120x120 cm** - 47¹/₄"x47¹/₄" ✠ 9 mm
AYT5 Carbon Matte Sensitech

Sensitech P. 412

Velvetech P. 410





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Wood Look**



**LOG - BRIGHT OAK**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX28 Bright Oak Matte



**LOG - BRIGHT OAK LINE**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX29 Bright Oak Line ♦ Matte



**LOG - ICON OAK**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX26 Log Icon Oak Matte



**LOG - ICON OAK LINE**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
AX27 Log Icon Oak Line ♦ Matte



**NOCE CANALETTO**
atlasPLAN
**160x320 cm** - 63"x126"
AKFD Noce Canaletto Matte
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE

## Metal Look



**BOOST VISION - CORTEN**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJF Corten Matte



**BOOST VISION - BRASS**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJG Brass Matte



**BOOST VISION - STEEL**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCJH Steel Matte

## Fabric Look



**VEST - COTTON**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCH1 Vest Cotton Matte



**VEST - LINEN**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCH2 Vest Linen Matte



**VEST - ECRU**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HCH3 Vest Ecru Matte



**VEST - BREATH**
**120x278 cm** - 47¹/₄"x109¹/₂" ✠ 6 mm
HDUD Vest Breath Matte

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

(translations: page 357)



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Solid, Color & Decor**



**ABSOLUTE WHITE**
atlasPLAN
**160x320 cm** - 63"x126" ≠ 6 mm
AJKR Absolute White Matte
**162x324 cm** - 63³/₄"x127¹/₂" P. 358
**159x324 cm** - 62⁵/₈"x127¹/₂"
SINGLE SLAB NON-RECTIFIED
FOR COUNTERTOPS & FURNITURE



**BOOST COLOR - FROG PURE**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
AP3R Pure Frog Matte



**BOOST COLOR - SALIX**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
AKNI Salix Matte



**BOOST COLOR - MAUVE**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
AKNE Mauve Matte



**BOOST COLOR - JADE**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
AKNK Jade Matte



**BOOST COLOR - TEAL**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
AKNL Teal Matte



**BOOST NATURAL - COBALT**
**120x120 cm** - 47¹/₄"x47¹/₄" ≠ 9 mm
A65Q Cobalt Matte Sensitech
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A67G Cobalt Matte

## Glazed Porcelain Tiles



**PRISM - BLOOM**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VH Bloom [4] Matte



**PRISM - CARAMEL**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VI Caramel [4] Matte



**PRISM - GRAPE**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VJ Grape [4] Matte



**PRISM - DUSK**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VK Dusk [4] Matte



**PRISM - MIDNIGHT**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VL Midnight [4] Matte



**PRISM - MOSS**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VM Moss [4] Matte



**PRISM - EMERALD**
**120x278 cm** - 47¹/₄"x109¹/₂" ≠ 6 mm
A4VN Emerald [4] Matte

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.

The decoration can only be laid on the wall

(translations: page 357)

Sensitech P. 412






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large Sizes[1]

## Porcelain Tiles **Color & Decor**



**BOOST PRO - LEAVES**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ± 6 mm
A3HE Leaves A [4] [5] Matte
A3M2 Leaves B [4] [5] Matte

**PATTERNS**



A B



**PRISM - BRUSH**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ± 6 mm
A4VP Brush XL [1] [4] Matte

**PATTERNS**





**PRISM - GRADIENT**
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ± 6 mm
A4VO Gradient XL [1] [4] Matte

**PATTERNS**





**BOOST EXPRESSION - DUO CAMEL**♦
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ± 6 mm
AYSN Boost Expression Duo Camel [6]



**BOOST EXPRESSION - DUO HAZE**♦
**120x278 cm** - 47$^{1}/_{4}$"x109$^{1}/_{2}$" ± 6 mm
AYSM Boost Expression Duo Haze [7]

♦ Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.

[1] The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.

[4] The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.

[5] Codes A and B are sold separately.

[6] It can be combined with: Camel and Glow. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

[7] It can be combined with: Haze and Ice. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

The decoration can only be laid on the wall

(translations: page 357)



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Kit endless laying patterns

**Marvel**
**Calacatta Extra**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm





**Marvel X**
**Calacatta Apuano**
**Endless** [2][3]

**160x320 cm**
63"x126"
± 6 mm





**Marvel Meraviglia**
**Calacatta Meraviglia**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm





**Marvel Meraviglia**
**Calacatta Bernini**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm






**Marvel Shine**
**Calacatta Prestigio**
**Endless** [2][3]


**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm



**Marvel X**
**Calacatta Sublime**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



**Marvel T**
**Halo White**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm


**160x320 cm**
63"x126"
± 6 mm






**Marvel Shine**
**Calacatta Imperiale**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm





**Marvel Epic**
**Taj Mahal White**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm





**Marvel Epic**
**Onyx Ivory**
**Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm





[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Kit endless laying patterns

**Marvel Diva Ice Crystal Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm



**Marvel Epic Halo Sand Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



**Marvel Diva Taj Mahal Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm



**Marvel Epic Taj Mahal Noisette Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm



**Marvel Diva Precious Brown Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



**Marvel Diva White Everest Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



**Marvel Meraviglia Silver Majestic Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm




**Marvel Meraviglia Grigio Elegante Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm




**Marvel Meraviglia Black Origin Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



**Marvel Diva Black Tempest Endless** [2][3]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm



[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE


FACADES

TECHNICAL SPECIFICATIONS

# Kit endless laying patterns

**Marvel Epic Calacatta Viola Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm | **160x320 cm** 63"x126" ± 6 mm






**Marvel Epic Alpinus Endless** [2][3]

**120x278 cm** 47 1/4"x109 1/2" ± 6 mm | **160x320 cm** 63"x126" ± 6 mm



**Marvel Diva Amethyst Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm





**Marvel Epic Natural Roots Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm | **160x320 cm** 63"x126" ± 6 mm






**Marvel Epic Zephyr Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm | **160x320 cm** 63"x126" ± 6 mm






**Marvel Diva Aqua Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm






**Marvel Diva Galaxy Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm





**Marvel Diva Sky Stone Endless** [2][3]


**120x278 cm** 47 1/4"x109 1/2" ± 6 mm






**Marvel Diva Baobab Endless** [2][3]

**120x278 cm** 47 1/4"x109 1/2" ± 6 mm | **160x320 cm** 63"x126" ± 6 mm





[2] The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.

[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

(translations: page 357)






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Bookmatch laying patterns

**Marvel Shine Calacatta Prestigio Bookmatch** [3][5]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

A B



**Marvel Calacatta Extra Bookmatch** [3][5]

**120x278 cm**
47 1/4"x109 1/2"
± 6 mm

**160x320 cm**
63"x126"
± 6 mm


A B



**Marvel Diva Precious Brown Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



**Marvel Gala Desert Soul Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



**Marvel Meraviglia Calacatta Meraviglia Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm


A B



**Marvel Shine Calacatta Imperiale Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



**Appennino Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm


A B



**Exotic Wave Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



**Marvel Gala Crystal White Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



**Silver Root Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm


A B



**Marvel Gala Exotic Green Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm


A B



**Calacatta Gold Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm


A B



**Marvel X Fior Di Bosco Bookmatch** [3][5]

**160x320 cm**
63"x126"
± 6 mm

A B



[3] Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.

[5] Codes A and B are sold separately.

(translations: page 357)



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# MARBLE
LOOK



Marvel Calacatta Extra | Marvel Stone Bianco Dolomite | Marvel Gala Crystal White | Marvel Shine Calacatta Delicato | Marvel X Calacatta Apuano | Marvel Meraviglia Calacatta Meraviglia | Marvel Meraviglia Calacatta Bernini | Marvel Shine Calacatta Prestigio | Marvel X Calacatta Sublime | Marvel T Halo White | Marvel Shine Statuario Supremo | Marvel Shine Calacatta Imperiale | Calacatta Gold | Marvel Epic Taj Mahal White | Marvel T Navona White | Marvel T Navona White Line ♦ | Marvel Epic Onyx Ivory | Marvel Onyx White | Marvel Diva Ice Crystal | Marvel X Calacatta Perla | Marvel Onyx Pearl | Marvel Travertine White Vein | Marvel Travertine White Cross | Marvel T Halo Sand

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **160x320 cm** 63"x126" | 6 mm | Silk■(8) | | Polished■ | | Polished | Polished■● Matte● | | Polished● | | Hammered●* | | Silk■ | Polished■ | Silk● | Hammered* | Hammered* | Polished● | | Polished● Silk● | | | Hammered | | |
| **120x278 cm** 47¹/₄"x109¹/₂" | 6 mm | Polished■●(8) Matte | Polished Matte | Polished(8) | Polished(8) | Polished(8) Silk(8) | Polished●(8) | Polished●(8) | Polished■●(8) Silk●(8) | Polished●(8) Silk●(8) | Matte●* | | Polished●(8) | | Polished● Silk● | Matte* | Matte* | Polished● | Polished(8) | Polished●(8) Silk●(8) | Polished(8) Silk(8) | Polished(8) | Matte | | Matte●* |
| **120x240 cm** 47¹/₄"x94¹/₂" | 9 mm | Polished | Polished | | Polished | Polished | Polished | Polished | Polished | Polished | Matte Sensitech | | Polished | | | | | | Polished | Polished | Polished | Polished | Matte Sensitech | | |
| **120x120 cm** 47¹/₄"x47¹/₄" | 9 mm | Polished Matte Sensitech | Polished Matte Sensitech | Polished | Polished Matte Sensitech | Polished Silk | Polished Velvet♦ | Polished Velvet♦ | Polished Matte Sensitech | Polished Silk | Matte Sensitech | | Polished Matte Sensitech | | Matte Sensitech | Matte Sensitech | | | Polished | Velvet♦ | Polished Silk | Polished | | Matte Sensitech | Matte Sensitech |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **162x324 cm** 63³/₄"x127¹/₂" Non-rectified / non rettificato | 12 mm | Polished■ Silk■ | Polished | Polished■ Silk■ | Silk | Polished■ Silk■ | Polished■ Silk■ | Polished■ | Silk■ | | Hammered* | Silk■ | Polished■ Silk■ | Polished■ Silk■ | Polished■ Silk■ | Hammered* | | Polished■ | Polished■ Silk■ | Polished■ Silk■ | | | Hammered | | |
| | 20 mm | | | | | | | | | | | | | | | | | | | | | | | |
| **159x324 cm** 62⁵/₈"x127¹/₂" Non-rectified / non rettificato | 20 mm | Polished■□ Matte■□ | Polished | Polished■ | | | | Polished□ Matte□ | | | | Matte□ | Polished□ Matte□ | Polished□ | | | | | | | | | | | |

Sensitech P. 412 · Velvetech P. 410

■Also available in bookmatch(3) ●Also available in kit endless(2)(3) □ NATURA-VEIN™ TECH •ID-Skin

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# MARBLE
LOOK



Marvel Travertine Sand Vein | Marvel Travertine Sand Cross | Marvel T Navona Sand | Marvel T Navona Sand Line ♦ | Marvel Onyx Alabaster | Marvel Diva Taj Mahal | Marvel Travertine Pearl Vein | Marvel Travertine Pearl Cross | Marvel T Romano Sand | Cream Prestige | Calacatta Antique | Marvel Epic Taj Mahal Noisette | Marvel T Stone Veil | Marvel T Romano Silver | Marvel Diva White Everest | Marvel X Grey Cloud | White Cloud | Marvel Meraviglia Silver Majestic | Silver Root | Marvel Meraviglia Grigio Elegante | Marvel X Fior di Bosco | Light Grey Stone | Marvel Grey Stone

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **160x320 cm** 63"x126" | **6 mm** | Hammered | | | | | Polished● Silk● | Hammered | | Hammered* | | | Silk● | | Hammered* | Silk■ | | | | Silk■ | | Polished■ Silk■ | | Silk |
| **120x278 cm** 47 1/4"x109 1/2" | **6 mm** | Matte | | Matte●* | Matte* | Polished | Polished●(8) Silk●(8) | Matte | | Matte●* | | | Polished● Silk● | Matte* | Matte* | Polished●(8) Silk●(6) | Polished(6) Silk(8) | | Polished●(8) | | Polished●(8) | Polished(2) Silk(8) | | |
| **120x240 cm** 47 1/4"x94 1/2" | **9 mm** | Matte Sensitech | | Matte Sensitech | | Polished | Polished | Matte Sensitech | | | | | | | | Polished | Polished | | Polished | | Polished | Polished(8) | | |
| **120x120 cm** 47 1/4"x47 1/4" | **9 mm** | | Matte Sensitech | Matte Sensitech | | Polished | Velvet♦ | | Matte Sensitech | | | | Matte Sensitech | | | Velvet♦ | Polished Silk | | Polished Velvet♦ | | Polished Velvet♦ | Polished Silk | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **162x324 cm** 63 3/4"x127 1/2" | **12 mm** | Hammered | | | | | Polished■ Silk■ | Hammered | | Hammered* | Silk | Polished■ | Polished■ Silk■ | | Hammered* | Silk■ | | Silk | | Silk■ | | Polished■ Silk■ | Silk | Silk |
| Non-rectified / non rettificato | **20 mm** | | | | | | Matte | | | | | | | | | | | | | | | | Matte |
| **159x324 cm** 62 5/8"x127 1/2" Non-rectified / non rettificato | **20 mm** | | | | | | Polished | | | | | | | | | | | | | | | | |

Sensitech P. 412 | Velvetech P. 410

■Also available in bookmatch(3) ●Also available in kit endless(2)(3) *ID-Skin

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# MARBLE
LOOK



Marvel Diva Precious Brown | Marvel Gala Calacatta Black | Marvel Stone Nero Marquina | Marvel Dream Black Atlantis | Marvel Meraviglia Black Origin | Marvel Onyx Noir | Marvel Diva Black Tempest | Marvel Epic Calacatta Viola | Marvel Epic Alpinus | Marvel Gala Desert Soul | Marvel Onyx Quartz | Marvel Diva Amethyst | Marvel Epic Natural Roots | Marvel Epic Zephyr | Marvel Onyx Sky | Exotic Wave | Marvel Amazzonite | Marvel Exotic Green | Marvel Diva Aqua | Marvel Diva Galaxy | Marvel Diva Sky Stone | Marvel Diva Baobab

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm<br>63"x126" | 6 mm | Silk■ | | Polished<br>Silk | | | | | Polished● | Hammered●* | Polished■ | | | Silk● | Silk● | | Polished■ | | Polished■ | | | | Polished● |
| 120x278 cm<br>47 1/4"x109 1/2" | 6 mm | Silk●(8) | Polished(8) | | Polished | Polished●(8) | Polished(8) | Silk●(8) | Polished● | Matte●* | Polished(8) | Polished(8) | Polished●(8) | Polished● | Silk● | Polished(8) | | Polished(8) | Polished●(8) | Polished●(8) | Polished●(8) | Silk●(8) | Polished●(8) |
| 120x240 cm<br>47 1/4"x94 1/2" | 9 mm | | | | | Polished | Polished | | | | | | | | | | | | | | | |
| 120x120 cm<br>47 1/4"x47 1/4" | 9 mm | | Polished | | | Polished | Polished | | | | Polished | | | | | | | Polished | Polished | | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm<br>63 3/4"x127 1/2" | 12 mm | Silk■ | | Polished■<br>Silk■ | Polished■<br>Silk■ | | | Silk■ | Polished■<br>Satin■ | Hammered■* | Polished■<br>Silk■ | | | Polished■<br>Silk■ | Silk■ | | Polished | | Polished■ | | | Silk■ | Polished■ |
| Non-rectified /<br>non rettificato | 20 mm | | | | | | | | | | Polished■ | | | | | | | | | | | | |
| 159x324 cm<br>62 5/8"x127 1/2" | 20 mm | | | | | | | | | | | | | | | | | | | | | | |
| Non-rectified /<br>non rettificato | | | | | | | | | | | | | | | | | | | | | | | |

■Also available in bookmatch(3) ●Also available in kit endless(2)(3) *ID-Skin



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# STONE LOOK



Boost Icor Bone | Nyra Star | Boost Mineral White | Boost Mix Ivory | Lims Ivory | Nyra Hay | Boost Stone Ivory | Boost Stone White | Boost Icor Dust | Boost Stone Cream | Boost Icor Dune | Nyra Ambrosia | Nyra Sunlight | Boost Icor Crete | Boost Stone Clay | Boost Icor Oyster | Boost Icor Sideral | Boost Stone Taupe | Boost Stone Tobacco

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | Hammered | | | | | Hammered | Hammered | | | | Hammered | Hammered | | | | | | |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte * | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Matte | | Matte | Matte |
| 120x240 cm 47 1/4"x94 1/2" | 9 mm | Matte Sensitech | Matte Sensitech | Matte * Sensitech | | | Matte Sensitech | | | Matte Sensitech | | Matte Sensitech | | Matte Sensitech | | | | Matte Sensitech | | |
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech |

Outdoor

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | | | | | | | | | | | | | | | | | | |
| 120x120 cm 47 1/4"x47 1/4" | 20 mm | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato | 12 mm | Hammered | | | | | Hammered | Hammered | | | | Hammered | Hammered ○ | | | | | | |
| | 20 mm | | | | | | | | | | | | | | | | | | |

Sensitech P. 412

NATURA-BODY TECH

* Elegant surface



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH


SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

## STONE LOOK



Boost Mix Pearl | Boost Stone Pearl | Nyra Mist | Boost Mineral Pearl | Boost Stone Grey | Kone Mix | Boost Mineral Grey | Boost Mineral Smoke | Boost Stone Smoke | Nyra Meteor | Boost Mix Smoke | Boost Mineral Tarmac | Marvel Stone Balsatina Volcano | Nyra Charcoal | Boost Stone Tarmac | Soapstone Dark | Negresco

## WOOD LOOK



Log Bright Oak | Log Bright Oak Line ♦ | Log Icon Oak | Log Icon Oak Line ♦ | Noce Canaletto

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | | | Hammered | | | Hammered | Hammered | | | | | | Hammered | | | | | | | Matte |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte | Matte ✖ | Matte | | Matte ✖ | Matte ✖ | Matte | | Matte | Matte ✖ | | | Matte | | | Matte | Matte | Matte | Matte | Matte |
| 120x240 cm 47 1/4"x94 1/2" | 9 mm | | | Matte Sensitech | Matte Sensitech ✖ | | | Matte Sensitech ✖ | Matte Sensitech ✖ | | | | Matte Sensitech ✖ | | | | | | | | |
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | | Matte Sensitech | Matte Sensitech | | | | | | |

Outdoor

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | | | | | | | | | | | | | | | | | | | | |
| 120x120 cm 47 1/4"x47 1/4" | 20 mm | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | | | Outdoor Sensitech | | | | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato | 12 mm | | | Hammered○ | | | Hammered○ | Hammered○ | | | | | | Hammered | | | Hammered | Silk | | | | Matte○ |
| | 20 mm | | | | | | | | | | | | | Hammered○ | | | Hammered○ | | | | | |

Sensitech P. 412

NATURA-BODY TECH



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# CONCRETE & RESIN LOOK



| Boost Balance Pure | Boost Vision Glow | Boost Natural Pro Salt | Prism Cotton | Boost Balance Ivory | Boost Pro Ivory | Boost Natural Kaolin | Boost Expression Shell | Boost Vision Camel | Boost Natural Pro Oat | Boost Natural Pro Sand | Boost Expression Tan | Prism Cord | Boost Expression Camel | Boost Balance Cream | Boost Pro Cream | Boost Natural Ash | Boost Balance Ash | Boost Pro Clay | Boost Natural Ecru | Boost Natural Coral | Boost Pro Taupe | Boost Natural Umber | Boost Pro Tobacco |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | | Hammered | | | | | Hammered | | Hammered | | | | | | | | | | | | | | |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte |
| 120x240 cm 47 1/4"x94 1/2" | 9 mm | | | | | | Matte Sensitech | | | | | | | | | | Matte Sensitech | | Matte Sensitech | | | | | Matte Sensitech |
| 120x120 cm 47 1/4"x47 1/4" | 6 mm | | | | | | Matte | | | | | | | | | | Matte | | | Matte | | | Matte | Matte |
| | 9 mm | Matte Sensitech Velvet[t] | Matte Sensitech | Matte Sensitech Velvet[t] | Matte Sensitech Silk | Matte Sensitech Velvet[t] | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet[t] | Matte Sensitech Velvet[t] | Matte Sensitech | Matte Sensitech Silk | Matte Sensitech | Matte Sensitech Velvet[t] | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet[t] | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech | Matte Sensitech |

Outdoor

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | Grip Sensitech | Grip Sensitech | Grip Sensitech | | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | | Grip Sensitech | Grip Sensitech | Grip Sensitech |
| 120x120 cm 47 1/4"x47 1/4" | 20 mm | | | | | | | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | | | | | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm 63 3/4"x127 1/2" | 12 mm | | Hammered | | | | | | | Hammered | | Hammered | | | | | | | Matte | | Hammered | | | | |
| Non-rectified / non rettificato | 20 mm | | | | | | | | | | | | | | | | | | | | | | | | |

Sensitech P. 412 Velvetech P. 410



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

## CONCRETE & RESIN LOOK



Boost Expression Glow | Boost Balance Moon | Boost White | Boost Balance White | Boost Expression Ice | Boost Expression Haze | Boost Natural Pro Cinder | Boost Natural Pro Dove | Boost Vision Ash | Boost Balance Pearl | Boost Vision Haze | Prism Cloud | Boost Vision Grey | Boost Pearl | Boost Balance Grey | Boost Grey | Boost Smoke | Boost Balance Smoke | Boost Natural Coal | Boost Tarmac | Boost Balance Tarmac | Boost Expression Carbon

## METAL LOOK



Boost Vision Corten | Boost Vision Brass | Boost Vision Steel | Blaze Iron

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | | | Hammered | | | | | | | | | | | | | Hammered | Hammered | | | Hammered | | | | |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | | Matte | Matte | Matte | |
| 120x240 cm 47 1/4"x94 1/2" | 9 mm | | | Matte Sensitech | | | | | | | | | | | Matte Sensitech | | Matte Sensitech | Matte Sensitech | | | Matte Sensitech | | | | |
| 120x120 cm 47 1/4"x47 1/4" | 6 mm | | | Matte | | | | | | | | | | | Matte | | Matte | Matte | | | Matte | | | | |
| | 9 mm | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech Silk | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | Matte Sensitech | Matte Sensitech Velvet♦ | Matte Sensitech | | | | |

Outdoor

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | Grip Sensitech | | | | |
| 120x120 cm 47 1/4"x47 1/4" | 20 mm | | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | Outdoor Sensitech | | Outdoor Sensitech | Outdoor Sensitech | Outdoor Sensitech | | | Outdoor Sensitech | | | | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato | 12 mm | | | Hammered | | | | | | | | | | | | | Hammered | Hammered | | | Hammered | | | | Matte |
| | 20 mm | | | | | | | | | | | | | | | | | | | | | | | | |

Sensitech P. 412 Velvetech P. 410

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. - Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este product. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

## FABRIC LOOK




Vest Cotton | Vest Linen | Vest Ecru | Vest Breath

## SOLID LOOK



Absolute White | Absolute Black | Black Lava

## COLOR LOOK



Boost Color Frog Pure | Boost Color Salix | Boost Color Mauve | Boost Color Jade | Boost Color Teal | Boost Natural Cobalt | Prism Bloom | Prism Caramel | Prism Grape | Prism Dusk | Prism Midnight | Prism Moss | Prism Emerald

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | | | | | Matte | | | | | | | | | | |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte | Matte | | | | | | | | | | | |

Floor | Wall | Slabs for furniture

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 160x320 cm 63"x126" | 6 mm | | | | | | | | | | | | | | | |
| 120x278 cm 47 1/4"x109 1/2" | 6 mm | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte |
| 120x120 cm 47 1/4"x47 1/4" | 9 mm | | | | | | Matte Sensitech | | | | | | | | | |

Slabs for countertops and furniture

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 162x324 cm 63 3/4"x127 1/2" Non-rectified / non rettificato | 12 mm | | | | | Polished Matte | Matte | Leathered | | | | | | | | |
| | 20 mm | | | | | | | | | | | | | | | |
| 159x324 cm 62 5/8"x127 1/2" Non-rectified / non rettificato | 20 mm | | | | | Matte | | | | | | | | | | |

[1] **The various graphics of the product are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - All'interno delle casse, le varie grafiche del prodotto sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - À l'intérieur delle caisses, les différents graphismes du produit sont distribués en mode aléatoire, sans possibilité de choix entre les motifs disponibles. - Die Kisten enthalten die verschiedenen Grafiken des Artikels nach dem Zufallsprinzip, ohne dass Sie zwischen den einzelnen Motiven wählen können. - En el interior de las cajas, los distintos gráficos de los productos se distribuyen de forma aleatoria, sin que se pueda elegir el patrón disponible. - Рисунки распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

[2] **The Endless Kit contains all the graphics of the product with vein continuity, ensuring that all the numbered faces in the composition can be found in a single box. The number of the graphic – G1, G2, G3, etc – is printed on the side and indicated with an adhesive label placed on the slab. To reconstruct the surface with continuous veins, simply lay the tiles in numerical progression: G1, G2, G3 and so on.** - Il Kit Endless contiene tutte le grafiche del prodotto con continuità di vena; garantisce in un'unica cassa tutte le facce numerate che creano la composizione. Il numero della grafica, indicato come G1, G2, G3, ecc. viene stampato sulla costa del lato 278 e indicato con un adesivo posto sulla lastra. Per ricostruire la superficie con continuità di vena è sufficiente posare le lastre in progressione numerica: G1, G2, G3, ecc. - Le Kit Endless contient tous les graphismes du produit avec la continuité des veinures; il garantit, dans une seule caisse, toutes les faces numérotées qui créent la composition. Le numéro du graphisme, indiqué comme G1, G2, G3, etc. est imprimé sur le bord du côté 278 et indiqué avec un adhésif apposé sur la dalle. Pour reconstruire la surface avec les veinures en continuité, il suffit de poser les dalles en progression numérique: G1, G2, G3, etc. - Kit Endless umfasst alle Grafiken des Produkts mit durchlaufender Äderung und damit alle nummerierten Oberflächen, aus denen sich die Komposition zusammensetzt, garantiert in einer einzigen Kiste. Die Nummer der Grafik, d.h. G1, G2, G3 etc., ist auf der Kante der 278 cm langen Seite aufgedruckt und auch mit einem Klebeetikett auf der Platte angegeben. Um das Gesamtbild mit durchlaufender Äderung zusammenzusetzen, werden die Platten einfach in numerischer Reihenfolge verlegt: G1, G2, G3 usw. - El Kit Endless contiene todas las caras del producto con continuidad de vetas, garantiza contar en una sola caja con todas las caras numeradas que forman la composición. El número del gráfico, indicado como G1, G2, G3, etc., está impreso en el borde del lado 278 y se indica mediante un adhesivo en la losa. Para reconstruir la superficie con continuidad de vetas, basta con colocar las losas en progresión numérica: G1, G2, G3, etc. - Kit Endless – это комплект, который содержит все плиты, необходимые для составления композиции с непрерывным рисунком прожилок. Все плиты пронумерованы и находятся в одном ящике. Номер плиты, обозначенный как G1, G2, G3 и т.д., напечатан на торце грани 278 и указан также на наклейке в углу плиты. Чтобы при облицовке создать рисунок с непрерывающимися прожилками, необходимо просто уложить плиты в последовательности: G1, G2, G3 и т.д.

[3] **Minor misalignments in the continuity of the veins between different graphics is normal for this type of product.** - Eventuali piccoli disallineamenti nella continuità delle venature tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. Les éventuels petits désalignements de la continuité des veinures entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Eventuelle kleine Versätze im Verlauf der Äderungen zwischen unterschiedlichen Grafiken sind charakteristisch für dieses Produkt. - Cualquier pequeño desalineado en la continuidad de las vetas entre diferentes gráficos es una característica intrínseca de este tipo de productos. - Возможные небольшие смещения рисунка прожилок на стыке плит являются характеристикой данного вида изделий.

[4] **The use of a common mild detergent is recommended. Avoid using acidic or alkaline products, waxes, steel wool, or abrasives.** - Si consiglia l'utilizzo di un comune detergente neutro. Evitare l'utilizzo di prodotti acidi o alcalini, ceranti, pagliette di metallo o abrasive. Nous vous conseillons d'utiliser des détergents neutres courants. Éviter l'utilisation de cires et de produits acides ou alcalins, ainsi que les pailles métalliques ou abrasives. - Es empfiehlt sich, ein haushaltsübliches, neutrales Reinigungsmittel zu verwenden. Saure oder alkalische Produkte, Wachs sowie Metallwolle- bzw. Scheuerschwämme sind zu vermeiden. - Recomendamos utilizar un detergente neutro común. Hay que evitar el uso de productos ácidos o alcalinos, ceras y estropajos de metal o abrasivos. - Екомендуется чистить обычным нейтральным моющим средством. Не рекомендуется использовать кислотные, щелочные, восковые средства, а также металлические мочалки.

[5] **Codes A and B are sold separately.** - I codici A e B sono venduti singolarmente. - Les codes A et B sont vendus individuellement - Die Codes A und B sind einzeln erhältlich. - Los códigos A y B se venden individualmente. - Коды A и B продаются по отдельности.

[6] **It can be combined with: Camel and Glow**. - Abbinabile con: Camel e Glow. - Peut être combiné avec: Camel et Glow. - Kombinierbar mit: Camel und Glow. - Combinable con: Camel y Glow. - Совместимы с: Camel и Glow.

[7] **It can be combined with: Haze and Ice**. - Abbinabile con: Haze e Ice. - Peut être combiné avec: Haze et Ice. - Kombinierbar mit: Haze und Ice. - Combinable con: Haze y Ice. - Совместимы с: Haze и Ice.

[8] **The product is composed of graphics with vein continuity, but are distributed randomly in the boxes, without the possibility of choosing between the available patterns.** - Il prodotto è composto da grafiche con continuità di vena, ma all'interno delle casse queste sono distribuite in modo casuale, senza possibilità di scelta tra i pattern disponibili. - Le produit consiste en des graphismes avec une continuité de la veine, mais dans les boîtes, ceux-ci sont distribués de manière aléatoire, sans choix de motifs. - Die verschiedenen Grafiken des Produkts sind durchlaufend gestaltet, jedoch nach dem Zufallsprinzip in den Kisten enthalten. Daher ist es nicht möglich, zwischen den einzelnen Mustern zu wählen. - El producto consiste en gráficos con continuidad de vetas, pero dentro de las cajas está distribuido de forma aleatoria y no se pueden elegir los patrones. - Это изделие состоит из рисунков с непрерывными прожилками, но они распределены в ящиках в случайном порядке, без возможности выбора из доступных рисунков.

♦ **Graphic pattern. Misalignments in the continuity between different patterns is normal for this type of product.** - Decoro grafico. Eventuali disallineamenti nella continuità tra grafiche diverse sono una caratteristica intrinseca di questa tipologia di prodotto. - Les éventuels petits désalignements de la continuité entre différents graphismes sont une caractéristique intrinsèque de cette typologie de produit. - Abweichungen in der Mustergeometrie zwischen einem Teil und einem anderen sind ein Merkmal dieses Produkts. Las desalineaciones en la geometría del diseño entre una pieza y otra son un rasgo característico de este producto. - несовпадение геометрии рисунка на стыке плит является характеристикой данного вида изделий.

**The decoration can only be laid on the wall** - Il decoro si può posare solo a rivestimento - Décor uniquement mural - Das Dekor kann nur an der Wand verlegt werden - La decoración se puede colocar únicamente en paredes - Декор может быть уложен только на стену.

Sensitech P. 412





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
WOOD, METAL & FABRIC LOOK
SOLID, COLOR & DECOR LOOK
KIT ENDLESS
BOOKMATCH
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



# Slabs for countertops & furniture

- MARBLE LOOK
- STONE LOOK
- CONCRETE LOOK
- SOLID LOOK
- WOOD LOOK
- METAL LOOK

- NOTES

atlasPLAN

**162x324** ± 12-20 mm
NON-RECTIFIED SINGLE SLAB


**159x324** ± 20 mm
NON-RECTIFIED SINGLE SLAB

atlasplan.com >
ATLAS PLAN

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

## **Marble Look** - Non-Rectified



CALACATTA EXTRA Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AAVD Calacatta Extra Polished
AA2X Calacatta Extra Bookmatch Polished
AA2T Calacatta Extra Silk
AMJV Calacatta Extra Bookmatch Silk

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AIRN Calacatta Extra Polished
AIRP Calacatta Extra Bookmatch Polished
AIRQ Calacatta Extra Matte
AIRR Calacatta Extra Bookmatch Matte
AIRM Calacatta Extra Polished (1)
AILQ Calacatta Extra Matte (1)
(1) NATURA-VEIN™ TECH



BIANCO DOLOMITE
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AAVG Bianco Dolomite Polished

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AILN Bianco Dolomite Polished



CRYSTAL WHITE Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
A9C2 Crystal White Polished
AF2W Crystal White Bookmatch Polished
A9C4 Crystal White Silk
AF2X Crystal White Bookmatch Silk

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AIRJ Crystal White Polished
AIRH Crystal White Bookmatch Polished




CALACATTA DELICATO
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
A4T3 Calacatta Delicato Silk



CALACATTA APUANO Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AGRP Calacatta Apuano Polished
AGRQ Calacatta Apuano Bookmatch Polished
AGRJ Calacatta Apuano Silk
AGRL Calacatta Apuano Bookmatch Silk



CALACATTA MERAVIGLIA Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AJHB Calacatta Meraviglia Silk
AJHC Calacatta Meraviglia Bookmatch Silk



STATUARIO SUPREMO Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
A4TX Statuario Supremo Silk
A4TY Statuario Supremo Bookmatch Silk


**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AIRT Statuario Supremo Matte (1)
(1) NATURA-VEIN™ TECH

◆ With fiberglass mesh




**162x324 cm** - 63³/₄"x127¹/₂" Non-Rectified ‡ 12-20 mm
**159x324 cm** - 62⁵/₈"x127¹/₂" Non-Rectified ‡ 20 mm

## **Marble Look** - Non-Rectified



CALACATTA BERNINI Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AF5E Calacatta Bernini Polished
AF5K Calacatta Bernini Bookmatch Polished

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AIRL Calacatta Bernini Matte (1)
AIRK Calacatta Bernini Polished (1)
(1) NATURA-VEIN™ TECH



CALACATTA PRESTIGIO Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
A4TØ Calacatta Prestigio Silk
A4T1 Calacatta Prestigio Bookmatch Silk




HALO WHITE
**162x324 cm** - 63³/₄"x127¹/₂" - **ID Skin**
**‡ 12 mm** ST ◆
HCL4 Marvel Halo White Hammered



CALACATTA IMPERIALE Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AØXI Calacatta Imperiale Polished
AØXT Calacatta Imperiale Bookmatch Polished
AØXV Calacatta Imperiale Silk
AØXX Calacatta Imperiale Bookmatch Silk

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AIRS Calacatta Imperiale Polished (1)
AILP Calacatta Imperiale Matte (1)
(1) NATURA-VEIN™ TECH



CALACATTA GOLD Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
AKE8 Calacatta Gold Silk
AKE9 Calacatta Gold Bookmatch Silk
AKFA Calacatta Gold Polished
AKFB Calacatta Gold Bookmatch Polished

**159x324 cm** - 62⁵/₈"x127¹/₂"
**‡ 20 mm**
AKFC Calacatta Gold Polished (1)
(1) NATURA-VEIN™ TECH



TAJ MAHAL WHITE Bookmatch
**162x324 cm** - 63³/₄"x127¹/₂"
**‡ 12 mm** ST ◆
HEUR Marvel Taj Mahal White Polished
HEUS Marvel Taj Mahal White Bookmatch Polished
HD7E Marvel Taj Mahal White Silk
HD7F Marvel Taj Mahal White Bookmatch Silk

**ID Skin**
**This surface enhances the details and the fine texture of the product.** - La superficie esalta i dettagli e la matericità del prodotto



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

**162x324 cm** - 63 3/4"x127 1/2" Non-Rectified ⧗ 12-20 mm
**159x324 cm** - 62 5/8"x127 1/2" Non-Rectified ⧗ 20 mm

## **Marble Look** - Non-Rectified



NAVONA WHITE
**162x324 cm** - 63 3/4"x127 1/2" - **ID Skin**
⧗ 12 mm ST ◆
HCLØ Marvel Navona White Hammered



ONYX IVORY Bookmatch
**162x324 cm** - 63 3/4"x127 1/2" - **ID Skin**
⧗ 12 mm ST ◆
HD6U Marvel Onyx Ivory Polished
HD7J Marvel Onyx Ivory Bookmatch Polished



ONYX WHITE Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AJHD Onyx White Silk
AJHE Onyx White Bookmatch Silk
AJHJ Onyx White Polished
AJHK Onyx White Bookmatch Polished



ICE CRYSTAL Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXI Ice Crystal Silk
AXXJ Ice Crystal Bookmatch Silk
AXXK Ice Crystal Polished
AXXL Ice Crystal Bookmatch Polished



TRAVERTINO WHITE
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
ALYX T. White Hammered



TRAVERTINO SAND
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A647 T. Sand Hammered



TRAVERTINO PEARL
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AF4Z T. Pearl Hammered

◆ With fiberglass mesh



## **Marble Look** - Non-Rectified



ROMANO SAND Bookmatch
**162x324 cm** - 63 3/4"x127 1/2" - **ID Skin**
⧗ 12 mm ST ◆
HCL3 Marvel Romano Sand Hammered




CREAM PRESTIGE
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AAV6 Cream Prestige Silk



TAJ MAHAL Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXQ Taj Mahal Silk
AXXR Taj Mahal Bookmatch Silk
AXXS Taj Mahal Polished
AXXT Taj Mahal Bookmatch Polished
⧗ 20 mm
HDV4 Taj Mahal Matte

**159x324 cm** - 62 5/8"x127 1/2"
⧗ 20 mm
AXXU Taj Mahal Polished



CALACATTA ANTIQUE Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AØXZ Calacatta Antique Polished
A8T7 Calacatta Antique Bookmatch Polished



TAJ MAHAL NOISETTE Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
HEUT Marvel Taj Mahal Noisette Polished
HEUU Marvel Taj Mahal Noisette Bookmatch Polished
HDT4 Marvel Taj Mahal Noisette Silk
HDT5 Marvel Taj Mahal Noisette Bookmatch Silk



PRECIOUS BROWN Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AJHF Precious Brown Silk
AJHG Precious Brown Bookmatch Silk

**ID Skin**
**This surface enhances the details and the fine texture of the product.** - La superficie esalta i dettagli e la matericità del prodotto



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

**162x324 cm** - 63 3/4"x127 1/2" Non-Rectified ⧗ 12-20 mm
**159x324 cm** - 62 5/8"x127 1/2" Non-Rectified ⧗ 20 mm

## **Marble Look** - Non-Rectified



ROMANO SILVER
**162x324 cm** - 63 3/4"x127 1/2" - **ID Skin**
⧗ 12 mm ST ◆
HCL2 Marvel Romano Silver Hammered




WHITE CLOUD
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A4UO White Cloud Silk



APPENNINO Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXØN Appennino Silk
AXØO Appennino Bookmatch Silk



SILVER ROOT Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXØR Silver Root Silk
AXØS Silver Root Bookmatch Silk



FIOR DI BOSCO Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AIBE Fior Di Bosco Silk
AIBF Fior Di Bosco Bookmatch Silk
AIRZ Fior Di Bosco Polished
AIR3 Fior Di Bosco Bookmatch Polished




LIGHT GREY STONE
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AMJ9 Light Grey Stone Silk

◆ With fiberglass mesh

## **Marble Look** - Non-Rectified




GREY STONE
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AAWA Grey Stone Silk
⧗ 20 mm
AHH2 Grey Stone Matte



BLACK TEMPEST Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXX Black Tempest Silk
AXXY Black Tempest Bookmatch Silk



BLACK ATLANTIS Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CK Black Atlantis Polished
A9CL Black Atlantis Bookmatch Polished
A8XV Black Atlantis Silk
A8XW Black Atlantis Bookmatch Silk



NERO MARQUINA Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
ANWA Nero Marquina Polished
A6T5 Nero Marquina Bookmatch Polished
ANVK Nero Marquina Silk
A6T4 Nero Marquina Bookmatch Silk

**ID Skin**
**This surface enhances the details and the fine texture of the product.** - La superficie esalta i dettagli e la matericità del prodotto






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

**162x324 cm** - 63 3/4"x127 1/2" Non-Rectified ⧗ 12-20 mm
**159x324 cm** - 62 5/8"x127 1/2" Non-Rectified ⧗ 20 mm

## **Marble Look** - Non-Rectified



CALACATTA VIOLA Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
HCL7 Marvel Calacatta Viola Polished
HCL8 Marvel Calacatta Viola Bookmatch Polished
HDLW Marvel Calacatta Viola Satin
HDLX Marvel Calacatta Viola Bookmatch Satin



ALPINUS Bookmatch
**162x324 cm** - 63 3/4"x127 1/2" - **ID Skin**
⧗ 12 mm ST ◆
HDV7 Marvel Alpinus Hammered
HDV8 Marvel Alpinus Bookmatch Hammered




DESERT SOUL Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CW Desert Soul Polished
A9CX Desert Soul Bookmatch Polished
A9CZ Desert Soul Silk
A9CØ Desert Soul Bookmatch Silk
⧗ 20 mm
A9C7 Desert Soul Polished
A9C8 Desert Soul Bookmatch Polished



NATURAL ROOTS Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
HEA4 Marvel Natural Roots Polished
HEA5 Marvel Natural Roots Bookmatch Polished
HEA6 Marvel Natural Roots Silk
HEA7 Marvel Natural Roots Bookmatch Silk




ZEPHYR Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
HEA1 Marvel Zephyr Silk
HEA2 Marvel Zephyr Bookmatch Silk



EXOTIC WAVE Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CT Exotic Wave Polished
A9CU Exotic Wave Bookmatch Polished

◆ With fiberglass mesh


## **Marble Look** - Non-Rectified



EXOTIC GREEN Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
A9CN Exotic Green Polished
A9CO Exotic Green Bookmatch Polished



SKY STONE Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXM Sky Stone Silk
AXXN Sky Stone Bookmatch Silk



BAOBAB Bookmatch
**162x324 cm** - 63 3/4"x127 1/2"
⧗ 12 mm ST ◆
AXXW Baobab Polished
AXX1 Baobab Bookmatch Polished

**ID Skin**
**This surface enhances the details and the fine texture of the product.** - La superficie esalta i dettagli e la matericità del prodotto





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

**162x324 cm** - 63 3/4"x127 1/2" Non-Rectified 12-20 mm
**159x324 cm** - 62 5/8"x127 1/2" Non-Rectified 20 mm

## **Stone Look** - Non-Rectified



BOOST ICOR BONE
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AX6L Boost Icor Bone Hammered



NYRA HAY - **ID Skin**
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
HCWG Nyra Hay Hammered



BOOST STONE IVORY
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A648 Boost Stone Ivory Hammered



BOOST ICOR DUNE
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AX6N Boost Icor Dune Hammered



NYRA AMBROSIA - **ID Skin**
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
HCL5 Nyra Ambrosia Hammered (2)
(2) NATURA-BODY TECH



NYRA MIST - **ID Skin**
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
HCWH Nyra Mist Hammered (2)
(2) NATURA-BODY TECH



BOOST MINERAL GREY
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AHV6 B. M. Grey Hammered (2)
(2) NATURA-BODY TECH



KONE MIX
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AMSX Kone Mix Hammered (2)
(2) NATURA-BODY TECH

## **Stone Look** - Non-Rectified



BALSATINA VOLCANO
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
ANVI Basaltina Volcano Hammered
20 mm
A2XS Basaltina Volcano Hammered (2)
(2) NATURA-BODY TECH



SOAPSTONE DARK
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A4UN Soapstone Dark Hammered
20 mm
A5I3 Soapstone Dark Hammered (2)
(2) NATURA-BODY TECH



NEGRESCO
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
ARCR Negresco Silk

◆ With fiberglass mesh





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture

**162x324 cm** - 63 3/4"x127 1/2" Non-Rectified 12-20 mm
**159x324 cm** - 62 5/8"x127 1/2" Non-Rectified 20 mm

atlasPLAN

## **Concrete Look** - Non-Rectified



BOOST VISION GLOW - **ID Skin**
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
HCWI Boost Vision Glow Hammered



BOOST WHITE
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
ANVX Boost White Hammered



BOOST VISION CAMEL - **ID Skin**
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
HCWJ Boost Vision Camel Hammered



BOOST BALANCE ASH
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AJKC Boost Balance Ash Matte



BOOST NATURAL PRO SAND
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
ARCQ Boost N. Pro Sand Hammered



BOOST NATURAL ECRU
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A649 Boost Natural Ecru Hammered



BOOST GREY
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A65C Boost Grey Hammered



BOOST SMOKE
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
ANVØ Boost Smoke Hammered




BOOST TARMAC
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A65D Boost Tarmac Hammered

## **Solid Look** - Non-Rectified



ABSOLUTE WHITE
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AG1N Absolute White Matte
A4T4 Absolute White Polished
**159x324 cm** - 62 5/8"x127 1/2"
20 mm
AIRU Absolute White Matte



ABSOLUTE BLACK
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AG1G Absolute Black Matte



BLACK LAVA
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
AF5A Black Lava Leathered

## **Wood Look**



NOCE CANALETTO
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ×
AKFE Noce Canaletto Matte (2)
(2) NATURA-BODY™ TECH

## **Metal Look**



BLAZE IRON
**162x324 cm** - 63 3/4"x127 1/2"
12 mm ST ◆
A3ND Blaze Iron Matte

◆ With fiberglass mesh

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Slabs for Countertops & Furniture



NATURA-VEIN™ TECH

Natura-Vein™ Tech is the technology from the Concorde Group that makes it possible to recreate the typical veining of a natural material such as marble in porcelain stoneware slabs at an industrial level.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm.

Natura-Vein™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre nello spessore delle lastre in gres porcellanato la venatura tipica di un materiale naturale come il marmo. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm.



NATURA-BODY™ TECH

Natura-Body™ Tech is the is the technology from the Concorde Group that allows the aesthetics of natural stone to be reproduced across both the surface and body of the slab.
This exclusive technology can also be applied to Atlas Plan slabs with a thickness of 20 mm and 12 mm.

Natura-Body™ Tech è la tecnologia del Gruppo Concorde che permette di riprodurre l'estetica della pietra naturale sia in superficie che nel corpo della lastra. Una tecnologia esclusiva che può essere applicata alle lastre Atlas Plan con spessore di 20 mm e 12 mm.





# Notes

atlasPLAN

## CAUTION

**Atlas Plan is in no way liable for "improper" use of the material, which is why it recommends to:**

- Prevent shocks at the most exposed points such as corners and edges, both with and without ledge;
- Avoid the use of metal or abrasive straws;
- Refrain from using knives with ceramic blades as the hardness of the two materials is very similar;
- Provide protection systems, such as wooden and/or plastic cutting boards, when cutting foodstuffs on surfaces having a dark colour and/or a Polished or Satin finish;
- Precautiously protect the surface from direct contact with hot objects (e.g. frying pans, pots, coffee pots,etc. ...) using trivets.

**Note: for the repair of shallow surface scratches in the various finishes, please refer to your Atlas Plan contact person directly.**
Atlas Plan slabs must be cut in accordance with the instructions in the technical manual; any breakage due to a cut made other than specified will not be the responsibility of Atlas Plan.
The Technical Manual illustrates how to properly clean any type of stain that can be detected on an Atlas Plan surface; use the indicated products in case extraordinary cleaning is required.
It is understood that Atlas Plan cannot be held liable for events, damage or defects due to careless cleaning and maintenance.

**EXCLUSIONS FROM THE 25-YEAR LIMITED WARRANTY FOR SLABS USED TO MANUFACTURE THE PRODUCT PURCHASED (KITCHEN TOPS AND BACKSPLASHES; WASHBASINS AND VANITY TOPS; TABLES) FOR DOMESTIC OR RESIDENTIAL USE**

1. Damage caused by abuse or misuse of the products purchased, including but not limited to damage caused by improper use or accidents, following exposure of the product to abnormal physical conditions (such as strong impacts), aggressive chemicals, staining substances (such as ink and markers), corrosion, structural movements or natural disasters. Remember that contact with hydrofluoric acid results in immediate and irreversible damage.
2. Any type of damage directly or indirectly caused by actions, operations or works carried out by third parties. By way of non-limiting example: problems caused by incorrect processing of the product, improper installation or handling methods of the original product, cracks on the surface of the product purchased after its installation, etc...
3. Products that have been moved from their original place of installation.
4. The reactions and appearance of joints or seams, adhesives, sealants and all other accessories.
5. Damage caused by appliances installed, used or subject to improper maintenance.
6. Imperfections caused by natural wear and tear due to everyday use, such as stains, scratches, water marks and burns.
7. When choosing a colour or finish, consider that the samples only give a approximate indication of the design, pattern, aspect, colour and finish. There is no guarantee that the samples are an exact reproduction of the Atlas Plan slab. They may differ slightly from the actual installed product.
8. Opinions based on the customer's personal preferences, leading them to change their mind about the colour or general appearance, or other aesthetic opinions following manufacture or installation of the product.
9. Use of 162x324 cm slabs for commercial applications including, but not limited to, installation in shops, offices and other commercial establishments.
10. Purchased products in which the factory-applied surface finish has been altered in some way.
11. Defects already visible at the time of processing or installation of products made from 162x324 cm Atlas Plan slabs.
12. Transport, processing, assembly and/or disassembly costs for the repair or re-installation of the product purchased.
13. Additional repairs or modifications required for the new installation (plumbing, electricity, renovation work, etc.).
14. Repairs carried out without prior verification by Atlas Plan.
15. Stains caused by direct contact with aggressive chemical solutions or scratches caused by the use of rough or steel wire sponges to clean the product purchased, or resulting from any other improper use of abrasive products in violation of the Precautions for Use and the cleaning and maintenance instructions indicated in the Atlas Plan Technical Manual (available at www.atlasplan.com/en/).
16. Anything not expressly mentioned in this guarantee.

The 25-year Limited Warranty will not be transferable and will be applied only to the slabs used in the manufacture of the product purchased, for domestic or residential use, such as kitchen tops and backsplashes, washbasins, wall units and tables. This warranty will not be valid if the full payment of the product purchased has not been made.
The processing workshop and the installer are responsible for testing Atlas Plan slabs prior to the production and installation of the products made from the slabs.
No other express or implicit warranty included merchantability or suitability for a particular purpose is issued. Except as set out herein, Atlas Plan disclaims all contractual and non-contractual liability for any direct, incidental or consequential loss or damage resulting from the use or inability to use the product purchased made from Atlas Plan slabs.
No one except Atlas Plan shall have the right or authorisation to make any promises, representations or warranties of any kind in relation to their products.

## ATTENZIONE

**Atlas Plan non si ritiene in alcun modo responsabile per utilizzo "improprio" del materiale, ragione per la quale raccomanda di:**

- Prevenire dagli urti nei punti più esposti tipo angoli e bordi, sia con che senza veletta;
- Evitare l'utilizzo di pagliette metalliche o abrasive;
- Non utilizzare dei coltelli con lama in ceramica in quanto la durezza dei due materiali è molto simile;
- Predisporre sistemi di protezione, tipo taglieri in legno e/o plastica, quando si tagliano alimenti su piani caratterizzati da un colore scuro e/o da una finitura Polished o Satin;
- Proteggere precauzionalmente la superficie dal contatto diretto con oggetti caldi (tipo padelle, pentole, caffettiere, ...) predisponendo l'utilizzo di sottopentole.

**Nota: per la riparazione di graffi superficiali non profondi nelle varie finiture, rivolgersi direttamente al funzionario Atlas Plan.**
Le lastre Atlas Plan vanno tagliate seguendo le istruzioni del manuale tecnico, qualunque rottura dovuta a un taglio eseguito in modo non indicato non sarà ritenuta di responsabilità di Atlas Plan.
Il Manuale tecnico illustra come pulire correttamente qualunque tipo di macchia che si può rilevare su una superficie Atlas Plan, utilizzare i prodotti indicati in caso sia necessario un intervento di pulizia straordinaria.
Resta inteso che Atlas Plan non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti a negligente pulizia e manutenzione.

**ESCLUSIONI DELLA GARANZIA LIMITATA DI 25 ANNI PER LE LASTRE UTILIZZATE PER LA FABBRICAZIONE DEL PRODOTTO ACQUISTATO (TOP CUCINA E BACKSPLASH; LAVABI E VANITIES; TAVOLI) PER USO DOMESTICO O RESIDENZIALE**

1. Danni causati da abuso o uso improprio dei prodotti acquistati, inclusi ma non limitati a danni causati da uso improprio o incidenti, a seguito dell'esposizione del prodotto a condizioni fisiche anomale (come forti urti), sostanze chimiche aggressive, sostanze macchianti (come inchiostro e pennarelli), corrosione, movimenti strutturali o disastri naturali. Si ricorda che il contatto con l'acido fluoridrico provoca danni immediati e irreversibili.
2. Qualsiasi tipo di danno causato direttamente o indirettamente da azioni, operazioni o lavori eseguiti da terzi. A titolo esemplificativo e non esaustivo: problemi causati da errata lavorazione del prodotto, metodi di installazione o manipolazione impropri del prodotto originale, crepe sulla superficie del prodotto acquistato dopo la sua installazione, ecc.
3. Prodotti che sono stati spostati dal luogo di installazione originale.
4. Le reazioni e l'aspetto di giunti o cuciture, adesivi, sigillanti e tutti gli altri accessori.
5. Danni causati da apparecchi installati, utilizzati o soggetti a cattiva manutenzione.
6. Imperfezioni causate dall'usura naturale dovuta all'uso quotidiano, come macchie, graffi, segni d'acqua e ustioni.
7. Nella scelta di un colore o di una finitura, va tenuto presente che i campioni forniscono solo un'indicazione generale del design, del motivo, dell'estetica, del colore e della finitura. Non vi è alcuna garanzia che i campioni siano una replica esatta della lastra Atlas Plan. Potrebbero differire leggermente dal prodotto effettivamente installato.
8. Opinioni basate sulle preferenze personali del cliente, che lo portano a cambiare idea sul colore o sull'aspetto generale, o altre opinioni estetiche successive alla fabbricazione o all'installazione del prodotto.
9. Utilizzo di lastre 162x324 cm per applicazioni commerciali inclusa, a titolo esemplificativo ma non esaustivo, installazione in negozi, uffici e altri esercizi commerciali.
10. Prodotti acquistati in cui la finitura superficiale applicata in fabbrica è stata in qualche modo alterata.
11. Difetti già visibili al momento della lavorazione o posa in opera di prodotti realizzati con lastre 162x324 cm. Piano Atlante.
12. Costi di trasporto, lavorazione, montaggio e/o smontaggio per la riparazione o reinstallazione del prodotto acquistato.
13. Ulteriori riparazioni o modifiche necessarie per la nuova installazione (idraulica, elettrica, lavori di ristrutturazione, ecc.).
14. Riparazioni eseguite senza previa verifica da parte di Atlas Plan.
15. Macchie causate dal contatto diretto con soluzioni chimiche aggressive o graffi causati dall'uso di spugne ruvide o di filo d'acciaio per pulire il prodotto acquistato, o derivanti da qualsiasi altro uso improprio di prodotti abrasivi in violazione delle Precauzioni d'uso e della pulizia e istruzioni di manutenzione indicate nel Manuale Tecnico Atlas Plan (disponibile su www.atlasplan.com).
16. Quanto non espressamente menzionato nella presente garanzia.

La Garanzia Limitata di 25 anni non sarà trasferibile e si applicherà solo alle lastre utilizzate nella fabbricazione del prodotto acquistato, per uso domestico o residenziale, come piani cucina e alzatine, lavabi, mobili e tavoli. Tale garanzia non sarà valida se non sarà stato effettuato il pagamento integrale del prodotto acquistato.
Il laboratorio di lavorazione e l'installatore sono responsabili del collaudo delle lastre Atlas Plan prima della realizzazione e posa in opera dei manufatti realizzati con le lastre.
Non viene rilasciata alcuna altra garanzia esplicita o implicita, inclusa la commerciabilità o l'idoneità per uno scopo particolare. Ad eccezione di quanto stabilito nel presente documento, Atlas Plan declina ogni responsabilità contrattuale ed extracontrattuale per qualsiasi perdita o danno diretto, incidentale o consequenziale derivante dall'uso o dall'impossibilità di utilizzare il prodotto acquistato realizzato con lastre Atlas Plan.
Nessuno, ad eccezione di Atlas Plan, avrà il diritto o l'autorizzazione a fare promesse, dichiarazioni o garanzie di qualsiasi tipo in relazione ai propri prodotti.

FR-DE-ES-RU



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
MARBLE LOOK
STONE LOOK
CONCRETE LOOK
SOLID LOOK
WOOD LOOK
METAL LOOK
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS



# Furniture

**BATHROOM FURNITURE**

- ESSENZA - Design Collection by Studio Ferriani
- EVOLUZIONE - Design Collection by Mario Ferrarini
- DIALOGO
- ARMONIA

**TABLES**

- DINING TABLES
- COFFEE TABLES
- HOSPITALITY TABLES
- SIDE TABLES

**SIGNATURE OBJECTS**

- TRATTO - Design Collection by Piero Lissoni

**STORAGE UNIT**

LIBRA
ELLE
TORRE

**SHELVES**

OMEGA
LINEA

**BENCHES**

ARCO

**TRAYS**

QUADRO
DISCO
TRAMA
FILO

**VASES**

HASHTAG

**TABLES**

GIOTTO

atlasconcorde.com >
ATLAS CONCORDE HABITAT


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Essenza




## MONO
### **Single Sink** / Lavabo Singolo


**Enveloped Bottom Basin**
Vasca 4 Falde










**Flat Basin**
Vasca Piatta









**Sloped Basin**
Vasca Inclinata




| | HEIGHT ALTEZZA | | | BASIN DIMENSION TAGLIA DELLA VASCA | | | |
|---|---|---|---|---|---|---|---|
| **Single Wall-mounted Sink** Lavabo da parete singolo | **12 mm** | **30 mm** | **150 mm** | **S** | **M** | **L** | **XL** |
| **Enveloped Bottom Basin** Vasca 4 Falde | • | • | • | • | • | • | • |
| **Flat Basin** Vasca Piatta | • | • | • | | • | | |
| **Sloped Basin** Vasca Inclinata | • | • | • | | • | | |

**DIMENSIONS /** Dimensioni
**Customisable length L /** Lunghezza personalizzabile L
**Depth 50 cm (19 $^{5}/_{8}$") /** Profondità 50 cm (19 $^{5}/_{8}$")
**Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$") /** Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel /** Rinforzo: pannello continuo
**Brackets: included only for sink with a height of 15 cm (5 $^{7}/_{8}$")**
Staffe: incluse solo su lavabo con altezza 15 cm (5 $^{7}/_{8}$")
**Bottom tiling is not provided /** Non è previsto il rivestimento inferiore

**BASIN /** Vasca
**Stainless steel, coated with porcelain tiling /** Acciaio inossidabile, rivestita in gres porcellanato
**Enveloped bottom basin Dimensions / Dimensioni vasca a 4 Falde**
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
**Flat basin and Sloped basin Dimensions / Dimensione vasca Piatta e vasca Inclinata**
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$") /** Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
**Faucet hole always centred with the basin /** Foro rubinetto sempre centrato rispetto alla vasca
**Overflow hole not present /** Foro troppo pieno non presente
**Drain hole diameter: 1 $^{1}/_{4}$" (drain not included) /** Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)


**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")**
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
**Sinks with height 12 mm are made only with 12 mm slabs**
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Essenza

## DUO
### **Twin Sink** / Lavabo Doppio


**Enveloped Bottom Basin**
Vasca 4 Falde










**Flat Basin**
Vasca Piatta









**Sloped Basin**
Vasca Inclinata




| | HEIGHT ALTEZZA | | | BASIN DIMENSION TAGLIA DELLA VASCA | | | |
|---|---|---|---|---|---|---|---|
| **Twin Wall-mounted Sink** Lavabo da parete doppio | **12 mm** | **30 mm** | **150 mm** | **S** | **M** | **L** | **XL** |
| **Enveloped Bottom Basin** Vasca 4 Falde | • | • | • | • | • | • | • |
| **Flat Basin** Vasca Piatta | • | • | • | | • | | |
| **Sloped Basin** Vasca Inclinata | • | • | • | | • | | |

**DIMENSIONS /** Dimensioni
**Customisable length** L / Lunghezza personalizzabile L
**Depth 50 cm (19 $^{3}/_{8}$")** / Profondità 50 cm (19 $^{3}/_{8}$")
**Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")** / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**Brackets: included only for sink with a height of 15 cm (5 $^{7}/_{8}$")**
Staffe: incluse solo su lavabo con altezza 15 cm (5 $^{7}/_{8}$")
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore


**BASIN /** Vasca
**Stainless steel, coated with porcelain tiling** / Acciaio inossidabile, rivestita in gres porcellanato
**Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde**
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
**Flat basin and Sloped basin dimensions / Dimensione vasca Inclinata e vasca Piatta**
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")


**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$")** / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
**Faucet hole always centred with the basin** / Foro rubinetto sempre centrato rispetto alla vasca
**Overflow hole not present** / Foro troppo pieno non presente
**Drain hole diameter: 1 $^{1}/_{4}$" (drain not included)** / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)


**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")**
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
**Sinks with height 12 mm are made only with 12 mm slabs**
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

## UP
### **Sit-on basin** / Catino da appoggio


**Enveloped Bottom Basin**
Vasca 4 Falde










**Flat Basin**
Vasca Piatta









**Sloped Basin**
Vasca Inclinata




| | HEIGHT ALTEZZA | | | BASIN DIMENSION TAGLIA DELLA VASCA | | | | DEPTH PROFONDITÀ | |
|---|---|---|---|---|---|---|---|---|---|
| **Sit-on basin** Catino da appoggio | **12 mm** | **30 mm** | **150 mm** | **S** | **M** | **L** | **XL** | **450 mm** | **500 mm** |
| **Enveloped Bottom Basin** Vasca 4 Falde | • | • | • | • | • | • | • | • | • |
| **Flat Basin** Vasca Piatta | • | • | • | | • | | | • | • |
| **Sloped Basin** Vasca Inclinata | • | • | • | | • | | | • | • |

**DIMENSIONS /** Dimensioni
**Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde**
Length 55 cm (21 $^{3}/_{4}$") / Lunghezza 55 cm (21 $^{3}/_{4}$")
Length 65 cm (25 $^{5}/_{8}$") / Lunghezza 65 cm (25 $^{5}/_{8}$")
Length 85 cm (33 $^{1}/_{2}$") / Lunghezza 85 cm (33 $^{1}/_{2}$")
Length 105 cm (41 $^{3}/_{8}$") / Lunghezza 105 cm (41 $^{3}/_{8}$")
**Flat basin sink and Sloped basin sink available lenght / Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta**
Length 65 cm (25 $^{5}/_{8}$") / Lunghezza 65 cm (25 $^{5}/_{8}$")

**Depth 45 cm (17 $^{3}/_{4}$") without Faucet hole** / Profondità 45 cm (17 $^{3}/_{4}$") senza foro miscelatore
**Depth 50 cm (19 $^{3}/_{8}$") with Faucet hole** / Profondità 50 cm (19 $^{3}/_{8}$") con foro miscelatore
**Height 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")** / Altezza 1,2 cm ($^{1}/_{2}$"), 3 cm (1 $^{1}/_{8}$"), 15 cm (5 $^{7}/_{8}$")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**No Brackets** / No staffe
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore

**BASIN /** Vasca
**Stainless steel, coated with porcelain tiling** / Acciaio inossidabile, rivestita in gres porcellanato
**Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde**
S 45x34x10 cm (17 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
L 75x34x10 cm (29 $^{1}/_{2}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
XL 95x34x10 cm (37 $^{3}/_{8}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")
**Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata**
M 55x34x10 cm (21 $^{3}/_{4}$" x 13 $^{3}/_{8}$" x 3 $^{7}/_{8}$")

**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 $^{3}/_{8}$")** / Diametro del foro rubinetto: Ø 35 mm (1 $^{3}/_{8}$")
**Faucet hole always centred with the basin** / Foro rubinetto sempre centrato rispetto alla vasca
**Overflow hole not present** / Foro troppo pieno non presente
**Drain hole diameter: 1 $^{1}/_{4}$" (drain not included)** / Diametro piletta: 1 $^{1}/_{4}$" (piletta non inclusa)

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm ($^{1}/_{4}$") or 9 mm ($^{3}/_{8}$") or 12 mm (4 $^{3}/_{4}$")**
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")
**Sinks with height 12 mm are made only with 12 mm slabs**
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Essenza

atlas concorde habitat


## BLOCK
### Free-Standing

**Enveloped Bottom Basin**
Vasca 4 Falde

without Faucet hole
senza foro miscelatore





with Faucet hole
con foro miscelatore





**Flat Basin**
Vasca Piatta

without Faucet hole
senza foro miscelatore





with Faucet hole
con foro miscelatore





**Sloped Basin**
Vasca Inclinata

without Faucet hole
senza foro miscelatore




with Faucet hole
con foro miscelatore




| | HEIGHT ALTEZZA | BASIN DIMENSION TAGLIA DELLA VASCA | | | DEPTH PROFONDITÀ | |
|---|---|---|---|---|---|---|
| **Free-Standing** Free-Standing | **85 cm** | **M** | **L** | **XL** | **450 mm** | **500 mm** |
| **Enveloped Bottom Basin** Vasca 4 Falde | • | • | • | • | • | • |
| **Flat Basin** Vasca Piatta | • | • | | | • | • |
| **Sloped Basin** Vasca Inclinata | • | • | | | • | • |

**DIMENSIONS /** Dimensioni
**Enveloped bottom sink available lenghts / Lunghezze disponibili per lavabo a 4 Falde**
**Length 65 cm** (25 3/4") / Lunghezza 65 cm (25 1/2")
**Length 85 cm** (33 1/2") / Lunghezza 85 cm (33 1/2")
**Length 105 cm** (41 3/4") / Lunghezza 105 cm (41 3/4")
**Flat basin sink and Sloped basin sink available lenght**
**Lunghezza disponibile per lavabo con vasca Inclinata e vasca Piatta**
**Length 65 cm** (25 3/4") / Lunghezza 65 cm (25 1/2")

**Depth 45 cm** (17 3/4") **without Faucet hole** / Profondità 45 cm (17 3/4") senza foro miscelatore
**Depth 50 cm** (19 3/4") **with Faucet hole** / Profondità 50 cm (19 3/4") con foro miscelatore
**Height 85 cm** (33 1/2") / Altezza 85 cm (33 1/2")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**No Brackets** / No staffe
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore
**Enclosed sink back accessible through a hatch with a magnetic door**
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico


**BASIN /** Vasca
**Stainless steel, coated with porcelain tiling** / Acciaio inossidabile, rivestita in gres porcellanato
**Enveloped bottom basin dimensions / Dimensioni vasca a 4 Falde**
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")
L 75x34x10 cm (29 1/2" x 13 3/8" x 3 7/8")
XL 95x34x10 cm (37 3/8" x 13 3/8" x 3 7/8")
**Flat basin and Sloped basin dimensions / Dimensione vasca Piatta e vasca Inclinata**
M 55x34x10 cm (21 3/4" x 13 3/8" x 3 7/8")


**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm** (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
**Faucet hole always centred with the basin** / Foro rubinetto sempre centrato rispetto alla vasca
**Overflow hole not present** / Foro troppo pieno non presente
**Drain hole diameter: 1 1/4" (drain not included)** / Diametro piletta: 1 1/4" (piletta non inclusa)


**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm** (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

## LEVEL
### Top


**For Single Basin (Non Included)**
Per Catino Singolo (Non Incluso)









**For Double Basin (Not Included)**
Per Catino Doppio (Non Incluso)




**DIMENSIONS /** Dimensioni
**Customisable length** L / Lunghezza personalizzabile L
**Depth 50 cm** (19 3/4") / Profondità 50 cm (19 3/4")
**Height 1.2 cm** (1/2"), **3 cm** (1 1/8"), **15 cm** (5 7/8") / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 15 cm (5 7/8")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**Brackets: included only for sink with a height of 15 cm** (5 7/8")
Staffe: incluse solo su lavabo con altezza 15 cm (5 7/8")
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore


**BASIN HOLE /** Foro catino
**Customisable sit-on basin hole dimension and position** / Dimensioni e posizioni del foro catino personalizzabili

**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm** (1 3/8") / Diametro del foro rubinetto: Ø 35 mm (1 3/8")

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm** (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4") / Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
**Tops with height 12 mm are made only with 12 mm slabs**
Top con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm

| | HEIGHT ALTEZZA | | |
|---|---|---|---|
| **Top** Top | **12 mm** | **30 mm** | **150 mm** |
| **Single Hole** Foro Singolo | • | • | • |
| **Double Hole** Foro Doppio | • | • | • |

## THIN
### Shelf / Mensola




**DIMENSIONS /** Dimensioni
**Customisable length** L / Lunghezza personalizzabile L
**Depth 35 cm** (13 3/4") / Profondità 35 cm (13 3/4")
**Height 5 cm** (2") / Altezza 5 cm (2")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel**
Rinforzo: pannello continuo
**Brackets: included** / Staffe: incluse
**Bottom tiling is not provided**
Non è previsto il rivestimento inferiore

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm** (1/4") **or 9 mm** (3/8") **or 12 mm** (4 3/4")
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")

| | HEIGHT ALTEZZA |
|---|---|
| | **50 mm** |
| **Shelf** Mensola | • |





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Evoluzione

Design Collection by **Studio Ferriani**



## COLORS AND FINISHES

**Rectangular Basin**
Vasca Rettangolare

**Biscuit Basin**
Vasca Biscotto

**Circular Basin**
Vasca Circolare



White







Toupe







Grey





**COLORS**












INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Evoluzione

## MONO
### **Single Sink** / Lavabo Singolo


**Rectangular Basin**
Vasca Rettangolare










**Biscuit Basin**
Vasca Biscotto









**Circular Basin**
Vasca Circolare




**BASIN FINISHING**
COLORE VASCA

| **Single Sink**<br>Lavabo Singolo | **Matte White**<br>Bianco opaco | **Taupe**<br>Tortora | **Grey**<br>Grigio |
|---|---|---|---|
| **Rectangular**<br>Rettangolare | • | • | • |
| **Biscuit**<br>Biscotto | • | • | • |
| **Circular**<br>Circolare | • | • | • |

**DIMENSIONS /** Dimensioni
**Customisable length L** / Lunghezza personalizzabile L
**Depth 45 cm (17 3/4")** / Profondità 45 cm (17 3/4")
**Height 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")** / Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**Brackets: included only for sink with a height of 12 cm (4 3/4")**
Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore

**BASIN /** Vasca
**Solid 100% acrylic-based surface** / Solid surface a base acrilica pura

**BASIN MODELS**
**Rectangular basin Dimensions** / Dimensioni vasca Rettangolare
**50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")**
**Biscuit basin Dimensions** / Dimensione vasca Biscotto
**50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")**
**Circular basin Dimensions** / Dimensione vasca Circolare
**Ø35 cm (13 3/4")**

**BASIN COLORS**
**All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey**
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

**FURTHER TECHNICAL DETAILS** / Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 3/8")** / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
**Overflow system included / kit troppopieno incluso**
**Drain hole diameter: 1 1/4" (drain on demand)** / Diametro piletta: 1 1/4" (piletta su richiesta)

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")**
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
**Sinks with height 12 mm are made only with 12 mm slabs**
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm







atlas concorde habitat


Design Collection by **Studio Ferriani**

## DUO
### **Twin Sink** / Lavabo Doppio


**Rectangular Basin**
Vasca Rettangolare










**Biscuit Basin**
Vasca Biscotto









**Circular Basin**
Vasca Circolare




**BASIN FINISHING**
COLORE VASCA

| **Twin Sink**<br>Lavabo Doppio | **Matte White**<br>Bianco opaco | **Taupe**<br>Tortora | **Grey**<br>Grigio |
|---|---|---|---|
| **Rectangular**<br>Rettangolare | • | • | • |
| **Biscuit**<br>Biscotto | • | • | • |
| **Circular**<br>Circolare | • | • | • |

**DIMENSIONS /** Dimensioni
**Customisable length L** / Lunghezza personalizzabile L
**Depth 45 cm (17 3/4")** / Profondità 45 cm (17 3/4")
**Height 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")**/ Altezza 1,2 cm (1/2"), 3 cm (1 1/8"), 12 cm (4 3/4")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**Brackets: included only for sink with a height of 12 cm (4 3/4")**
Staffe: incluse solo su lavabo con altezza 12 cm (4 3/4")
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore

**BASIN /** Vasca
**Solid 100% acrylic-based surface** / Solid surface a base acrilica pura

**BASIN MODELS**
**Rectangular basin Dimensions** / Dimensioni vasca Rettangolare
**50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")**
**Biscuit basin Dimensions** / Dimensione vasca Biscotto
**50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")**
**Circular basin Dimensions** / Dimensione vasca Circolare
**Ø35 cm (13 3/4")**

**BASIN COLORS**
**All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey**
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

**FURTHER TECHNICAL DETAILS** / Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 3/8")** / Diametro del foro rubinetto: Ø 35 mm (1 3/8")
**Overflow system included / kit troppopieno incluso**
**Drain hole diameter: 1 1/4" (drain on demand)** / Diametro piletta: 1 1/4" (piletta su richiesta)

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")**
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")
**Sinks with height 12 mm are made only with 12 mm slabs**
I lavabi con altezza 12 mm sono realizzati solo con fondo di partenza da 12 mm




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Evoluzione

## BLOCK
### Free-standing


**Rectangular Basin**
Vasca Rettangolare




**Biscuit Basin**
Vasca Biscotto




**Circular Basin**
Vasca Circolare




| Free-Standing | BASIN FINISHING COLORE VASCA Matte White Bianco opaco | Taupe Tortora | Grey Grigio |
|---|---|---|---|
| **Rectangular** Rettangolare | • | • | • |
| **Biscuit** Biscotto | • | • | • |
| **Circular** Circolare | • | • | • |

**DIMENSIONS /** Dimensioni
**Length 65 cm (25 5/8")) /** Lunghezza 65 cm (25 5/8")
**Depth 45 cm (17 3/4") with Faucet hole /** Profondità 45 cm (17 3/4") con foro miscelatore
**Height 85 cm (33 1/2") /** Altezza 85 cm (33 1/2")

**STRUCTURE /** Struttura
**Reinforcement: continuous panel /** Rinforzo: pannello continuo
**No Brackets /** No staffe
**Bottom tiling is not provided /** Non è previsto il rivestimento inferiore
**Enclosed sink back accessible through a hatch with a magnetic door**
Retro lavabo chiuso ed accessibile tramite botola con sportello magnetico

**BASIN /** Vasca
**Solid 100% acrylic-based surfaces /** Solid surface a base acrilica pura

**BASIN MODELS**
**Rectangular basin Dimensions /** Dimensioni vasca Rettangolare
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
**Biscuit basin Dimensions /** Dimensione vasca Biscotto
50x30x10 cm (19 5/8" x 11 3/4" x 3 7/8")
**Circular basin Dimensions /** Dimensione vasca Circolare
Ø35 cm (13 3/4")

**BASIN COLORS**
**All Basin models are available in 3 colors: Matte White, Matte Taupe and Matte Grey**
Tutti i modelli di vasca sono disponibili in tre colori: Bianco opaco, Tortora opaco e Grigio opaco

**FURTHER TECHNICAL DETAILS /** Altri dettagli tecnici
**Faucet hole diameter: Ø 35 mm (1 3/8") /** Diametro del foro rubinetto: Ø 35 mm (1 3/8")
**Overflow system included /** kit troppopieno incluso
**Drain hole diameter: 1 1/4" (drain not included) /** Diametro piletta: 1 1/4" (piletta non inclusa)

**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm (1/4") or 9 mm (3/8") or 12 mm (4 3/4")**
Spessore 6 mm (1/4") o 9 mm (3/8") o 12 mm (4 3/4")





# Basin Features

atlas concorde habitat



**Essenza** - Sloped Basin



**Essenza** - Flat Basin




**Essenza** - Enveloped Bottom Basin



**Dialogo**

Drain access



Easy access to the drain to remove dirt.

Facile accesso allo scarico per rimuovere lo sporco.


Perfectly insulated hydraulic system



The one-piece stainless steel basin prevents water infiltration.

La vasca monoblocco in acciaio evita le infiltrazioni di acqua.

High impact resistance



High impact resistance thanks to the advanced composite structure.

Alta resistenza agli urti grazie all'avanzata struttura composita.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Dialogo

Design Collection by **Mario Ferrarini**

reddot winner 2022






atlas concorde habitat

## Designer Sinks
### Single

**WITH OR WITHOUT FAUCET HOLE**
Con e senza foro rubinetteria




**Top** / Piano h 125 mm | 4 $^{7}/_{8}$"
**Edge** / Bordo h 175 mm | 6 $^{7}/_{8}$"

**Available in monocolor and bicolor version**
Disponibile in versione monocolore e bicolore

## Designer Sinks
### Twin

**WITH OR WITHOUT FAUCET HOLE**
Con e senza foro rubinetteria



**Top** / Piano h 125 mm | 4 $^{7}/_{8}$"
**Edge** / Bordo h 175 mm | 6 $^{7}/_{8}$"

**INFORMATIONS FOR ALL DIALOGO SINKS**
INFORMAZIONI PER TUTTI I LAVABI DIALOGO

**DIMENSIONS /** Dimensioni
**Customisable length L** / Lunghezza personalizzabile L
**Depth 45 cm** (17 $^{3}/_{4}$") / Profondità 45 cm (17 $^{3}/_{4}$")
**Height Top 12,5 cm** (4 $^{7}/_{2}$") / Altezza Top 12,5 cm (4 $^{7}/_{2}$")
**Height Edge 17,5 cm** (6 $^{7}/_{8}$") / Altezza Binario 17,5 cm (6 $^{7}/_{8}$")

**STRUCTURE** / Struttura
**Reinforcement: continuous panel** / Rinforzo: pannello continuo
**Brackets: included** / Staffe: incluse
**Bottom tiling is not provided** / Non è previsto il rivestimento inferiore

**BASIN** / Vasca
**Stainless steel, coated with porcelain tiling** / Acciaio inossidabile, rivestita in gres porcellanato
**Dimensions 55x34x10 cm** (21 $^{3}/_{4}$"x13 $^{3}/_{8}$"x3 $^{7}/_{8}$") / Dimensioni 55x34x10 cm (21 $^{3}/_{4}$"x13 $^{3}/_{8}$"x3 $^{7}/_{8}$")

**FURTHER TECHNICAL DETAILS** / Altri dettagli tecnici
**Faucet hole diameter Ø 35 mm** (1 $^{3}/_{8}$") / Diametro del foro rubinetto Ø 35 mm (1 $^{3}/_{8}$")
**Drain hole diameter**: 1 $^{1}/_{4}$" / Diametro piletta: 1 $^{1}/_{4}$"


**STARTING SLABS /** Fondi di partenza
**Thickness 6 mm** ($^{1}/_{4}$") **or 9 mm** ($^{3}/_{8}$") **or 12 mm** (4 $^{3}/_{4}$")
Spessore 6 mm ($^{1}/_{4}$") o 9 mm ($^{3}/_{8}$") o 12 mm (4 $^{3}/_{4}$")

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS


# Armonia




## Single drawer




L 300 mm
H 320 mm
D 450 mm - 500 mm



L 600 mm
H 320 mm
D 450 mm - 500 mm




L 900 mm
H 320 mm
D 450 mm - 500 mm




L 1200 mm
H 320 mm
D 450 mm - 500 mm


## Twin drawer




L 300 mm
H 500 mm
D 450 mm - 500 mm



L 600 mm
H 500 mm
D 450 mm - 500 mm



L 900 mm
H 500 mm
D 450 mm - 500 mm



L 1200 mm
H 500 mm
D 450 mm - 500 mm

**INFORMATIONS DRAWER UNIT**
INFORMAZIONI CASSETTIERA

**DIMENSIONS** / Dimensioni
**Lenght*** / Lunghezza*
**30 cm (11 3/4") | 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8")**

**Depth** / Profondità
**45 cm (17 3/4") | 50 (19 5/8")**


**Heigh** / Altezza
**32 cm (12 5/8") | 50 (19 5/8")**

**All the lenght are modular. The modules with lenght 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 3/8") are available with a siphon cut-out, always centered along the module's length.**
Tutti i moduli sono componibili. I moduli da 60 cm (23 5/8") | 90 cm (35 3/8") | 120 cm (47 1/4") sono disponibili con scasso per sifone, sempre centrato sulla lunghezza del modulo.


**STRUCTURE** / Struttura
**Structure of the chest of drawers in melamine material. Drawer opening with a push-pull mechanism. Bloom Hinges. Available laminate colors White matte, Taupe Matte, Grey Matte, White Textured, Brown Matte & Light Grey Matte.**
Struttura della cassettiera in materiale laminato. Apertura dei cassetti con meccanismo push-pull. Cerniere Bloom. Colori di laminato disponibili: White matte, Taupe Matte, Grey Matte, White Textured, Brown Matte & Light Grey Matte.

**STARTING SLABS FOR DRAWER COVERING**
Fondi di partenza per il rivestimento dei cassetti
**Thickness 6 mm (1/4"). The chest of drawers can only be covered with a 6 mm slabs.**
Spessore 6 mm (1/4"). La cassettiera può essere rivestita solo con lastra di parteza da 6 mm.

**DRAWER CUSTOMIZATION**



**Option to cover the drawer with ceramic fronts: more than 400 colors and finishing.**
Possibilità di rivestire i cassetti frontali della cassettiera con gres: più di 400 colori e finiture.



**Drawers can be paired with washbasins from the Essenza, Evoluzione, and Dialogo collections.**
Le cassettiere nascono per essere abbinate a tutti i lavabi delle gamme Essenza, Evoluzione e Dialogo.

**AVAILABLE LAMINATE COLORS**





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Tables


## Brooklyn 75
Dining Tables



**BASES** available in textured black and textured anthracite





**TOPS** 12 mm





## Brooklyn 25
CoffeeTables



**BASES** available in textured black and textured anthracite





**TOPS** 12 mm





## Manhattan
Hospitality Tables



**BASES** available in textured black and customed





**TOPS** 12 mm





## Contatto
Side Tables



**BASES** available in textured black and chromed





**TOPS** 12 mm





## Incontro 75
Dining Tables



**BASES** available in textured black and textured anthracite





**TOPS** 12 mm





## Incontro 25
CoffeeTables



**BASES** available in textured black and textured anthracite





**TOPS** 12 mm





## Cosmopolitan
Hospitality Tables



**BASES** available in textured black and customed




**TOPS** 12 mm









INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Top Colors

## Porcelain tile colors and finishes




# Base Colors




Dining, Coffee & Hospitality, Side Tables

Dining & Coffee Tables

Side Tables

Hospitality Tables





# Sinks & Tables cleaning and maintenance

FR-DE-ES-RU

## SINKS

### SANITIZING

Porcelain tiles surfaces are extremely easy to sanitize, owing to the physical and mechanical features of this material. Indeed, since they are produced at extremely high temperatures, they prove entirely poreless, which prevents mold, mildew and bacteria from spreading. This means sanitizing products or products with a specific concentration of chemicals capable of eradicating germs and bacteria from surfaces can easily be used, for optimum efficiency and without worrying about damaging the material itself.

### ROUTINE CLEANING

For routine cleaning, simply use a damp sponge or a microfiber cloth with hot water and ordinary neutral detergent* then wipe dry with a soft cloth. To remove dirt built up in the corners, we recommend you rub with a nonabrasive soft bristle brush.
Avoid using:
1. Products with waxing, restoring, polishing, brightening properties;
2. Products containing hydrofluoric acid and its derivatives;
3. Metal wire pads (iron and steel pads) or excessively abrasive pads.
CAUTION: Porcelain tiles do not require the application of waxes or detergents with polishing additives, even when the surface is glossy/lapped.

*such as Clean Universal made by Faber Chimica or Fila Clean&Shine for the Italian market - Fila Cleanall for the US market - Fila Brio for all other markets.

### EXTRAORDINARY CLEANING

In the event of tough stains, which cannot be removed during routine cleaning operations, we suggest the use of alkaline detergents* for coffee, fruit juice, wine, ink stains and the like, acidic detergents** in the event of limescale residue (or rust), use specific detergents to remove silicone sealant residue***

*such as Clean Degreaser - Deep Degreaser made by Faber Chimica or Fila Powerclean for the Italian market - Fila Hobby for other markets.
**such as Clean Limescale - Tile Cleaner made by Faber Chimica or Fila Deepclean for the Italian market - Fila Via Bagno for other markets.
***such as Epoxy Cleaner made by Faber Chimica or Fila Zerosil.

### STEEL SURFACES

Stainless steel is an extremely strong material and is not subject to the corrosive action of oxidation. However, specific products should be used for cleaning it.
In addition, to avoid damaging the surface, do not use:
1. sponges or scourers that could cause irreversible scratches and abrasions;
2. aggressive chemicals;
3. cleaning products based on ammonia, bleach or chlorine.

### LACQUERED SURFACES

Daily cleaning and maintenance of the lacquered surfaces of the drawer unit.
To maintain lacquered surfaces for as long as possible and in the best possible condition, proceed as follows:
1. Treat the stain promptly, allowing it to remain in contact with the surface for as little time as possible.
2. Only use a moistened microfibre cloth, white if possible. Do not use sponges or rags that could scratch the surface.
3. Use a NON-abrasive, neutral liquid soap solution. Marseille soap is particularly suitable. Simply dilute a few flakes in a bowl with lukewarm water, lightly dampen the cloth and wipe the surface.
4. After wiping, it is best to rinse and dry quickly, taking care to use a dry cloth different from the one used for cleaning. Air drying is not recommended because halos or traces of water may remain.
5. Do not use organic solvents such as acetone and alcohol, do not use detergents containing strong acids, kitchen detergents and substances containing ammonia, trichloroethylene and bleach.

## LAVABI

### IGIENIZZAZIONE

Le superfici in gres porcellanato sono estremamente facili da igienizzare, grazie alle caratteristiche fisico-meccaniche di questo materiale. Infatti, essendo prodotta ad altissime temperature, risulta totalmente priva di pori, fatto che impedisce a muffe e batteri di proliferare. È possibile utilizzare pertanto senza problemi prodotti igienizzanti ossia con una determinata concentrazione di sostanze in grado di eliminare germi e batteri dalle superfici, con la massima efficacia e senza temere di rovinare il materiale stesso.

### PULIZIA ORDINARIA

Per la pulizia quotidiana è sufficiente utilizzare una spugna inumidita o un panno in microfibra con acqua calda e un comune detergente neutro* asciugando con un panno morbido. Per la rimozione di sporco accumulatosi negli angoli si suggerisce di strofinare con uno spazzolino con setole morbide non abrasive.
Evitare l'utilizzo di:
1. Prodotti con caratteristiche ceranti, ravvivanti, lucidanti, brillantanti;
2. Prodotti che contengono acido fluoridrico e suoi derivati;
3. Pagliette di metallo (spugnette di ferro e acciaio) o eccessivamente abrasive.
ATTENZIONE: il gres porcellanato non richiede l'applicazione di cere o di detergenti con additivi lucidanti anche quando ha una superficie lucida/lappata.

*tipo Clean Universal della Faber Chimica oppure Fila Clean&Shine per mercato IT - Fila Cleanall per mercato USA - Fila Brio per tutti gli altri mercati.

### PULIZIA STRAORDINARIA

Nel caso di macchie ostinate, non rimovibili con la pulizia ordinaria, si suggerisce di utilizzare detergenti a base alcalina* per caffè, succhi di frutta, vino, inchiostro, ed etc.,
detergenti a base acida** nel caso di residui di calcare (o ruggine) utilizzare detergenti specifici per la rimozione di residui di sigillanti siliconici***

*tipo Clean Degreaser - Deep Degreaser della Faber Chimica oppure Fila Powerclean per mercato IT - Fila Hobby per gli altri mercati.
**tipo Clean Limescale - Tile Cleaner della Faber Chimica oppure Fila Deepclean per il mercato IT - Fila Via Bagno per gli altri mercati.
***tipo Epoxy Cleaner della Faber Chimica oppure Fila Zerosil.

### SUPERFICI IN ACCIAIO

L'acciaio inox è un materiale estremamente resistente e non è soggetto all'azione corrosiva dell'ossidazione.
Tuttavia per la pulizia è opportuno adoperare prodotti specifici.
Inoltre per evitare il danneggiamento della superficie non utilizzare:
1. spugne o pagliette metalliche che potrebbero generare graffi ed abrasioni irreversibili;
2. sostanze chimiche aggressive;
3. prodotti per la pulizia a base di ammoniaca, candeggina o cloro.

### SUPERFICI LACCATE

Pulizia e manutenzione quotidiana delle superfici laccate della cassettiera. Per conservare le superfici laccate per il maggior tempo e nella migliore condizione possibile, è necessario rispettare e seguire i seguenti punti:
1. Agire tempestivamente sulla macchia, lasciando che questa rimanga il minor tempo possibile a contatto con la superficie;
2. Utilizzare esclusivamente un panno in microfibra inumidito, possibilmente bianco. Non utilizzare spugne o stracci che potrebbero graffiare la superficie;
3. Utilizzare una soluzione di sapone liquido neutro NON abrasivo.
Particolarmente indicato è il Sapone di Marsiglia, sarà sufficiente diluire alcune scaglie in una bacinella d'acqua tiepida, bagnare leggermente il panno e passarlo sulla superficie;
4. Dopo aver passato il panno, è bene procedere con le operazioni di risciacquo e asciugatura in maniera rapida, avendo cura di usare un panno asciutto diverso da quello utilizzato per la pulizia. L'asciugatura all'aria è sconsigliata perché potrebbero rimanere aloni o tracce di acqua; Non usare solventi organici come acetone ed alcool, non usare detergenti contenenti acidi forti, detergenti per cucina e sostanze contenenti ammoniaca, trielina e candeggina.

## TABLES

Iron and steel table structures are designed to ensure durability and strength over time. To keep them in excellent condition and prevent premature wear, it is essential to follow a few simple maintenance and cleaning guidelines

### ROUTINE CLEANING

For daily cleaning, simply:
Use a soft microfiber cloth or a damp sponge with lukewarm water and a neutral detergent. Always dry with a soft, dry cloth to prevent streaks or limescale buildup. Avoid using:
Abrasive sponges or metal scouring pads, as they can scratch the surface.
Products containing ammonia, bleach, chlorine, or aggressive solvents, which may damage the finish. Oily or wax-based cleaners that leave residues and alter the metal's appearance.

### DEEP CLEANING

For stubborn dirt, grease stains, or difficult marks:
Grease or oil residues: Use a neutral degreasing cleaner, apply with a soft cloth, and rinse with clean water.
Limescale stains: For limescale deposits, a mild solution of water and white vinegar can be applied with a cloth and rinsed off immediately. Rust spots on painted iron: If small rust spots appear, gently treat them with a non-abrasive sponge and a specific anti-rust product, being careful not to damage the protective paint.

### PREVENTION AND MAINTENANCE

Avoid prolonged exposure to moisture: In outdoor environments, always dry the surfaces after rain and ensure the support area does not retain water. For painted iron structures: Regularly check the surface for any scratches and restore the protective paint if needed. For stainless steel structures: Avoid prolonged contact with non-stainless steel objects to prevent galvanic corrosion.

## TAVOLI

Le strutture dei tavoli in ferro e acciaio sono progettate per garantire durata e resistenza nel tempo. Per mantenerle in condizioni eccellenti e prevenire un'usura prematura, è essenziale seguire alcune semplici linee guida per la manutenzione e la pulizia.

### PULIZIA DI ROUTINE

Per la pulizia quotidiana, è sufficiente:
Utilizzare un panno morbido in microfibra o una spugna umida con acqua tiepida e un detergente neutro. Asciugare sempre con un panno morbido e asciutto per evitare aloni o accumuli di calcare. Evitare l'uso di:
Spugne abrasive o pagliette metalliche, che possono graffiare la superficie. Prodotti contenenti ammoniaca, candeggina, cloro o solventi aggressivi, che possono danneggiare la finitura. Detergenti oleosi o a base di cera, che lasciano residui e alterano l'aspetto del metallo.

### PULIZIA PROFONDA

Per sporco ostinato, macchie di grasso o segni difficili:
Residui di grasso o olio: Usare un detergente sgrassante neutro, applicare con un panno morbido e risciacquare con acqua pulita.
Macchie di calcare: Per depositi di calcare, si può applicare una soluzione delicata di acqua e aceto bianco con un panno e risciacquare immediatamente. Macchie di ruggine su ferro verniciato: Se compaiono piccole macchie di ruggine, trattarle delicatamente con una spugna non abrasiva e un prodotto specifico antiruggine, facendo attenzione a non danneggiare la vernice protettiva.

### PREVENZIONE E MANUTENZIONE

Evitare l'esposizione prolungata all'umidità: In ambienti esterni, asciugare sempre le superfici dopo la pioggia e assicurarsi che l'area di appoggio non trattenga acqua. Per strutture in ferro verniciato: Controllare periodicamente la superficie per eventuali graffi e ripristinare la vernice protettiva se necessario. Per strutture in acciaio inossidabile: Evitare il contatto prolungato con oggetti non in acciaio inox per prevenire la corrosione galvanica.

# Notes

### CAUTION

Avoid accidental shocks that could result in chipping or irreversible damage. In the event of breakage, check that the structural parts are not damaged and, if necessary, discard the item.
Avoid any improper use of the items and their components. Some removable parts could be used as blunt objects.
Be careful: sharp edges and possible razor-sharp surfaces.

### ATTENZIONE

Evitare urti accidentali che potrebbero provocare sbeccature o lesioni non ripristinabili. In presenza di rotture verificare che le parti strutturali non siano compromesse e nel caso mettere fuori utilizzo l'oggetto.
Evitare qualsiasi uso improprio degli articoli e dei loro componenti. Alcune parti removibili potrebbero essere utilizzate come oggetti contundenti.
Prestare attenzione: spigoli acuminati e possibile presenza di superfici taglienti.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Tratto


Signature Objects by **Piero Lissoni**




atlas concorde habitat

## LIBRA **


**T-Frame** /
Mobile a T



L 900 mm | $35^{3}/_{8}$"
H 1100 mm | $43^{1}/_{4}$"
D 300 mm | $11^{3}/_{4}$"




L 900 mm | $35^{3}/_{8}$"
H 1100 mm | $43^{1}/_{4}$"
D 300 mm | $11^{3}/_{4}$"




L 900 mm | $35^{3}/_{8}$"
H 800 mm | $31^{1}/_{2}$"
D 300 mm | $11^{3}/_{4}$"

## ELLE **

**L-Frame** /
Mobile a L




L 900 mm | $35^{3}/_{8}$"
H 475 mm | $18^{3}/_{4}$"
D 300 mm | $11^{3}/_{4}$"




L 900 mm | $35^{3}/_{8}$"
H 775 mm | $30^{1}/_{2}$"
D 300 mm | $11^{3}/_{4}$"

## TORRE *

**Wall I-Frame** /
Scaffale da parete



L 300 mm | $11^{3}/_{4}$"
H 900 mm | $35^{3}/_{8}$"
D 300 mm | $11^{3}/_{4}$"




L 300 mm | $11^{3}/_{4}$"
H 600 mm | $23^{5}/_{8}$"
D 300 mm | $11^{3}/_{4}$"




L 300 mm | $11^{3}/_{4}$"
H 300 mm | $11^{3}/_{4}$"
D 300 mm | $11^{3}/_{4}$"

**Slim Wall I-Frame** /
Scaffale sottile da parete



L 150 mm | $5^{7}/_{8}$"
H 900 mm | $35^{3}/_{8}$"
D 300 mm | $11^{3}/_{4}$"

**Ground I-Frame** /
Scaffale da terra



L 300 mm | $11^{3}/_{4}$"
H 1200 mm | $47^{1}/_{4}$"
D 300 mm | $11^{3}/_{4}$"

* **Items available from stock, subject to warehouse availability check. Customization not available.** / Articoli disponibili a stock, previa verifica della disponibilità in magazzino. Personalizzazione non disponibile.

** **Items available upon quotation. Customization of color and finish available on 6 mm ceramic products.** / Articoli disponibili su quotazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da 6 mm.


INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Tratto

## OMEGA ***
**U-Shelf** / Mensole a U



L 300 mm | 11 3/4"
H 120 mm | 4 3/4"
D 100 mm | 3 7/8"



L 600 mm | 23 5/8"
H 120 mm | 4 3/4"
D 100 mm | 3 7/8"




L 900 mm | 35 3/8"
H 120 mm | 4 3/4"
D 100 mm | 3 7/8"


## LINEA **
**T-Shelf** / Scaffalatura a T




L 300 mm | 11 3/4"
H 50 mm | 2"
D 200 mm | 7 7/8"



L 600 mm | 23 5/8"
H 50 mm | 2"
D 200 mm | 7 7/8"




L 900 mm | 35 3/8"
H 50 mm | 2"
D 200 mm | 7 7/8"




L 1200 mm | 47 1/4"
H 50 mm | 2"
D 200 mm | 7 7/8"

**Depth: 20 cm** / Profondità: 20 cm


## ARCO *
**Bench** / Panca



L 1200 mm | 47 1/4"
H 420 mm | 16 1/2"
D 420 mm | 16 1/2"
**Structure in RAL 7024** / Struttura in RAL 7024



L 1500 mm | 59"
H 420 mm | 16 1/2"
D 420 mm | 16 1/2"
**Structure in RAL 7024** / Struttura in RAL 7024



L 1800 mm | 70 7/8"
H 420 mm | 16 1/2"
D 420 mm | 16 1/2"

* **Items available from stock, subject to warehouse availability check. Customization not available.** / Articoli disponibili a stock, previa verifica della disponibilità in magazzino. Personalizzazione non disponibile.

** **Items available upon quotation. Customization of color and finish available on 6 mm ceramic products.** / Articoli disponibili su quotazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da 6 mm.


*** **Made-to-order items. Customization of color and finish available on 6 mm ceramic products.** / Articoli disponibili su ordinazione. Possibilità di personalizzazione di colore e finitura su prodotti ceramici da 6 mm.





atlas concorde habitat

## QUADRO - 3D QUADRO *
**Tray** / Vassoio




L 360 mm | 14 1/8"
H 40 mm | 1 5/8"
D 360 mm | 14 1/8"




L 250 mm | 9 7/8"
H 40 mm | 1 5/8"
D 250 mm | 9 7/8"

## TRAMA **
**Centerpiece** / Centrotavola




L 740 mm | 29 1/8"
H 30 mm | 1 1/8"
D 480 mm | 18 7/8"


## HASHTAG **
**Flower Pot** / Vaso da fiori



L 800 mm | 31 1/2"
H 480 mm | 18 7/8"
D 240 mm | 9 1/2"




L 400 mm | 15 3/4"
H 480 mm | 18 7/8"
D 400 mm | 15 3/4"



L 600 mm | 23 5/8"
H 420 mm | 16 1/2"
D 600 mm | 23 5/8"

## GIOTTO *
**Side Table** / Tavolino



Ø 1200 mm | 47 1/4"
H 160 mm | 6 1/4"
**Structure in RAL 7024** /
Struttura in RAL 7024



Ø 650 mm | 25 5/8"
H 250 mm | 9 7/8"
**Structure in RAL 7024** /
Struttura in RAL 7024



**Ø 450 mm | 17 3/4"**
**H 350 mm | 13 3/4"**
**Structure in RAL 7024** /
Struttura in RAL 7024

## DISCO - 3D DISCO *
**Tray** / Vassoio



Ø 360 mm | 14 1/8"
H 40 mm | 1 5/8"



Ø 250 mm | 9 7/8"
H 40 mm | 1 5/8"

## FILO **
**Serving Board** / Tagliere



Ø 300 mm | 11 3/4"
H 120 mm | 4 3/4"




Ø 220 mm | 8 5/8"
H 240 mm | 9 1/2"



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS

# Tratto

## CERAMIC AVAILABLE COLORS
**For some products of TORRE▪ and ARCO▪ /**
Per alcuni prodotti di TORRE▪ e ARCO▪



**Travertino Sand**
Hammered

**Boost Icor Dune**
Hammered

**Boost Vision Glow**
Hammered

**Taj Mahal**
Silk

**Navona White**
Hammered

**IN COMBINATION WITH**
**Wood finish** / Finitura in legno

**Light**
Matte

**Boost Natural Ash**
Matte

**Nyra Mist NB**
Hammered

**Precious Brown**
Silk

**Appennino**
Silk

**Boost Vision Corten**
Matte

**IN COMBINATION WITH**
**Wood finish** / Finitura in legno

**Dark**
Matte


▪ **ITEMS AVAILABLE FROM STOCK, SUBJECT TO WAREHOUSE AVAILABILITY CHECK. Customization not available.**
ARTICOLI DISPONIBILI A STOCK, PREVIA VERIFICA DELLA DISPONIBILITÀ IN MAGAZZINO. Personalizzazione non disponibile.





atlas concorde habitat

## CERAMIC AVAILABLE COLORS
**For QUADRO▪, DISCO▪ and GIOTTO▪ /**
Per QUADRO▪, DISCO▪ e GIOTTO▪



**Boost Icor Bone**
Hammered

**Boost Vision Camel**
Hammered

**Boost Icor Dune**
Hammered

**Nyra Ambrosia**
Hammered

**IN COMBINATION WITH**
**Wood finish** / Finitura in legno

**Light**
Matte

**Fior di Bosco**
Polished

**Nero Marquina**
Polished

**Natural Root**
Polished

**Fior di Bosco**
Silk

**Nero Marquina**
Silk

**Natural Root**
Silk

**IN COMBINATION WITH**
**Wood finish** / Finitura in legno

**Dark**
Matte



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
ESSENZA
EVOLUZIONE
DIALOGO
ARMONIA
TABLES
TRATTO
FACADES
TECHNICAL SPECIFICATIONS



# Facades

- BONDED FACADES
- VENTILATED FACADES

INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS




# Bonded facades

## On plaster



**Suitable thicknesses**
± 6 mm
± 9 mm
± 12 mm

1. Stoneware cladding
2. Safety hook
3. Highly deformable adhesive
4. Masonry




### BONDED FACADES ON PLASTER

Porcelain panels are bonded directly to the outer plaster layer of the wall face using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. It is advisable to place metal hooks as an additional safety restraint, which will remain hidden behind the slab.
These hooks are then mechanically attached to the wall.

### FACCIATE INCOLLATE SU INTONACO


I pannelli in gres vengono incollati direttamente allo strato di intonaco esterno del paramento murario, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello. È consigliabile disporre ganci metallici, come ulteriore ritegno di sicurezza, che rimarranno nascosti dietro la lastra preventivamente lavorata.
Tali ganci sono poi fissati meccanicamente alla parete.

## On thermal coat



**Suitable thicknesses**
± 6 mm [1]

1. Stoneware cladding
2. Highly deformable adhesive
3. Structural plaster
4. Fiber glass mesh
5. Structural render
6. Insulating panel
7. Adhesive
8. Masonry




### BONDED FACADES ON THERMAL COAT

External vertical cladding system made by bonding the ceramic slabs to the insulating layer using the double spreading method with the proper adhesive depending on the nature of the substrate, environmental conditions, and panel size. Light colors with a solar reflectance index (SR) greater than 20% are recommended.

### FACCIATE INCOLLATE SU CAPPOTTO TERMICO

Sistema di rivestimento verticale esterno realizzato incollando le lastre ceramiche allo strato di isolante, adottando il metodo della doppia spalmatura con idoneo adesivo in funzione alla natura del sottofondo, delle condizioni ambientali e del formato del pannello.
Sono da privilegiare colori chiari con indice di riflettanza solare (SR) maggiore del 20%.

[1] **However, we do not exclude the possibility of using thicker, larger slabs on insulating layers after further evaluation at the design stage or on-site surveys in the case of work on existing surfaces.** - Non si esclude comunque la possibilità di incollare su isolante in facciata lastre di spessore e formato maggiori previa ulteriori valutazioni in fase di progetto o rilievi in sito in caso di interventi su esistente.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS


# Ventilated facades*

## With visible mechanical hooks



Suitable thicknesses
∓ 6 mm
∓ 9 mm
∓ 12 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry




### VENTILATED FACADES WITH VISIBLE MECHANICAL HOOKS

The attachment of the slabs is visible and done with steel clips, possibly painted in a color similar to the facing. The metal structure of the system consists of vertical mullions and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustment during installation.

### FACCIATE VENTILATE CON AGGANCI A VISTA MECCANICI


L'aggancio delle lastre è visibile e realizzato con clips di acciaio, eventualmente verniciate con un colore simile al paramento.
La struttura metallica del sistema è composta da montanti verticali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

## With invisible mechanical hooks



Suitable thicknesses
∓ 9 mm
∓ 12 mm
∓ 20 mm

1. Stoneware cladding
2. Fasteners
3. Horizontal profile
4. Insulating panel
5. Mullion
6. Brackets
7. Masonry




### VENTILATED FACADES WITH INVISIBLE MECHANICAL HOOKS

The attachment is concealed on the back of the slab by means of special steel inserts that fit into previously-made holes.
The metal structure of the system consists of vertical mullions, horizontal beams, and brackets anchored to the wall of the building by appropriately sized dowels. The coupling system between bracket and upright ensures compliance with the designed geometric constraints while also allowing for minor adjustments during installation.

### FACCIATE VENTILATE CON AGGANCI A SCOMPARSA MECCANICI


L'aggancio è occulto sul retro della lastra mediante speciali inserti di acciaio che si inseriscono in fori sottosquadro, precedentemente realizzati meccanicamente. La struttura metallica del sistema è composta da montanti verticali, correnti orizzontali e staffe, ancorate alla parete portante dell'edificio mediante tasselli opportunamente dimensionati. Il sistema di aggancio tra staffa e montante permette di rispettare i vincoli geometrici progettati garantendo piccoli aggiustamenti in fase di posa.

## With invisible chemical-mechanical hooks



Suitable thicknesses
∓ 6 mm
∓ 9 mm
∓ 12 mm

1. Stoneware cladding
2. Horizontal profile
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry




### VENTILATED FACADES WITH INVISIBLE CHEMICAL-MECHANICAL HOOKS

For slabs less than 9 mm thick, the attachment system is not only mechanical but also chemical. Depending on the case, the bonding can be continuous and applied to a backing layer or directly to the metal profiles of the structure. The hybrid nature of the attachment thus provides greater safety than single-attachment techniques.

### FACCIATE VENTILATE CON AGGANCI A SCOMPARSA CHIMICO-MECCANICI

Per lastre di spessore inferiore a 9 mm, il sistema di aggancio non sarà esclusivamente meccanico ma anche chimico. A seconda dei casi l'incollaggio può essere continuo e applicato ad uno strato di supporto oppure direttamente ai profili metallici della struttura. La natura ibrida dell'aggancio garantisce così maggior sicurezza rispetto ad agganci con tecnica di fissaggio singola.


FR-DE-ES-RU

## With invisible hooks for slabs with incisions (kerf)




Suitable thicknesses
∓ 20 mm

1. Stoneware cladding
2. Clip hook
3. Insulating panel
4. Mullion
5. Brackets
6. Masonry




### VENTILATED FACADES WITH INVISIBLE HOOKS FOR SLABS WITH INCISIONS (KERF)

For 20-mm-thick slabs, the concealed attachment system consists of clips inserted into an incision on the edge of the slabs, previously cut into the thickness along the parallel horizontal sides with respect to the orientation of the installation. The structure can be the same as the systems with visible fasteners.

### FACCIATE VENTILATE CON AGGANCI A SCOMPARSA PER LASTRE INTAGLIATE (KERF)

Per lastre di spessore 20 mm il sistema di aggancio occulto è costituito da clips inserite in una incisione sulla costa delle lastre, preventivamente incise nello spessore lungo i lati paralleli orizzontali rispetto all'orientamento dell'installazione.
La struttura può essere la stessa dei sistemi con aggancio a vista.

ESL
مختبر الإمارات للسلامة
EMIRATES SAFETY LABORATORY

Proudly Attested by ESL
ensuring a safer and sustainable future together
eslglobal.com

* **Technological exterior cladding systems consisting of a series of layers anchored to the building walls by a metal structure. A layer of thermal and acoustic insulation is usually applied directly on the wall, and then porcelain tile cladding is added externally. A hollow space is created between the two layers to ensure the breathability of the facade through continuous ventilation.** - Sistemi tecnologici di rivestimento esterno costituiti da una serie di strati ancorati alle pareti dell'edificio mediante una struttura metallica. A contatto con la parete in genere è applicato uno strato di isolante termico ed acustico e più esternamente il rivestimento in gres porcellanato. Tra i due strati si crea un'intercapedine vuota che garantisce traspirazione della facciata mediante ventilazione continua.



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
BONDED FACADES
VENTILATED FACADES
TECHNICAL SPECIFICATIONS

# Safety Requirements

**Processing operations such as cutting, grinding and polishing may generate respirable crystalline silica dust.**

- **Do not handle until all safety precautions have been read, understood and implemented.**
- **Always use wet methods (apply water) during all fabrication and processing.**
- **Avoid generating airborne dust, especially without appropriate respiratory protective equipment and adequate air filtration and ventilation systems, which depend on the specific workplace conditions. Air monitoring should be conducted to ensure that respirable crystalline silica levels remain below applicable exposure limits.**
- **Consult local authorities and a qualified industrial hygienist to implement the required occupational safety measures in compliance with local legislation.**
- **Refer to the Safety Data Sheet of the product available at https://www.atlasconcorde.com/en/download-area for detailed precautions.**

Le operazioni di lavorazione come il taglio, la levigatura e la lucidatura possono generare polvere di silice cristallina respirabile.
- Non maneggiare il materiale fino a quando tutte le precauzioni di sicurezza non sono state lette, comprese e implementate.
- Utilizzare sempre metodi a umido (applicare acqua) durante tutte le fasi di lavorazione e fabbricazione.
- Evitare di generare polvere aerea, specialmente senza un adeguato equipaggiamento di protezione respiratoria e sistemi adeguati di filtrazione e ventilazione dell'aria, che dipendono dalle condizioni specifiche del luogo di lavoro. È necessario effettuare monitoraggi dell'aria per garantire che i livelli di silice cristallina respirabile rimangano al di sotto dei limiti di esposizione applicabili.
- Consultare le autorità locali e un igienista industriale qualificato per implementare le misure di sicurezza sul lavoro richieste in conformità con la legislazione locale.
- Fare riferimento alla Scheda di Sicurezza del prodotto disponibile su **https://www.atlasconcorde.com/it/download-area** per le precauzioni dettagliate.

Les opérations de traitement telles que la découpe, le meulage et le polissage peuvent générer de la poussière de silice cristalline alvéolaire.
- Ne pas manipuler avant d'avoir lu, compris et appliqué toutes les précautions de sécurité.
- Utiliser toujours des méthodes humides (application d'eau) lors de toutes les étapes de fabrication et de traitement.
- Éviter de générer des poussières en suspension dans l'air, en particulier en l'absence d'un équipement de protection respiratoire approprié et de systèmes adéquats de filtration et de ventilation de l'air, dont l'efficacité dépend des conditions spécifiques du lieu de travail. Une surveillance de l'air doit être effectuée afin de s'assurer que les niveaux de silice cristalline alvéolaire restent inférieurs aux limites d'exposition applicables.
- Consulter les autorités locales ainsi qu'un hygiéniste industriel qualifié pour mettre en oeuvre les mesures de sécurité au travail requises conformément à la législation locale.
- Se référer à la fiche de données de sécurité du produit disponible sur **https://www.atlasconcorde.com/fr/download-area** pour connaître les précautions détaillées.

Bearbeitungen wie das Schneiden, Schleifen und Polieren können lungengängigen Staub aus kristallinem Siliciumdioxid entstehen lassen.
- Das Material darf erst dann verarbeitet werden, wenn alle Vorsichtsmaßnahmen gelesen, verstanden und umgesetzt wurden.
- In allen Bearbeitungs- und Fertigungsphasen stets Nassverfahren (mit Wasser) anwenden.
- Die Entstehung von Staub in der Luft vermeiden, insbesondere dann, wenn keine geeignete Atemschutzausrüstung und keine angemessenen Luftfilter- und Belüftungssysteme zum Einsatz kommen, die von den spezifischen, am Arbeitsplatz herrschenden Bedingungen abhängen. Die Luft muss kontrolliert werden, um sicherzustellen, dass die Konzentration an lungengängigem kristallinem Siliciumdioxid unter den zulässigen Expositionsgrenzen bleibt.
- Wenden Sie sich an die örtlichen Behörden und einen qualifizierten Arbeitshygieniker, um die gemäß den örtlichen Vorschriften erforderlichen Arbeitsschutzmaßnahmen umzusetzen.
- Genauere Vorsichtsmaßnahmen finden Sie im Sicherheitsdatenblatt des Produkts unter **https://www.atlasconcorde.com/de/download-area**

Las operaciones como el corte, esmerilado y pulido pueden generar polvo de sílice cristalina respirable.
- No manipule el producto hasta haber leído, comprendido y aplicado todas las precauciones de seguridad correspondientes.
- Utilice siempre métodos húmedos (aplicación de agua) durante todas las fases de trabajo.
- Evite generar polvo en suspensión, especialmente si no se dispone de equipos de protección respiratoria y sistemas de ventilación/filtración adecuados, cuya idoneidad debe evaluarse según las condiciones específicas del entorno laboral. Se debe realizar un control de calidad del aire para asegurar que los niveles de exposición a la sílice cristalina respirable se mantengan por debajo de los límites permitidos.
- Consulte con las autoridades locales y con un higienista industrial cualificado para implementar las medidas de seguridad necesarias conforme a la normativa local.
- Consulte la Ficha de Datos de Seguridad del producto en: **https://www.atlasconcorde.com/es/download-area** para obtener detalles adicionales sobre medidas de seguridad.

Такие операции обработки материала, как резка, шлифовка и полировка могут приводить к появлению вдыхаемой пыли кристаллического кремния.
- Не работайте с материалом до тех пор, пока все меры безопасности не будут прочитаны, усвоены и внедрены.
- На всех этапах обработки и производства всегда используйте влажные методы (применяйте воду).
- Избегайте образования воздушной пыли, в особенности при отсутствии надлежащих средств защиты дыхательных путей, а также подходящих систем фильтрации и вентиляции воздуха, которые зависят от специальных условий на рабочем месте. Для того чтобы уровни содержания кристаллического кремния во вдыхаемом воздухе находились ниже применимых предельных значений, необходимо осуществлять мониторинг воздуха.
- Обращайтесь в местные органы власти и к квалифицированному специалисту по промышленной гигиене касаемо вопроса внедрения мер безопасности на рабочем месте, требуемых местным законодательством.
- Подробно о мерах предосторожности изложено в паспорте безопасности изделия, с которым можно ознакомиться, перейдя по ссылке **https://www.atlasconcorde.com/ru/download-area.**




# Technical Specifications


- VELVETECH
- SENSITECH
- CERTIFICATIONS
- TECHNICAL SPECIFICATION
- DESTINATIONS OF USE
- COLOR-SHADING
- LAYING SUGGESTIONS - CLEANING AND MAINTENANCE
- PACKING
- GENERAL CONDITIONS OF SALE

# Velvetech

**The advanced technology patented in italy,
inspired by the art of polishing surfaces for an impeccable smooth touch**





USER GUIDE

DISCOVER MORE





# PRECAUTIONS VELVETECH

### SURFACE FEATURES

- Velvet is a delicate surface that requires proper care.
- Velvet is a surface that features irregularities, streaks, and superficial halos, particularly visible under oblique or reflected light.
- The Velvet finish may show noticeable marks, caused primarily by contact with metal objects (e.g. metal legs of chairs and furniture) and other abrasive materials. To best protect and preserve it, it is essential to follow the cleaning and maintenance guidelines

### CARATTERISTICHE DELLA SUPERFICIE

- Velvet è una superficie delicata che merita attenzione.
- Velvet è una superficie che presenta irregolarità, screziature e alonature superficiali, visibili soprattutto alla luce radente.
- La finitura Velvet può mostrare segni particolarmente evidenti sulla superficie, causati soprattutto dal contatto con oggetti metallici (es. piedini in metallo di sedie e mobili) e altri materiali abrasivi. Per preservarla al meglio, è fondamentale seguire le indicazioni di pulizia e manutenzione.

### DAILY CLEANING & CARE

- Do not use detergents with waxing, polishing, or shining properties.
- Do not use steel wood pads or excessively abrasive materials.
- Clean with a damp cloth and diluted neutral detergent, or use a scrubber dryer with soft nylon brushes for large areas, following the manufacturer's instructions.
- Periodic cleaning with a melamine brush and diluted alkaline detergent is recommended, following the manufacturer's instructions.
- In humid environments or those with organic residues (e.g., limescale or staining agents), use an acid-based detergent and rinse thoroughly, following the manufacturer's instructions.
- In spaces with outdoor exposure, use mats or dirt-trapping devices to retain moisture and dust.
- Apply protective pads to movable elements in contact with the surface (e.g., furniture and chair legs, etc.).
- During installation, use leveling spacers with anti-scratch pads.

### PULIZIA E CURA QUOTIDIANA

- Non utilizzare detergenti con proprietà ceranti, brillantanti e lucidanti.
- Non utilizzare pagliette in metallo o eccessivamente abrasive.
- Pulire con panno umido e detergente neutro in soluzione diluita o lavasciuga con spazzole in nylon morbide per grandi superfici, seguendo le istruzioni del produttore.
- È consigliato effettuare periodicamente una pulizia con spazzola melaminica con detergente alacalino diluito, seguendo le istruzioni del produttore.
- In ambienti umidi o con residui organici (esempio: calcare o agenti macchianti) utilizzare un detergente a base acida, seguendo le istruzioni del produttore, ed eseguire un abbondante risciacquo.
- In ambienti a contatto con l'esterno, utilizzare tappeti o dispositivi assorbi-sporco per trattenere umidità e polvere.
- Applicare protezioni agli elementi mobili a contatto con la superficie (Esempio: piedini di arredi di mobili, sedie etc.).
- Utilizzare distanziatori livellanti con pedane anti-graffio durante la posa.

### INDICATIONS OF USE

- Recommended for low-traffic flooring, preferably for residential use (e.g., bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.).
- Not recommended for flooring where anti-slip performance is required.
- Recommended for flooring with a coefficient of friction (DCOF) >0.42 Wet (ANSI A326.3).
- Please note that the indication for use is purely indicative, and it is always the designer's responsibility to assess the suitability of the product for specific use conditions and local regulations, taking into account the variables of the intended environment.

### INDICAZIONI D'USO

- Consigliata per pavimenti a basso traffico, preferibilmente ad utilizzo residenziale (Esempio: Camere da letto, soggiorni, studi, cucine private, bagni privati, etc.).
- Non consigliata per pavimenti dove è richiesta resistenza antiscivolo.
- Consigliata per pavimenti con grado di coefficiente di attrito di DCOF (ANSI A326.3) >0,42Wet.
- Si rammenta che l'indicazione d'uso è da ritenersi puramente indicativa e che è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo e alle norme locali in funzione delle variabili che si possono verificare nell'ambiente di destinazione.

### CLEANING & MAINTENANCE AFTER LAYING

- Always perform a preliminary cleaning test, regardless of the grout used (cementitious grout, class CG-EN 13888 in contrast or epoxy grout, class RG-EN 13888).
- For cementitious grout, use a buffered acid cleaner and rinse thoroughly, following the manufacturer's instructions.
- For epoxy grouts, remove residues before they harden and use specific cleaners, following the manufacturer's instructions.


### PULIZIA E MANUTENZIONE DI FINE CANTIERE

- Eseguire sempre una prova di pulizia preliminare, qualsiasi sia lo stucco utilizzato (stucco cementizio classe CG-EN 13888 a contrasto o stucco epossidico classe RG-EN 13888).
- In caso di stucchi cementizi, utilizzare un detergente acido tamponato poi risciacquare abbondantemente, seguendo le istruzioni del produttore.
- In caso di stucchi epossidici, rimuovere i residui prima che si induriscano e utilizzare pulitori specifici, seguendo le istruzioni del produttore.




INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Sensitech



Traditional anti-slip surface



The innovative Sensitech Surface

**Sensitech is the high-tech surface for indoor and outdoor settings created by Atlas Concorde Laboratories, patented in Europe, in Russia and the United States.The surface combines high slip resistance performance with tactile softness. With Sensitech, the meaning of surface evolves and takes on a reassuring, pleasant and practical touch, making architectural spaces more comfortable and appealing.**

Sensitech è la superficie ad alto coefficiente tecnologico per gli ambienti interni ed esterni realizzata dai Laboratori Atlas Concorde, brevettata in Europa, in Russia e negli Stati Uniti. La superficie coniuga elevate prestazioni di resistenza allo scivolamento ad una maggiore morbidezza tattile. Con Sensitech il significato di superficie si evolve e assume un tocco rassicurante, piacevole e pratico, rendendo gli spazi architettonici sempre più confortevoli e appaganti.

# Certifications

**Ratings and memberships**

**Company certifications** / Certificazioni aziendali

**Product certifications** / Certificazioni di prodotto

**Product declarations** / Dichiarazioni di prodotto

**Certifications for export to international markets***

**Certification for buildings** / Rating dell'edificio

Atlas Concorde porcelain tiles and single-fired products can contribute towards earning pointsneeded for LEED® certification.

cstb.fr

**PORCELAIN TILES**

| |
|---|
| BOOST |
| BOOST BALANCE |
| BOOST EXPRESSION |
| BOOST ICOR |
| BOOST MINERAL |
| BOOST NATURAL |
| BOOST NATURAL PRO |
| BOOST MIX |
| BOOST PRO |
| BOOST STONE |
| BRAVE |
| ETIC |
| ETIC PRO |
| EXENCE |
| HEARTWOOD |
| LIMS |
| LOG |
| LOG CANSEI |
| MARVEL |
| MARVEL DIVA |
| MARVEL DREAM |
| MARVEL GEMS |
| MARVEL MERAVIGLIA |
| MARVEL SHINE |
| MARVEL STONE |
| MARVEL TRAVERTINE |
| MARVEL X |
| NORDE |
| PRISM |

**UPEC F+ OUTDOOR ∓ 20 MM**

| |
|---|
| BOOST |
| BOOST BALANCE |
| BOOST MINERAL |
| BOOST NATURAL |
| BOOST PRO |
| BOOST STONE |
| BRAVE |
| LOG |
| NORDE |

**CLASSIFICATION UPEC EN COURS DE CERTIFICATION**

| |
|---|
| NYRA |
| BOOST VISION |
| MARVEL EPIC |
| MARVEL T |

**CLASSIFICATION UPEC F+ EN COURS DE CERTIFICATION**

| |
|---|
| BOOST ICOR |
| BOOST EXPRESSION |
| BOOST VISION |
| MARVEL T |
| NYRA |

- **Valid certification for porcelain tile and wall tiles.** - Certificazione valida per prodotti in gres porcellanato e rivestimenti.
- **Shipments can be made in accordance with national requirements anywhere in the world, even in markets with complex customs procedures such as Egypt, Morocco and Kurdistan, thanks to our active cooperation with accredited certification bodies in each country.** - Possibilità di spedizioni conformi alle prescrizioni nazionali ovunque nel mondo, anche in mercati con procedure doganali complesse come Egitto, Marocco, Kurdistan, grazie alla collaborazione sempre attiva con gli enti di certificazione accreditati in ciascun paese. - Dank unserer aktiven Zusammenarbeit mit den akkreditierten Zertifizierungsstellen in den einzelnen Ländern können die Sendungen in Übereinstimmung mit den nationalen Anforderungen überall auf der Welt versandt werden, selbst auf Märkten mit komplexen Zollverfahren wie Ägypten, Marokko und Kurdistan. - Possibilité d'expéditions conformes aux prescriptions nationales partout dans le monde, même sur les marchés dont les procédures douanières sont complexes comme l'Egypte, le Maroc ou le Kurdistan, grâce à la collaboration toujours active avec les organismes de certification homologués dans chaque pays. - Se pueden realizar envíos según la normativa nacional a cualquier parte del mundo, incluso a mercados con procedimientos aduaneros complejos como Egipto, Marruecos o Kurdistán, gracias a la cooperación permanente con los organismos de certificación acreditados en cada país. - Компании имеет возможность осуществлять поставки в любую точку мира в соответствии с национальными требованиями, даже на рынках со сложными таможенными процедурами, таких как Египет, Марокко, Курдистан, благодаря неизменно активному сотрудничеству с аккредитованными органами сертификации в каждой стране.(1

(1) Classificazione UPEC aggiornata al - Classement UPEC mis à jour au: Décembre 2025
(2) Si consiglia la consultazione della pagina - On vous conseille de vous connecter à: https://database.cstb.fr/holderdetails?Uid=ETB-2094&AppRef=QB32
(3) Per ulteriori informazioni scrivere a - Pour tous renseignements complémentaires merci d'ecrire à: france@atlasconcorde.it
(4) **All Atlas Concorde porcelain tiles and wall tiles products can be used for building projects that follow the guidelines of the GREEN BUILDING COUNCIL and can contribute to the achievement of the LEED V4 rating for buildings.** - Tutti i prodotti Atlas Concorde in gres porcellanato e in monoporosa possono essere utilizzati per progetti edilizi che seguono le linee guida del GREEN BUILDING COUNCIL e possono contribuire all'ottenimento del rating LEED V4 degli edifici.

# Porcelain Tiles Technical Specification

| | | | | | |
|---|---|---|---|---|---|
| Complies with | EN 14411 (ISO 13006) | Appendix | G | Group | Bla |
| Conforme alla norma | EN 14411 (ISO 13006) | Appendice | G | Gruppo | Bla |
| Conforme à la norme | EN 14411 (ISO 13006) | Appendice | G | Groupe | Bla |
| Entsprechend | EN 14411 (ISO 13006) | Anhang | G | Gruppe | Bla |
| Conforme a la norma | EN 14411 (ISO 13006) | Apéndice | G | Grupo | Bla |
| Соответствует норме | EN 14411 (ISO 13006) | Приложение | G | Группа | Bla |

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**





## Technical feature symbols

| | | | | |
|---|---|---|---|---|
| **Regularity characteristics**<br>Caratteristiche di regolarità<br>Caractéristiques de régularité<br>Regelmäßigkeit<br>Características de regularidad<br>Свойства правильности | ISO 10545-2 | | **Length and width** / Lunghezza e larghezza / Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон | (*) |
| | | | **Thickness** / Spessore / Epaisseur / Stärke / Grosor / Толщина | (**) |
| | | | **Straightness of sides** / Rettilineità degli spigoli<br>Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон | (***) |
| | | | **Rectangularity** / Ortogonalità / Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность<br>**(Measurement only on short edges when L/l ≥ 3)** (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)<br>(Ne mesurez que les côtés courts lorsque L/l ≥ 3) (Messung nur an den kurzen Seiten, wenn L/l ≥ 3)<br>(Medir solo en los lados cortos cuando L/l ≥ 3) (Измерение проводится только на короткой грани, когда L/l ≥ 3) | (****) |
| | | | **Surface flatness** / Planarità<br>Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности | c.c.<br>e.c.<br>ws. |
| **Structural characteristics**<br>Caratteristiche strutturali<br>Caractéristiques structurales<br>Strukturelle Eigenschaften<br>Características estructurales<br>Конструктивные свойства | ISO 10545-3 | | **Water absorption (in % by mass)** / Massa d'acqua assorbita (come % della massa)<br>Masse d'eau absorbée (en % de la masse) / Aufgenommene Wassermasse (in % der Masse) /<br>Peso de agua absorbida (como % de la masa) / Водопоглощение (% от массы) | |
| | ASTM C373-18 | | | |
| **Bulk mechanical characteristics**<br>Caratt. meccaniche massive<br>Caractéristiques mécaniques massiques<br>Mechanische Eigenschaften des Scherben<br>Características mecánicas<br>Механические свойства массы | ISO 10545-4 | | **Breaking strength** / Sforzo di rottura<br>Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом | |
| | | | **Modulus of rupture** / Resistenza alla flessione<br>Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу | |
| | EN 1339 Annex F | | **Bending strength and breaking load** / Resistenza a flessione e al carico di rottura<br>Résistance à la flexion et à la charge de rupture / Biege- und Bruchfestigkeit<br>Extraordinaria resistencia a la flexión y a la carga de rotura / Предел прочности при изгибе и разрушающая нагрузка | (4)(5) |
| | ISO 10545-5 | | **Impact resistance, as coefficient of restitution** / Resistenza all'impatto, espresso come coefficiente di restituzione<br>Résistance au choc, par mesurage du coefficient de restitution / Schlagzähigkeit, ausgedrückt als Restitutionskoeffizient<br>Resistencia al impacto, expresada como coeficiente de restitución / Ударопрочность, выраженная коэффициентом восстановления | |
| **Surface mechanical characteristics**<br>Caratt. meccaniche superficiali<br>Caractéristiques mécaniques superficielles<br>Mechanische Eigenschaften der Oberfläche<br>Características mecánicas superficiales<br>Поверхностные механические свойства | ISO 10545-6 | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)<br>Résistance à l'abrasion profonde des carreaux non émaillés (volume du matériau retiré)<br>Widerstand gegen Tiefenverschleiß von unglasierten Fliesen (Materialabtrag bzw. Volumenverlust)<br>Resistencia a la abrasión profunda de las baldosas no esmaltadas (volumen material extraído)<br>Стойкость к глубокому истиранию неглазурованных плиток (объем удаленного материала) | |
| **Thermal and hygrometric characteristics**<br>Caratt. termo-igrometriche<br>C. thermiques et hygrométriques<br>Thermo-hygrometrische Eigenschaften<br>Características termohigrométricas<br>Тепловые и гигрометрические свойства | ISO 10545-8 | | **Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare<br>Coefficient de dilatation thermique linéique / Lineare thermische Dehnung<br>Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения | |
| | ISO 10545-9 | | **Thermal shock resistance** / Resistenza agli sbalzi termici<br>Résistance aux écarts de température / Temperaturwechselbeständigkeit<br>Resistencia a los cambios de temperatura / Устойчивость к перепаду температур | |
| | ISO 10545-10 | | **Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m)<br>Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m)<br>Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м) | |
| | ISO 10545-12 | | **Frost resistance** / Resistenza al gelo<br>Résistance aux gel / Frostbeständigkeit / Resistencia a las heladas / Морозоустойчивость | |
| **Physical properties**<br>Proprietà fisiche<br>Proprietes physiques<br>Physikalische Eigenschaften<br>Propiedades físicas<br>Физические характеристики | EN 12004-2 | | **Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati<br>Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern<br>Adherencia a tracción con adhesivos cementosos mejorados<br>Прочность на растяжение при приклеивании улучшенными цементными клеями | |
| | - | | **Reaction to fire** / Reazione al fuoco<br>Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость | |
| **Chemical characteristics**<br>Caratteristiche chimiche<br>Caractéristiques chimiques<br>Chemische Eigenschaften<br>Características químicas<br>Химические свойства | ISO 10545-13 | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina<br>Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine<br>Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze<br>Resistencia a los productos químicos de uso doméstico / Стойкость к химикатам, используемым в быту и для бассейнов | |
| | | | **Resistance to low concentrations of acids and alkalis** / Resistenza a basse concentrazioni di ACIDI e ALCALI<br>Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen<br>Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации | |
| | | | **Resistance to high concentrations of acids and alkalis** / Resistenza ad alte concentrazioni di ACIDI e ALCALI<br>Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen<br>Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации | |
| | ISO 10545-14 | | **Resistance to staining, for unglazed tiles** / Resistenza alle macchie per piastrelle non smaltate<br>Résistance aux taches pour carreaux non émaillés / Widerstand gegen Fleckenbildung für unglasierte Fliesen / Resistencia a las manchas para azulejos no esmaltados / Устойчивость к загрязнению, для неглазурованных плиток | |
| **Safety characteristics**<br>Caratteristiche di sicurezza<br>Caractéristiques de sécurité<br>Sicherheitsmerkmale<br>Características de seguridad<br>Характеристики безопасности | DIN EN 16165 ANNEX B (EX DIN 51130) | | **Shod Ramp Test** / Metodo della rampa "calzato"/ Test de la rampe « chaussé » / Rampenmethode mit Schuhen<br>Método de la rampa "calzado" / Метод наклонной плоскости (в обуви) | |
| | DIN EN 16165 ANNEX A (EX DIN 51097) | | **Barefoot Ramp Test** Metodo della rampa a piedi nudi / Test de la rampe à pieds nus / Rampenmethode barfuß<br>Método de la rampa a pies descalzos / Метод наклонной плоскости (босыми ногами) | (1)(2) |
| | BS EN 16165 ANNEX C (EX BS 7976) | | **Pendulum Friction Test** / Metodo del Pendolo<br>Méthode du Pendule / Pendelmethode / Método del péndulo / Метод маятника | (1)(2) |
| | AS 4586 | | | |
| | UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017) | | **Coefficient of friction (COF)** / Coefficiente di attrito<br>Coefficient de frottement / Reibungskoeffizient / Coeficiente de roce / Коэффициент трения | (1)(2) |
| | B.C.R.A. Rep. CEC/81 | | | |
| | ANSI A 326,3 | | **Dynamic coefficient of friction (DCOF)** Coefficiente di attrito dinamico<br>Coefficient de frottement dynamique / Dynamischer Reibungskoeffizient / Coeficiente de roce dinámico<br>Динамический коэффициент трения | (1)(2)(3) |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | BOOST | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Matte<br>✣ 6 mm | Matte Sensitech<br>✣ 9 mm | Grip Sensitech<br>✣ 9 mm | Outdoor Sensitech<br>✣ 20 mm |
| | | | | (mm) | (%) | (mm) | | | | |
| Regularity characteristics | | Length and width<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect.<br>± 0,4 (*) Rect. | ± 0,6 (*) Non-rect.<br>± 0,3 (*) Rect. | ± 2,0 (*) Non-rect.<br>± 1,0 (*) Rect. | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme |
| | | Thickness<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme |
| | | Straightness of sides<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect.<br>± 0,4 (***) Rect. | ± 0,5 (***) Non-rect.<br>± 0,3 (***) Rect. | ± 1,5 (***) Non-rect.<br>± 0,8 (***) Rect. | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme |
| | | Rectangularity (Measurement only on short edges when L/l ≥ 3)<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect.<br>± 0,4 (****) Rect. | ± 0,5 (****) Non-rect.<br>± 0,3 (****) Rect. | ± 2,0 (****) Non-rect.<br>± 1,5 (****) Rect. | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme |
| | | Surface flatness<br>Planarità | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect.<br>e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect.<br>w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect.<br>e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect.<br>w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect.<br>e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect.<br>w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme |
| Structural characteristics | | Water absorption (in % by mass)<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | E, ≤ 0,5% Individual max 0,6%<br>E, ≤ 0,5% Valore max singolo 0,6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | Requirement ANSI A137.1 Water Absorption Max ≤ 0,5% | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | Breaking strength<br>Sforzo di rottura | ISO 10545-4 | S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm )<br>S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N |
| | | Modulus of rupture<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² |
| | | Bending strenght and breaking load<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339 Annex F | - | | | - | - | - | ≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥U4 60x120 |
| | | Impact resistance, as coefficient of restitution<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | Declared value<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | Resistance to deep abrasion of unglazed tiles (removed volume)<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | Coefficient of thermal linear expansion<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | Declared value<br>Valore dichiarato | | | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | Thermal shock resistance<br>Resistenza agli sbalzi termici | ISO 10545-9 | Pass according to EN ISO 10545-1<br>Test superato in accordo con ISO 10545-1 | | | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste |
| | | Moisture expansion (mm/m)<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | Declared value<br>Valore dichiarato | | | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| | | Frost resistance<br>Resistenza al gelo | ISO 10545-12 | Pass according to EN ISO 10545-1<br>Test superato in accordo con ISO 10545-1 | | | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste |
| Physical properties | | Bond strength/adhesion for improved cementitious adhesives<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | Declared value<br>Valore dichiarato | | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) |
| | | Reaction to fire<br>Reazione al fuoco | - | Class A1 or $A1_{FL}$<br>Classe A1 oppure $A1_{FL}$ | | | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ |
| Chemical characteristics | | Resistance to household chemicals and swimming pool salts<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | Minimum Class B<br>Classe minima B | | | A | A | A | A |
| | | Resistance to low concentrations of acids and alkalis<br>Resistenza a basse concentrazioni di acidi e alcali | | Declared Class<br>Classe dichiarata | | | LA | LA | LA | LA |
| | | Resistance to high concentrations of acids and alkalis<br>Resistenza ad alte concentrazioni di acidi e alcali | | Declared Class<br>Classe dichiarata | | | HA | HA | HA | HA |
| | | Resistance to staining, for unglazed tiles<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | Declared Class<br>Classe dichiarata | | | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | Shod Ramp Test<br>Metodo della rampa "calzato" | DIN EN 16165 ANNEX B (EX DIN 51130) | Declared value<br>Valore dichiarato | | | R9 | R10 | R11 | R11 |
| | | Barefoot Ramp Test<br>Metodo della rampa a piedi nudi | DIN EN 16165 ANNEX A (EX DIN 51097) | Declared value<br>Valore dichiarato | | | A | B | C | C |
| | | Pendulum Friction Test<br>Metodo del Pendolo | BS EN 16165 ANNEX C (EX BS 7976) | PTV ≥ 36 classifies the surface as "low slip risk" | | | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| | | | AS 4586 | Declared Classification of the new pedestrian surface materials according to the Pendulum Test | | | (●●) | Class P3 | Class P4 | Class P4 |
| | | | UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017) | Declared value<br>Valore dichiarato | | | (●●●) | Class C2 | Class C3 | Class C3 |
| | | Coefficient of friction (COF)<br>Coefficiente di attrito | B.C.R.A. Rep. CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| | | Dynamic coefficient of friction (DCOF)<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 |

| BOOST BALANCE | | | | | BOOST COLOR | BOOST EXPRESSION | | | | BOOST ICOR | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Matte<br>✣ 6 mm | Matte Sensitech<br>✣ 9 mm | Velvet Velvetech<br>✣ 9 mm | Grip Sensitech<br>✣ 9 mm | Outdoor Sensitech<br>✣ 20 mm | Matte<br>✣ 6 mm | Matte<br>✣ 6 mm | Matte Sensitech<br>✣ 9 mm | Grip Sensitech<br>✣ 9 mm | Outdoor Sensitech<br>✣ 20 mm | Matte<br>✣ 6 mm | Matte Sensitech<br>✣ 9 mm | Grip Sensitech<br>✣ 9 mm | Outdoor Sensitech<br>✣ 20 mm | |
| Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | |
| Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | |
| Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | |
| Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | |
| Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | Suitable for Conforme | |
| ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | |
| ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | |
| S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | |
| R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | |
| - | - | - | - | ≥ T11 120x120 60x60 / ≥ U4 60x120 | - | - | - | - | ≥ T11 120x120 80x80 60x60 / ≥ U4 60x120 | - | - | - | ≥ T11 120x120 80x80 60x60 / ≥ U4 60x120 / ≥ U7 30x60 | |
| ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | |
| ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | |
| ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | |
| Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | |
| ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | |
| Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | Resistant<br>Resiste | |
| ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | |
| A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | A1 - $A1_{FL}$ | |
| A | A | A | A | A | A | A | A | A | A | A | A | A | A | |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | |
| HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | |
| 5 | 5 | ≥ 3 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | |
| R9 | R10 | N.C. | R11 | R11 | R9 | R9 | R10 | R11 | R11 | R9 | R10 | R11 | R11 | |
| A | B | 0 | C | C | A | A | B | C | C | A | B | C | C | |
| (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | |
| (●●) | Class P3 | - | Class P4 | Class P4 | (●●) | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | Class P4 | Class P4 | |
| (●●●) | Class C2 | - | Class C3 | Class C3 | (●●●) | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 | Class C3 | |
| > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | |
| wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | BOOST MINERAL | | | | BOOST MIX | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm |
| | | | | (mm) | (%) | (mm) | | | | | | | |
| Regularity characteristics | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect.<br>± 0,4 (*) Rect. | ± 0,6 (*) Non-rect.<br>± 0,3 (*) Rect. | ± 2,0 (*) Non-rect.<br>± 1,0 (*) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Straightness of sides**<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect.<br>± 0,4 (***) Rect. | ± 0,5 (***) Non-rect.<br>± 0,3 (***) Rect. | ± 1,5 (***) Non-rect.<br>± 0,8 (***) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect.<br>± 0,4 (****) Rect. | ± 0,5 (****) Non-rect.<br>± 0,3 (****) Rect. | ± 2,0 (****) Non-rect.<br>± 1,5 (****) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect. | | | | | | | |
| | | **Surface flatness**<br>Planarità | | e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect. | e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect. | e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect. | **Suitable for** Conforme | **Not applicable to "strong" structures**<br>Non applicabile a strutturati forti | | | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | | | | | | | |
| Structural characteristics | | **Water absorption (in % by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **E, ≤ 0,5% Individual max 0,6%**<br>E, ≤ 0,5% Valore max singolo 0,6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | **S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm )<br>**S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² |
| | | **Bending strenght and breaking load**<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339 Annex F | - | | | - | - | - | ≥ T11 120x120 60x60 / ≥ U4 60x120 60x90 | - | - | - |
| | | **Impact resistance, as coefficient of restitution**<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| | | **Moisture expansion (mm/m)**<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| Physical properties | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | **Declared value**<br>Valore dichiarato | | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1 or $A1_{fl}$**<br>Classe A1 oppure $A1_{fl}$ | | | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ |
| Chemical characteristics | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | HA | HA | HA | HA | HA | HA | HA |
| | | **Resistance to staining, for unglazed tiles**<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165 ANNEX B (EX DIN 51130) | **Declared value**<br>Valore dichiarato | | | R9 | R10 | R11 | R11 | R9 | R10 | R11 |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165 ANNEX A (EX DIN 51097) | **Declared value**<br>Valore dichiarato | | | A | B | C | C | A | B | C |
| | | **Pendulum Friction Test**<br>Metodo del Pendolo | BS EN 16165 ANNEX C (EX BS 7976) | **PTV ≥ 36 classifies the surface as "low slip risk"** | | | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| | | | AS 4586 | **Declared Classification of the new pedestrian surface materials according to the Pendulum Test** | | | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | Class P4 |
| | | | UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017) | **Declared value**<br>Valore dichiarato | | | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep. CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 |

| BOOST MIX | BOOST NATURAL | | | | BOOST NATURAL PRO | | | | | BOOST PRO | | | | BOOST STONE | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm (1) | Matte<br>Sensitech<br>≑ 9 mm (1) | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Velvet<br>Velvetech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N |
| R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² |
| ≥ T11 120x120 60x60 / ≥ U4 60x120 | - | - | - | ≥ T11 120x120 60x60 / ≥ U4 60x120 | - | - | - | - | ≥ T11 120x120 60x60 / ≥ U4 60x120 | - | - | - | ≥ T11 120x120 60x60 / ≥ U11 80x80 / ≥ U4 60x120 | - | - | - | ≥ T11 120x120 60x60 / ≥ U4 60x120 |
| ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| ≤ 150 mm³ | ≤ 150 mm³ (2) | ≤ 150 mm³ (2) | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) |
| A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ |
| A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| HA | HA | HA | HA | HA | HA | HA | - | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | ≥ 3 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| R11 | R9 | R10 | R11 | R11 | R9 | R10 | N.C. | R11 | R11 | R9 | R10 | R11 | R11 | R9 | R10 | R11 | R11 |
| C | A | B | C | C | A | B | 0 | C | C | A | B | C | C | A | B | C | C |
| ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| Class P4 | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | - | Class P4 | Class P4 | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | Class P4 | Class P4 |
| Class C3 | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | - | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 | Class C3 |
| > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>< 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato |
| wet DCOF ≥ 0,55 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 | dry DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta

(1) Boost Natural Cobalt "Glazed Porcelain Tiles"
(2) PEI 3 (ISO 10545-7) Boost Natural Cobalt



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | BOOST VISION | | | | BRAVE | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Matte<br>± 6 mm | Matte<br>Sensitech<br>± 9 mm | Grip<br>Sensitech<br>± 9 mm | Outdoor<br>Sensitech<br>± 20 mm | Matte<br>Sensitech<br>± 9 mm | Grip<br>Sensitech<br>± 9 mm |
| | | | | (mm) | (%) | (mm) | | | | | | |
| Regularity characteristics | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect.<br>± 0,4 (*) Rect. | ± 0,6 (*) Non-rect.<br>± 0,3 (*) Rect. | ± 2,0 (*) Non-rect.<br>± 1,0 (*) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Straightness of sides**<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect.<br>± 0,4 (***) Rect. | ± 0,5 (***) Non-rect.<br>± 0,3 (***) Rect. | ± 1,5 (***) Non-rect.<br>± 0,8 (***) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect.<br>± 0,4 (****) Rect. | ± 0,5 (****) Non-rect.<br>± 0,3 (****) Rect. | ± 2,0 (****) Non-rect.<br>± 1,5 (****) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Surface flatness**<br>Planarità | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect.<br>e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect.<br>w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect.<br>e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect.<br>w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect.<br>e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect.<br>w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | |
| Structural characteristics | | **Water absorption (in % by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **E, ≤ 0,5% Individual max 0,6%**<br>E, ≤ 0,5% Valore max singolo 0,6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | **S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm )<br>**S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1500 N | S ≥ 1500 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 45<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² |
| | | **Bending strenght and breaking load**<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339 Annex F | - | | | - | - | - | ≥ T11<br>120x120<br>80x80 / ≥ U4<br>60x120 | - | - |
| | | **Impact resistance, as coefficient of restitution**<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| | | **Moisture expansion (mm/m)**<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| Physical properties | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | **Declared value**<br>Valore dichiarato | | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1 or $A1_E$**<br>Classe A1 oppure $A1_E$ | | | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ |
| Chemical characteristics | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | HA | HA | HA | HA | HA | HA |
| | | **Resistance to staining, for unglazed tiles**<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | | 5 | 5 | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165<br>ANNEX B<br>(EX DIN 51130) | **Declared value**<br>Valore dichiarato | | | R9 | R10 | R11 | R11 | R10 | R11 |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165<br>ANNEX A<br>(EX DIN 51097) | **Declared value**<br>Valore dichiarato | | | A | B | C | C | B | C |
| | | **Pendulum Friction Test**<br>Metodo del Pendolo | BS EN 16165<br>ANNEX C<br>(EX BS 7976) | **PTV ≥ 36 classifies the surface as "low slip risk"** | | | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| | | | AS 4586 | **Declared Classification of the new pedestrian surface materials according to the Pendulum Test** | | | (●●) | Class P3 | Class P4 | Class P4 | Class P3 | Class P4 |
| | | | UNE EN 16165<br>ANNEX C<br>(EX UNE 41901<br>EX:2017) | **Declared value**<br>Valore dichiarato | | | (●●●) | Class C2 | Class C3 | Class C3 | Class C2 | Class C3 |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep.<br>CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326,3 | - | | | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 |

| BRAVE | ENTICE | | | | ETIC | ETIC PRO | | EXENCE | | | HEARTWOOD | LIMS | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Outdoor<br>Sensitech<br>± 20 mm | Matte<br>(Natural)<br>Sensitech<br>± 9 mm | Matte<br>(Elegant)<br>± 9 mm | Grip<br>Sensitech<br>± 9 mm | Outdoor<br>Sensitech<br>± 20 mm | Matte<br>± 9 mm | Matte<br>± 9 mm | Outdoor<br>Sensitech<br>± 20 mm | Matte<br>Sensitech<br>± 9 mm | Grip<br>Sensitech<br>± 9 mm | Outdoor<br>Sensitech<br>± 20 mm | Matte<br>Sensitech<br>± 9 mm | Matte<br>± 6 mm | Matte<br>Sensitech<br>± 9 mm | Outdoor<br>Sensitech<br>± 20 mm |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti |
| ≤ 0,1 % | ≤ 0,1% | ≤ 0,1% | ≤ 0,1% | ≤ 0,1% | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| ≤ 0,5 % | ≤ 0,5% | ≤ 0,5% | ≤ 0,5% | ≤ 0,5% | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| S ≥ 10000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 10000 N |
| R ≥ 45<br>N/mm² | R ≥ 40 N/<br>mm² | R ≥ 40 N/<br>mm² | R ≥ 40 N/<br>mm² | R ≥ 45 N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 45<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 45<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 40<br>N/mm² | R ≥ 45<br>N/mm² |
| ≥ T11<br>60x60 / ≥ U4<br>60x120 | - | - | - | ≥ U3<br>30x120 | - | - | ≥ U3<br>30x120 | - | - | ≥ U3<br>30x120 | - | - | - | ≥ T11<br>60x60 / ≥ U4<br>60x120 |
| ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150<br>mm³ | ≤ 150<br>mm³ | ≤ 150<br>mm³ |
| ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 -<br>EN 12004) |
| A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ | A1 - $A1_E$ |
| A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| R11 | R10 | R9 | R11 | R11 | R9 | R9 | R11 | R10 | R11 | R11 | R10 | R9 | R10 | R11 |
| C | B | A | C | C | A | A | C | B | C | C | B | A | B | C |
| ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| Class P4 | Class P3 | (●●) | Class P4 | Class P4 | (●●) | (●●) | Class P4 | Class P3 | Class P4 | Class P4 | Class P3 | (●●) | Class P3 | Class P4 |
| Class C3 | Class C2 | (●●●) | Class C3 | Class C3 | (●●●) | (●●●) | Class C3 | Class C2 | Class C3 | Class C3 | Class C2 | (●●●) | Class C2 | Class C3 |
| > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | LOG | | | | LOG CANSEI | | LOG SELECT |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Matte<br>± 6 mm | Matte Sensitech<br>± 9-9,5 mm | Grip Sensitech<br>± 9 mm | Outdoor Sensitech<br>± 20 mm | Matte Sensitech<br>± 9 mm | Grip Sensitech<br>± 9 mm | Matte Sensitech<br>± 9-9,5 mm |
| | | | | (mm) | (%) | (mm) | | | | | | | |
| Regularity characteristics | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect.<br>± 0,4 (*) Rect. | ± 0,6 (*) Non-rect.<br>± 0,3 (*) Rect. | ± 2,0 (*) Non-rect.<br>± 1,0 (*) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Straightness of sides**<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect.<br>± 0,4 (***) Rect. | ± 0,5 (***) Non-rect.<br>± 0,3 (***) Rect. | ± 1,5 (***) Non-rect.<br>± 0,8 (***) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect.<br>± 0,4 (****) Rect. | ± 0,5 (****) Non-rect.<br>± 0,3 (****) Rect. | ± 2,0 (****) Non-rect.<br>± 1,5 (****) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect. | | | | | | | **Suitable for** Conforme |
| | | **Surface flatness**<br>Planarità | | e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect. | e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect. | e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | |
| | | | | w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | | | | | | | |
| Structural characteristics | | **Water absorption (in % by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **E$_v$ ≤ 0,5% Individual max 0,6%**<br>E$_v$ ≤ 0,5% Valore max singolo 0,6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | **S ≥ 700N (for thickness < 7,5 mm** – per spessore < 7,5 mm )<br>**S ≥ 1300N (for thickness ≥ 7,5 mm** – per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² |
| | | **Bending strenght and breaking load**<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339<br>Annex F | - | | | - | - | - | ≥ U3 30x120 | ≥ U4 60x120 | - | - | - |
| | | **Impact resistance, as coefficient of restitution**<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| | | **Moisture expansion (mm/m)**<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| Physical properties | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | **Declared value**<br>Valore dichiarato | | | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1 or A1$_{fl}$**<br>Classe A1 oppure A1$_{fl}$ | | | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ |
| Chemical characteristics | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | HA | HA | HA | HA | HA | HA | HA |
| | | **Resistance to staining, for unglazed tiles**<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165<br>ANNEX B<br>(EX DIN 51130) | **Declared value**<br>Valore dichiarato | | | R9 | R10 | R11 | R11 | R10 | R11 | R10 |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165<br>ANNEX A<br>(EX DIN 51097) | **Declared value**<br>Valore dichiarato | | | A | B | C | C | B | C | B |
| | | **Pendulum Friction Test**<br>Metodo del Pendolo | BS EN 16165<br>ANNEX C<br>(EX BS 7976) | **PTV ≥ 36 classifies the surface as "low slip risk"** | | | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| | | | AS 4586 | **Declared Classification of the new pedestrian surface materials according to the Pendulum Test** | | | (●●) | Class P3 | Class P4 | Class P4 | Class P3 | Class P4 | Class P3 |
| | | | UNE EN 16165<br>ANNEX C<br>(EX UNE 41901<br>EX:2017) | **Declared value**<br>Valore dichiarato | | | (●●●) | Class C2 | Class C3 | Class C3 | Class C2 | Class C3 | Class C2 |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep.<br>CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,50 |

| LOG SELECT | | MARVEL | | | | | MARVEL DIVA | | | | | MARVEL DREAM | | | MARVEL EPIC | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Grip Sensitech<br>± 9 mm | Outdoor Sensitech<br>± 20 mm | Polished<br>± 6 mm | Polished<br>± 9 mm | Silk<br>± 6 mm | Matte<br>± 6 mm | Matte Sensitech<br>± 9 mm | Silk<br>± 6 mm | Polished<br>± 6 mm | Polished<br>± 9 mm | Velvet Velvetech<br>± 9 mm | Matte Sensitech<br>± 9 mm | Polished<br>± 6 mm | Polished<br>± 9 mm | Matte Sensitech<br>± 9 mm | Silk<br>± 6 mm | Polished<br>± 6 mm | Polished<br>± 9 mm | Matte<br>± 6 mm | Matte Sensitech<br>± 9 mm |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N |
| R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² |
| - | ≥ U3 30x120 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) | ≥ 10 N/mm²<br>(Class C2 - EN 12004) |
| A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ | A1 - A1$_{fl}$ |
| A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| HA | HA | - | - | HA | HA | HA | HA | - | - | - | HA | - | - | HA | HA | - | - | HA | HA |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | ≥ 3 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| R11 | R11 | N.C. | N.C. | N.C. | R9 | R10 | N.C. | N.C. | N.C. | N.C. | R10 | N.C. | N.C. | R10 | N.C. | N.C. | N.C. | R9 | R10 |
| C | C | 0 | 0 | 0 | A | B | 0 | 0 | 0 | 0 | B | 0 | 0 | B | 0 | 0 | 0 | A | B |
| ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet |
| Class P4 | Class P4 | - | - | - | (●●) | Class P3 | - | - | - | - | Class P3 | - | - | Class P3 | - | - | - | (●●) | Class P3 |
| Class C3 | Class C3 | - | - | - | (●●●) | Class C2 | - | - | - | - | Class C2 | - | - | Class C2 | - | - | - | (●●●) | Class C2 |
| > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | MARVEL GALA | | MARVEL GEMS | MARVEL MERAVIGLIA | | | | MARVEL ONYX | | MARVEL SHINE | | | | | MARVEL STONE | | | | | MARVEL T | | | | MARVEL TRAVERTINE | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Polished ± 6 mm | Polished ± 9 mm | Matte Sensitech ± 9 mm | Polished ± 6 mm | Polished Velvet Velvetech ± 9 mm | Matte Sensitech ± 9 mm | Outdoor Sensitech ± 20 mm | Polished ± 6 mm | Polished ± 9 mm | Silk ± 6 mm | Silk ± 9 mm | Polished ± 6 mm | Polished ± 9 mm | Matte Sensitech ± 9 mm | Polished ± 6 mm | Polished ± 9 mm | Silk ± 6 mm | Matte ± 6 mm | Matte ± 9 mm | Matte Sensitech ± 9 mm | Polished ± 6 mm | Polished ± 9 mm | Silk ± 6 mm | Silk ± 9 mm | Matte ± 6 mm | Matte Sensitech ± 9 mm | Grip Sensitech ± 9 mm | Outdoor Sensitech ± 20 mm |
| | | | | (mm) | (%) | (mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Regularity characteristics | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect. ± 0,4 (*) Rect. | ± 0,6 (*) Non-rect. ± 0,3 (*) Rect. | ± 2,0 (*) Non-rect. ± 1,0 (*) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Straightness of sides**<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect. ± 0,4 (***) Rect. | ± 0,5 (***) Non-rect. ± 0,3 (***) Rect. | ± 1,5 (***) Non-rect. ± 0,8 (***) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect. ± 0,4 (****) Rect. | ± 0,5 (****) Non-rect. ± 0,3 (****) Rect. | ± 2,0 (****) Non-rect. ± 1,5 (****) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | **Surface flatness**<br>Planarità | | e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect. | e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect. | e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Structural characteristics | | **Water absorption (in % by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **E, ≤ 0,5% Individual max 0,6%**<br>E, ≤ 0,5% Valore max singolo 0.6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | **S ≥ 700N (for thickness < 7,5 mm** - per spessore < 7,5 mm )<br>**S ≥ 1300N (for thickness ≥ 7,5 mm** - per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² |
| | | **Bending strenght and breaking load**<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339 Annex F | - | | | - | - | - | - | - | - | ≥ U4 60x120 | - | - | - | - | - | - | - | - | - | - | - | - | ≥ U3 60x120 | - | - | - | ≥ U4 60x120 | - | - | - | ≥ U4 60x120 |
| | | **Impact resistance, as coefficient of restitution**<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| | | **Moisture expansion (mm/m)**<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01% (0,1mm/m) |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| Physical properties | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | **Declared value**<br>Valore dichiarato | | | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) | ≥ 1,0 N/mm² (Class C2 - EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1 or $A1_{fl}$**<br>Classe A1 oppure $A1_{fl}$ | | | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ | $A1 - A1_{fl}$ |
| Chemical characteristics | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | - | - | HA | - | - | HA | HA | - | - | HA | HA | - | - | HA | - | - | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA |
| | | **Resistance to staining, for unglazed tiles**<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | | 5 | 5 | 5 | 5 | 5 Polished ≥ 3 Velvet | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165 ANNEX B (EX DIN 51130) | **Declared value**<br>Valore dichiarato | | | N.C. | N.C. | R10 | N.C. | N.C. | R10 | R11 | N.C. | N.C. | N.C. | N.C. | N.C. | N.C. | R10 | N.C. | N.C. | N.C. | R9 | R10 | R9 | R10 | R11 | R11 | R9 | R10 | R11 | R11 |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165 ANNEX A (EX DIN 51097) | **Declared value**<br>Valore dichiarato | | | 0 | 0 | B | 0 | 0 | B | C | 0 | 0 | 0 | 0 | 0 | 0 | B | 0 | 0 | 0 | A | B | A | B | C | C | A | B | C | C |
| | | **Pendulum Friction Test**<br>Metodo del Pendolo | BS EN 16165 ANNEX C (EX BS 7976) | **PTV ≥ 36 classifies the surface as "low slip risk"** | | | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | ≥ 36 Dry ≤ 24 Wet | (●) | ≥ 36 Dry ≥ 36 Wet | (●) | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≥ 36 Wet | (●) | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≥ 36 Wet | ≥ 36 Dry ≥ 36 Wet |
| | | | AS 4586 | **Declared Classification of the new pedestrian surface materials according to the Pendulum Test** | | | - | - | Class P3 | - | - | Class P3 | Class P4 | - | - | - | - | - | - | Class P3 | - | - | - | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | Class P4 | Class P4 |
| | | | UNE EN 16165 ANNEX C (EX UNE 41901 EX:2017) | **Declared value**<br>Valore dichiarato | | | - | - | Class C2 | - | - | Class C2 | Class C3 | - | - | - | - | - | - | Class C2 | - | - | - | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 | Class C3 |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep. CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto < 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato | > 0,40 Asciutto > 0,40 Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | dry DCOF ≥ 0,42 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | dry DCOF ≥ 0,42 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,42 | wet DCOF ≥ 0,50 | wet DCOF ≥ 0,55 | wet DCOF ≥ 0,55 |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Porcelain tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | MARVEL X | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Silk<br>≑ 6 mm | Silk<br>≑ 9 mm | Polished<br>≑ 6 mm | Polished<br>≑ 9 mm | Matte<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm |
| | | | | (mm) | (%) | (mm) | | | | | | |
| Regularity characteristics | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,9 (*) Non-rect.<br>± 0,4 (*) Rect. | ± 0,6 (*) Non-rect.<br>± 0,3 (*) Rect. | ± 2,0 (*) Non-rect.<br>± 1,0 (*) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 5 (**) | ± 0,5 (**) | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Straightness of sides**<br>Rettilinietà degli spigoli | | ± 0,8 (***) Non-rect.<br>± 0,4 (***) Rect. | ± 0,5 (***) Non-rect.<br>± 0,3 (***) Rect. | ± 1,5 (***) Non-rect.<br>± 0,8 (***) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,8 (****) Non-rect.<br>± 0,4 (****) Rect. | ± 0,5 (****) Non-rect.<br>± 0,3 (****) Rect. | ± 2,0 (****) Non-rect.<br>± 1,5 (****) Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | | | c.c. ± 0,8 Non-rect.<br>c.c. ± 0,6 Rect. | c.c. ± 0,5 Non-rect.<br>c.c. ± 0,4 Rect. | c.c. ± 2,0 Non-rect.<br>c.c. ± 1,8 Rect. | | | | | | |
| | | **Surface flatness**<br>Planarità | | e.c. ± 0,8 Non-rect.<br>e.c. ± 0,6 Rect. | e.c. ± 0,5 Non-rect.<br>e.c. ± 0,4 Rect. | e.c. ± 2,0 Non-rect.<br>e.c. ± 1,8 Rect. | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | | | w. ± 0,8 Non-rect.<br>w. ± 0,6 Rect. | w. ± 0,5 Non-rect.<br>w. ± 0,4 Rect. | w. ± 2,0 Non-rect.<br>w. ± 1,8 Rect. | | | | | | |
| Structural characteristics | | **Water absorption (in % by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **E, ≤ 0,5% Individual max 0,6%**<br>E, ≤ 0,5% Valore max singolo 0,6% | | | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| Bulk mechanical characteristics | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | **S ≥ 700N (for thickness < 7,5 mm** – per spessore < 7,5 mm )<br>**S ≥ 1300N (for thickness ≥ 7,5 mm** – per spessore ≥ 7,5 mm) | | | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥10000 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² |
| | | **Bending strenght and breaking load**<br>Resistenza a flessione e al carico di rottura (4)(5) | EN 1339<br>Annex F | - | | | - | - | - | - | - | ≥ U4<br>60x120 |
| | | **Impact resistance, as coefficient of restitution**<br>Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| Surface mechanical characteristics | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| Thermal and hygrometric characteristics | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| | | **Moisture expansion (mm/m)**<br>Dilatazione all'umidità (mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| Physical properties | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 12004-2 | **Declared value**<br>Valore dichiarato | | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1 or $A1_{fl}$**<br>Classe A1 oppure $A1_{fl}$ | | | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ |
| Chemical characteristics | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | HA | HA | - | - | HA | HA |
| | | **Resistance to staining, for unglazed tiles**<br>Resistenza alle macchie per piastrelle non smaltate | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | | 5 | 5 | 5 | 5 | 5 | 5 |
| Safety characteristics (1)(2) | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165<br>ANNEX B<br>(EX DIN 51130) | **Declared value**<br>Valore dichiarato | | | N.C. | N.C. | N.C. | N.C. | R10 | R11 |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165<br>ANNEX A<br>(EX DIN 51097) | **Declared value**<br>Valore dichiarato | | | 0 | 0 | 0 | 0 | B | C |
| | | **Pendulum Friction Test**<br>Metodo del Pendolo | BS EN 16165<br>ANNEX C<br>(EX BS 7976) | **PTV ≥ 36 classifies the surface as "low slip risk"** | | | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≤ 24 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet |
| | | | AS 4586 | **Declared Classification of the new pedestrian surface materials according to the Pendulum Test** | | | - | - | - | - | Class P3 | Class P4 |
| | | | UNE EN 16165<br>ANNEX C<br>(EX UNE 41901<br>EX:2017) | **Declared value**<br>Valore dichiarato | | | - | - | - | - | Class C2 | Class C3 |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep.<br>CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 |

| NORDE | | | NYRA | | | | PRISM | | | VEST |
|---|---|---|---|---|---|---|---|---|---|---|
| Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Grip<br>Sensitech<br>≑ 9 mm | Outdoor<br>Sensitech<br>≑ 20 mm | Matte<br>≑ 6 mm | Matte<br>Sensitech<br>≑ 9 mm | Silk<br>≑ 9 mm | Matte<br>≑ 6 mm |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| | | **Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti<br>**Not applicable to 'strong' structures**<br>Non applicabile a strutturati forti | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme | **Suitable for**<br>Conforme |
| ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % | ≤ 0,1 % |
| ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % | ≤ 0,5 % |
| S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 10000 N | S ≥ 1000 N | S ≥ 1500 N | S ≥ 1500 N | S ≥ 1000 N |
| R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 45 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² | R ≥ 40 N/mm² |
| - | - | ≥ T11<br>60x60 / ≥ U4<br>60x120<br>60x90 / ≥ U11<br>80x80 | - | - | - | ≥ T11<br>120x120<br>80x80<br>60x60 / ≥ U4<br>60x120 / ≥ U7<br>30x60 | - | - | - | - |
| ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 | ≥ 0,55 |
| ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ | ≤ 150 mm³ |
| ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01%<br>(0,1mm/m) |
| **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | ≤ 0,01%<br>(0,1mm/m) | ≤ 0,01% (0,1mm/m) | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste | **Resistant**<br>Resiste |
| ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) |
| A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ | A1 - $A1_{fl}$ |
| A | A | A | A | A | A | A | A | A | A | A |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| R10 | R11 | R11 | R9 | R10 | R11 | R11 | R9 | R10 | N.C. | R9 |
| B | C | C | A | B | C | C | A | B | 0 | A |
| ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≥ 36 Wet | (●) | ≥ 36 Dry<br>≥ 36 Wet | ≥ 36 Dry<br>≤ 24 Wet | (●) |
| Class P3 | Class P4 | Class P4 | (●●) | Class P3 | Class P4 | Class P4 | (●●) | Class P3 | - | (●●) |
| Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | Class C3 | Class C3 | (●●●) | Class C2 | - | (●●●) |
| > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato | > 0,40<br>Asciutto<br>< 0,40<br>Bagnato | > 0,40<br>Asciutto<br>> 0,40<br>Bagnato |
| wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,55 | wet DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,50 | dry DCOF<br>≥ 0,42 | wet DCOF<br>≥ 0,42 |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**(●). PTV ≥ 36 Wet on demand** - su richiesta **(●●). P3 on demand** - su richiesta **(●●●). C2 on demand** - su richiesta





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall Tiles
# Technical Specification

| | | | | | |
|---|---|---|---|---|---|
| Complies with | EN 14411 (ISO 13006) | Appendix | L | Group | BIII |
| Conforme alla norma | EN 14411 (ISO 13006) | Appendice | L | Gruppo | BIII |
| Conforme à la norme | EN 14411 (ISO 13006) | Appendice | L | Groupe | BIII |
| Entsprechend | EN 14411 (ISO 13006) | Anhang | L | Gruppe | BIII |
| Conforme a la norma | EN 14411 (ISO 13006) | Apéndice | L | Grupo | BIII |
| Соответствует норме | EN 14411 (ISO 13006) | Приложение | L | Группа | BIII |

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).





## Technical feature symbols

| | | | |
|---|---|---|---|
| **Dimensions**<br>Dimensioni<br>Dimensions<br>Maße<br>Tamaño<br>Размер | ISO 10545-2 | | **Length and width** / Lunghezza e larghezza<br>Longuer et largeur / Länge und Breite / Longitud y anchura / Размеры сторон (*)<br>**Thickness** / Spessore<br>Epaisseur / Stärke / Grosor / Толщина (**)<br>**Straightness of sides** / Rettilineità degli spigoli<br>Rectitude des aretes / Kantengeradheit / Rectilineidad de las aristas / Кривизна сторон (***)<br>**Rectangularity** / Ortogonalità<br>Orthogonalite / Rechtwinkligkeit / Ortogonalidad / Косоугольность (****) |
| | | | **SURFACE FLATNESS** / PLANARITÀ<br>Planimetrie / Ebenflächigkeit / Planaridad / Кривизна лицевой поверхности<br>c.c.<br>e.c.<br>ws. |
| **Physical properties**<br>Proprietà fisiche<br>Proprietes physiques<br>Physikalische Eigenschaften<br>Propiedades físicas<br>Физические характеристики | ISO 10545-3 | | **Water absorption** / Massa d'acqua assorbita<br>Masse d'eau absorbée / Aufgenommene Wassermasse / Peso de agua absorbida / Водопоглощение |
| | ISO 10545-4 | | **BREAKING STRENGTH** / Sforzo di rottura<br>Force de rupture / Bruchlast / Esfuerzo de ruptura / Усилие на излом<br>**Modulus of rupture** / Resistenza alla flessione<br>Résistance à la flexion / Biegefestigkeit / Resistencia a la flexión / Устойчивость к изгибу |
| | ISO 10545-8 | | **Coefficient of thermal linear expansion** / Coefficiente di dilatazione termica lineare<br>Coefficient de dilatation thermique linéique / Lineare thermische Dehnung<br>Coeficiente de dilatación térmica lineal / Коэффициент линейного расширения |
| | ISO 10545-9 | | **Thermal shock resistance** / Resistenza agli sbalzi termici<br>Résistance aux écarts de température / Temperaturwechselbeständigkeit<br>Resistencia a los cambios de temperatura / Устойчивость к перепаду температур |
| | ISO 10545-10 | | **Moisture expansion (in mm/m)** / Dilatazione all'umidità (in mm/m)<br>Dilatation à l'humidité (en mm/m) / Feuchtigkeitsausdehnung (in mm/m)<br>Dilatación por la humedad (en mm/m) / Расширение под воздействием влаги (в мм/м) |
| | ISO 10545-11 | | **Crazing resistance** / Resistenza al cavillo<br>Résistance aux craquelurès / Haarriss-Beständigkeit / Resistencia a grietas / Устойчивость эмали к кракелюру (старению) |
| | EN 1348 | | **Bond strength/adhesion for improved cementitious adhesives** / Adesione a trazione con adesivi cementizi migliorati<br>Adhérence par traction avec des ciments-colle améliorés / Scherfestigkeit mit verbesserten zementhaltigen Klebern<br>Adherencia a tracción con adhesivos cementosos mejorados<br>Прочность на растяжение при приклеивании улучшенными цементными клеями |
| | - | | **Reaction to fire** / Reazione al fuoco<br>Réaction au feu / Brandverhalten / Reacción al fuego / Огнестойкость |
| **Chemical properties**<br>Proprietà chimiche<br>Proprietes chimiques<br>Chemische eigenschaften<br>Propiedades químicas<br>Химические характеристики | ISO 10545-13 | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina<br>Résistance aux produits chimiques à usage domestique et aux adjuvants pour piscine<br>Beständigkeit gegen Haushaltschemikalien und Badewasserzusätze<br>Resistencia a los productos químicos de uso doméstico<br>Стойкость к химикатам, используемым в быту и для бассейнов<br>**Resistance to low concentrations of acids and alkalis** / Resistenza a basse concentrazioni di acidi e alcali<br>Résistance aux acides et aux alcalis à basse concentration / Beständigkeit gegen niedrigkonzentrierte Säuren und Laugen<br>Resistencia a los ácidos y bases de baja concentración / Сопротивление кислотам и щелочам низкой концентрации<br>**Resistance to high concentrations of acids and alkalis** / Resistenza ad alte concentrazioni di acidi e alcali<br>Résistance aux acides et aux alcalis à haute concentration / Beständigkeit gegen hochkonzentrierte Säuren und Laugen<br>Resistencia a los ácidos y bases de alta concentración / Сопротивление кислотам и щелочам низкой концентрации |
| | ISO 10545-14 | | **Resistance to STAINING** / Resistenza alle macchie<br>Résistance aux taches / Widerstand gegen Fleckenbildung / Resistencia a las manchas / Устойчивость эмали к загрязнению |
| | ISO 10545-15 | | **Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)**<br>Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²)<br>Emission de substances dangereuses: Cadmium (mg/dm²) et Plomb (mg/dm²)<br>Emission von gefährlichen Stoffen: Cadmium (mg/dm²) und Blei (mg/dm²)<br>Emisión de sustancias peligrosas: Cadmio (mg/dm²) y Plomo (mg/dm²)<br>Выделение вредных веществ: кадмия (в мг/дм²) и свинца (в мг/дм²) |

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Wall tiles technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | | 3D WALL CARVE | 3D WALL DESIGN — SOLID | 3D WALL PLASTER | BOOST |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 7 cm ≤ N < 15 cm | N ≥ 15 cm | | Matte | Matte Shiny | Matte | Matte |
| | | | | (mm) | (%) | (mm) | | | | |
| **Dimensions**<br>Dimensioni<br>Dimensions<br>Maße<br>Tamaño<br>Размер | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,4 (*) Rect. | ± 0,3 (*) Rect. | ± 1,0 (*) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Thickness**<br>Spessore | | ± 0,5 (**) | ± 10 (**) | ± 0,5 (**) | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Straightness of sides**<br>Rettilineità degli spigoli | | ± 0,4 (***) Rect. | ± 0,3 (***) Rect. | ± 0,8 (***) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Rectangularity**<br>Ortogonalità | | ± 0,4 (****) Rect. | ± 0,3 (****) Rect. | ± 1,5 (****) Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | **Surface flatness**<br>Planarità | | c.c. ± 0,6 Rect. | c.c. ± 0,4 Rect. | c.c. ± 1,8 Rect. | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| | | | | e.c. ± 0,6 Rect. | e.c. ± 0,4 Rect. | e.c. ± 1,8 Rect. | | | | |
| | | | | w. ± 0,6 Rect. | w. ± 0,4 Rect. | w. ± 1,8 Rect. | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable |
| **Physical properties**<br>Proprietà fisiche<br>Proprietes physiques<br>Physikalische Eigenschaften<br>Propiedades físicas<br>Физические характеристики | | **Water absorption (in% by mass)**<br>Massa d'acqua assorbita (come % della massa) | ISO 10545-3 | **Average >10%. When the average > 20%, this shall be indicated. Individual value > 9%**<br>Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9% | | | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % |
| | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | S ≥ 600 N | | | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 15 N/mm² | | | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² |
| | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | | ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| | | **Moisture expansion (in mm/m)**<br>Dilatazione all'umidità (in mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) |
| | | **Crazing resistance**<br>Resistenza al cavillo | ISO 10545-11 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 1348 | **Declared value**<br>Valore dichiarato | | | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) |
| | | **Reaction to fire**<br>Reazione al fuoco | - | **Class A1**<br>Classe A1 | | | A1 | A1 | A1 | A1 |
| **Chemical properties**<br>Proprietà chimiche<br>Proprietes chimiques<br>Chemische eigenschaften<br>Propiedades químicas<br>Химические характеристики | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B**<br>Classe minima B | | | A | A | A | A |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | LA | LA | LA | LA |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | | HA | HA | HA | HA |
| | | **Resistance to staining**<br>Resistenza alle macchie | ISO 10545-14 | **Minimum Class 3**<br>Classe 3 minima | | | 5 | 5 | 5 | 5 |
| | | **Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)**<br>Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²) | ISO 10545-15 | **Declared value**<br>Valore dichiarato | | | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb |

| BOOST COLOR | BOOST EXPRESSION | BOOST ICOR | BOOST NATURAL | BOOST NATURAL PRO | BOOST PRO | BOOST VISION | BRAVE | LOG | MARVEL | MARVEL 3D | MARVEL DIVA | MARVEL T | NYRA | PRISM | VEST |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Matte | Shiny | Matte | Matte | Matte | Matte | Matte | Matte |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **3D WALL Not applicable** Non applicable | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme | **Suitable for** Conforme |
| **3D WALL Not applicable** Non applicable | **Suitable for** Conforme | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | | | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable | **3D WALL Not applicable** Non applicable |
| 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % | 10% < $E_v$ ≤ 20 % |
| S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N | S ≥ 600 N |
| R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² | R ≥ 15 N/mm² |
| ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7MK⁻¹ | ≤ 7 MK⁻¹ | ≤ 7 MK⁻¹ |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) | ≤ 0,06% (0,6mm/m) |
| **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste | **Resistant** Resiste |
| ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) | ≥ 1,0 N/mm² (Class C2 – EN 12004) |
| A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 | A1 |
| A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA | LA |
| HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA | HA |
| 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb |

**(*)** **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

**(**)** **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

**(***)** **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

**(****)** **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

**Technical features** - Caratteristiche tecniche - Caractéristiques techniques - Technische Daten - Características técnicas - Технические характеристики

**c.c.** **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

**e.c.** **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.


**w.** **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).






INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS


# atlasPLAN
# Technical Specification



**162x324 cm** - 63³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



**159x324 cm** - 62³/₄"x127¹/₂"
SINGLE SLAB NOT RECTIFIED



**160x320 cm** - 63"x126"
RECTIFIED MONOCALIBER

| | | | | | | |
|---|---|---|---|---|---|---|
| Complies with | EN 14411 (ISO 13006) | Appendix | G | Group | Bla |
| Conforme alla norma | EN 14411 (ISO 13006) | Appendice | G | Gruppo | Bla |
| Conforme à la norme | EN 14411 (ISO 13006) | Appendice | G | Groupe | Bla |
| Entsprechend | EN 14411 (ISO 13006) | Anhang | G | Gruppe | Bla |
| Conforme a la norma | EN 14411 (ISO 13006) | Apéndice | G | Grupo | Bla |
| Соответствует норме | EN 14411 (ISO 13006) | Приложение | G | Группа | Bla |

(*) **The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS).**
Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).

(**) **The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS).**
Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).

(***) **The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.i.

(****) **The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensione di fabbricazione (WS) corrispondenti.

c.c. **The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. **The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS).**
Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.

w. **The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS).**
Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

(1) **Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance).**
Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). **Anti-slip performance is guaranteed at the time of delivery of the product.**
Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.

(3). **However, tiles with a DCOF of 0.42 or greater are not necessarily suitable for all projects .The specifier shall determine tiles appropriate for specific project conditions, considering by way of example, but not in limitation, type of use, traffic, expected contaminants, expected maintenance, expected wear, and manufacturers' guidelines and recommendations."**

(4). **For further details, please refer to outdoor design general catalogue.** Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). **Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.**





## Technical features

| | | | | Requirements for nominal size N<br>Requisiti per dimensione nominale N | | 162x324 cm - 63³/₄"x127¹/₂"<br>159x324 cm - 62¹/₂"x127¹/₂"<br>Not Rectified | | | 160x320 cm - 63"x127"<br>Rectified | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | N ≥ 15 cm | | | | | | | |
| | | | | (%) | (mm) | Silk | Matte Hammered Leathered | Polished Satin | Silk | Matte Hammered | Polished |
| **Regularity characteristics** | | **Length and width**<br>Lunghezza e larghezza | ISO 10545-2 | ± 0,3 (*) | ± 1 (*) | N.A. | | | **Suitable for**<br>Conforme | | |
| | | **Thickness**<br>Spessore | | ± 5 (**) | ± 0,5 (**) | **Suitable for**<br>Conforme | | | **Suitable for**<br>Conforme | | |
| | | **Straightness of sides**<br>Rettilineità degli spigoli | | ± 0,3 (***) | ± 0,8 (***) | N.A. | | | **Suitable for**<br>Conforme | | |
| | | **Rectangularity (Measurement only on short edges when L/l ≥ 3)**<br>Ortogonalità<br>(Misurazione da condurre solo sui lati corti quando L/l ≥ 3) | | ± 0,3 (****) | ± 1,5 (****) | N.A. | | | **Suitable for**<br>Conforme | | |
| | | **Surface flatness**<br>Planarità | | c.c. ± 0,4<br>e.c. ± 0,4<br>w. ± 0,4 | c.c. ± 1,8<br>e.c. ± 1,8<br>w. ± 1,8 | **Suitable for**<br>Conforme | | | **Suitable for**<br>Conforme | | |
| **Structural characteristics** | | **Water absorption**<br>Massa d'acqua assorbita | ISO 10545-3 | **E, ≤ 0,5% Individual max 0,6%**<br>E, ≤ 0,5% Valore max singolo 0,6% | | ≤ 0,1 % | | | ≤ 0,1 % | | |
| | | | ASTM C373-18 | **Requirement ANSI A137.1 Water Absorption Max ≤ 0,5%** | | ≤ 0,5 % | | | ≤ 0,5 % | | |
| **Bulk mechanical characteristics** | | **Breaking strength**<br>Sforzo di rottura | ISO 10545-4 | S ≥ 700 N<br>**for thickness < 7,5mm**<br>per spessore < 7,5mm | S ≥ 1300 N<br>**for thickness ≥ 7,5mm**<br>per spessore ≥ 7,5mm | 12 mm -> S ≥ 3500N<br>20 mm -> S ≥ 10000N | | | S ≥ 1000N | | |
| | | **Modulus of rupture**<br>Resistenza alla flessione | | R ≥ 35 N/mm² | | R ≥ 40 N/mm² | | | R ≥ 40 N/mm² | | |
| | | **Impact resistance, as coefficient of restitution** Resistenza all'impatto, espresso come coefficiente di restituzione | ISO 10545-5 | **Declared value**<br>Valore dichiarato | | ≥ 0,55 | | | ≥ 0,55 | | |
| **Surface mechanical characteristics** | | **Resistance to deep abrasion of unglazed tiles (removed volume)**<br>Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato) | ISO 10545-6 | ≤ 175 mm³ | | **Suitable for**<br>Conforme | | | **Suitable for**<br>Conforme | | |
| **Thermal and hygrometric characteristics** | | **Coefficient of thermal linear expansion**<br>Coefficiente di dilatazione termica lineare | ISO 10545-8 | **Declared value**<br>Valore dichiarato | | ≤ 7 MK⁻¹ | | | ≤ 7 MK⁻¹ | | |
| | | **Thermal shock resistance**<br>Resistenza agli sbalzi termici | ISO 10545-9 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | **Resistant**<br>Resiste | | | **Resistant**<br>Resiste | | |
| | | **Moisture expansion (in mm/m)**<br>Dilatazione all'umidità (in mm/m) | ISO 10545-10 | **Declared value**<br>Valore dichiarato | | ≤ 0,01% (0,1mm/m) | | | ≤ 0,01% (0,1mm/m) | | |
| | | **Frost resistance**<br>Resistenza al gelo | ISO 10545-12 | **Pass according to EN ISO 10545-1**<br>Test superato in accordo con ISO 10545-1 | | **Resistant**<br>Resiste | | | **Resistant**<br>Resiste | | |
| **Physical properties** | | **Bond strength/adhesion for improved cementitious adhesives**<br>Adesione a trazione con adesivi cementizi migliorati | EN 1348 | **Declared value**<br>Valore dichiarato | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | | | ≥ 1,0 N/mm²<br>(Class C2 - EN 12004) | | |
| | | **Reaction to fire**<br>Reazione al fuoco | - | A1 or A1fl | | A1 without fiberglass - A2 with fiberglass | | | A1 - A1fl | | |
| **Chemical characteristics** | | **Resistance to household chemicals and swimming pool salts**<br>Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina | ISO 10545-13 | **Minimum Class B (B for unglazed tiles)**<br>Classe minima B (B per piastrelle non smaltate) | | A | | | A | | |
| | | **Resistance to low concentrations of acids and alkalis**<br>Resistenza a basse concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | LA | | | LA | | |
| | | **Resistance to high concentrations of acids and alkalis**<br>Resistenza ad alte concentrazioni di acidi e alcali | | **Declared Class**<br>Classe dichiarata | | HA | HA | - | HA | HA | - |
| | | **Resistance to staining**<br>Resistenza alle macchie | ISO 10545-14 | **Declared Class**<br>Classe dichiarata | | 5 | | | 5 | | |
| | | **Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²)** Rilascio di sostanze pericolose: Cadmio (in mg/dm²) e Piombo (in mg/dm²) | ISO 10545-15 | **Declared value**<br>Valore dichiarato | | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | | | ≤ 0,01 mg/dm² Cd<br>≤ 0,1 mg/dm² Pb | | |
| **Safety characteristics (1)(2)** | | **Shod Ramp Test**<br>Metodo della rampa "calzato" | DIN EN 16165 ANNEX B (EX DIN 51130) | **Declared Class**<br>Classe dichiarata | | - | - | - | - | R9 | - |
| | | **Barefoot Ramp Test**<br>Metodo della rampa a piedi nudi | DIN EN 16165 ANNEX A (EX DIN 51097) | **Declared Class**<br>Classe dichiarata | | - | - | - | - | A | - |
| | | **Coefficient of friction (COF)**<br>Coefficiente di attrito | B.C.R.A. Rep. CEC/81 | D. M. 236/89 del 14/06/89<br>μ >0,40 per elemento scivolante cuoio su pavimentazione asciutta<br>μ >0,40 per elemento scivolante gomma dura su pavimentazione bagnata | | - | - | - | - | > 0,40 Asciutto<br>> 0,40 Bagnato | > 0,40 Asciutto<br>< 0,40 Bagnato |
| | | **Dynamic coefficient of friction (DCOF)**<br>Coefficiente di attrito dinamico | ANSI A 326.3 | - | | - | - | - | - | wet DCOF<br>> 0,42 | dry DCOF<br>> 0,42 |
| | | **Resistance to scratching**<br>Resistenza alla graffiatura | UNI EN 15186:2012 met.B | - | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | |
| | | **Tendency to retain dirt**<br>Tendenza a ritenere lo sporco | UNI 9300:2015 | - | | **No visible change (5)**<br>Nessun cambiamento visibile (5) | | | **No visible change (5)**<br>Nessun cambiamento visibile (5) | | |
| | | **Surface resistance to cold liquids**<br>Resistenza delle superfici ai liquidi freddi | UNI EN 12720:2013 | - | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | |
| | | **Surface resistance to wet heat**<br>Resistenza delle superfici al calore umido | UNI EN 12721:2013 | - | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | |
| | | **Surface resistance to dry heat**<br>Resistenza delle superfici al calore secco | UNI EN 12722:2013 | - | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | | **CEN/TS 16209 Class A**<br>CEN/TS 16209 Classe A | | |
| | | **Assessment of resistance to impact**<br>Resistenza all'urto | ISO 4211-4:1988 | - | | **Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore. | | | **Maximum drop height according to thickness.** Altezza massima di caduta variabile in funzione dello spessore. | | |



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Destinations of use

## Recommended products by intended use *

**H** HEAVY TRAFFIC

**HEAVY COMMERCIAL**
Malls, airports, places of worship, schools, museums, squares, hospitals, hotels - foyers, undergrounds, train stations, etc.

**COMMERCIALI PESANTI**
Mall, aeroporti, luoghi di culto, scuole, musei, piazze, ospedali, hotel - hall di ingresso, metropolitane, stazioni ferroviarie, ecc...

**M** MEDIUM TRAFFIC*

**MEDIUM COMMERCIAL** (1)
Restaurants, offices, shops, public restrooms, public offices, hotels except for foyers, business lounges, mandatory passageways and areas subject to the transit of trolleys with hard wheels or highly concentrated loads.

**COMMERCIALI MEDI** (1)
Ristoranti, uffici, negozi, bagni pubblici, uffici pubblici, hotel - ad esclusione delle hall di ingresso, business lounge, di passaggi obbligati e zone soggetto a transito di carrelli con ruote dure ovvero elevati carichi concentrati.

**L** LIGHT TRAFFIC

**RESIDENTIAL**
Bedrooms, living rooms, studies, private kitchens, private bathrooms, etc.

**RESIDENZIALI**
Camere da letto, soggiorni, studi, cucine private, bagni privati...

---

Outdoor Sensitech 20 mm — H M L

Grip / Grip Sensitech 9 mm — H M L

Matte Sensitech 9 mm — H M L

Matte 9 mm — H M L

Matte 6 mm — M L

Silk 6 - 9 mm — M L

Polished 6 - 9 mm — M L

Velvet Velvetech 9 mm (2) — L

## INTENDED USES FOR OUTDOORS

**INDUSTRIAL AND/OR COMMERCIAL AREAS FOR VEHICLES**
Squares, public car parks, filling stations, paving for forklift trucks, pallet jacks, trailer trucks, buses, industrial platforms, etc.

INSTALLATION METHOD
1. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish (3).

**AREE INDUSTRIALI E/O COMMERCIALI CARRABILI**
Piazze, parcheggi pubblici, stazioni di rifornimento, pavimentazioni con transito di carrelli elevatori, transpallet, autoarticolati, autobus, piattaforme industriali, ecc...

TIPO DI POSA
1. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato a spessore superiore o uguale a 20mm con finitura anti-scivolo (3).

**RESIDENTIAL AREAS FOR VEHICLES**
Outdoor courtyards, private homes, apartment complex parking lots (garages), etc. Pavements used only by cars.

INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method.
Choose porcelain tiles with anti-slip finish (3).

**AREE RESIDENZIALI CARRABILI**
Cortili esterni abitazioni private, parcheggi condominiali (garage interni), ecc... Pavimentazioni a transito esclusivo di autovetture.

TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo (3).

**AREAS FOR PEDESTRIANS ONLY**
Patios, gardens and walkways, terraces, balconies, urban pedestrian areas, etc.

INSTALLATION METHOD
1. RAISED INSTALLATION AND "DRY" LAYING (on grass, sand and gravel). Choose porcelain tile with a thickness greater than or equal to 20mm with anti-slip finish (3).
2. LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish (3).

**AREE SOLO PEDONABILI**
Patii, giardini e camminamenti, terrazze, balconi, aree urbane pedonali, ecc...

TIPO DI POSA
1. POSA SOPRAELEVATA E A "SECCO" (su erba, sabbia e ghiaia). Utilizzare gres porcelanato a spessore superiore o uguale a 20mm con finitura anti-scivolo (3).
2. POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcelanato con finitura anti-scivolo (3).

**POOL EDGES**
INSTALLATION METHOD
LAYING WITH ADHESIVE using the "double buttering" method. Choose porcelain tiles with anti-slip finish (3).

**BORDI PISCINA**
TIPO DI POSA
POSA CON ADESIVI con il metodo della "doppia spalmatura". Utilizzare gres porcellanato con finitura anti-scivolo (3).

* **These indications are purely indicative. The designer must assess the product suitability for specific use conditions based on the technical characteristics detailed in the technical data sheets available in the Download section of the Atlas Concorde website. Factors such as traffic intensity, traffic quality (foot traffic in the presence of sand, debris, etc.), expected distributed or concentrated, static or dynamic loads (pedestrians, wheels, means of transport, etc.) and any other specific situation to which the material may be exposed.** - L'indicazione d'uso proposta è comunque da ritenersi indicativa. Sulla base delle caratteristiche tecniche riportate nelle schede tecniche disponibili nell'area Download del sito Atlas Concorde è sempre compito del progettista valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche, a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), ai carichi, distribuiti o concentrati, statici o dinamici attesi (pedonale, ruote, mezzi di trasporto,...) e a qualsiasi altra situazione concreta a cui può essere esposto il materiale.

(1) **Polished and silk finishes are recommended for low-stress residential or commercial floors where anti-slip performance is not required. The surface's shine and superior ease of cleaning are the result of in-depth studies and extensive technical research aimed at ensuring its durability over time. If the product is in direct contact with the outside, use moisture and dirt absorption devices to prevent scratches. Under no circumstances does Atlas Concorde accept responsibility for any use of the product other than as recommended above.** - Le finiture lappata e silk sono indicate per pavimenti residenziali o commerciali poco sollecitati, laddove non siano richieste prestazioni antiscivolo. La lucentezza e l'elevata facilità di pulizia della superficie sono frutto di studi approfonditi e accurate ricerche tecniche volte a garantirne la persistenza nel tempo. Se il prodotto è a diretto contatto con l'esterno, prevedere dei dispositivi di assorbimento dell'umidità e dello sporco per prevenire la formazione di graffi. Atlas Concorde non si assume in nessun caso la responsabilità per un uso del prodotto diverso da quanto consigliato sopra.

(2) ⚠ **PRECAUTIONS - VELVET IS A DELICATE SURFACE**
**The Velvet finish is a delicate surface that requires care. To preserve its beauty and ensure proper use, please refer to our instructions on page 411.**
La finitura Velvet è una superficie delicata che merita attenzione. Per mantenerne integra la bellezza e garantire un uso adeguato, consultare le nostre istruzioni pag 411.

(3) **For the properties of slip resistance required in the aforementioned uses it is always necessary to comply with the local laws, regulations and uses, referring to the technical sheets of the selected products.** - Per le proprietà di resistenza allo scivolamento richieste nelle destinazioni d'uso sopra itate occorre sempre attenersi alle normative, leggi ed usi locali facendo riferimento alle schede tecniche dei prodotti selezionati.





# Color-Shading

The V-Shade classification indicates the chromatic and/or surface variation among tiles of the same collection.
La classificazione VShade indica variazione cromatica e/o superficiale tra le piastrelle di una stessa collezione.
La classification VShade indique le variation chromatique et/ou superficielle entre des dalles d'une même collection.
Die Klassifizierung V-Shade gibt das Niveau des Farbverlaufs des Produktes oder die Abweichung des Farbtons und/oder Oberfläche unter den Fliesen der gleichen Kollektion an.
La clasificación V-Shade indica el variación cromática y/o superficial que existe entre las baldosas de una misma colección.
Классификация V-Shade указывает на уровень цветовой или фактурной неоднородности плиток, т.е. на отличия по цвету или по фактуре между плитками одной коллекции.

**V1** **Uniform appearance**
Aspetto uniforme
Aspect uniforme
Gleichmäßiges Erscheinungsbild
Aspecto uniforme
Однородный вид

**V2** **Slight variation**
Variazione minima
Variation minimale
Leichte Abweichung
Variación mínima
Минимальная Неоднородность

**V3** **Moderate variation**
Variazione moderata
Variation Modérée
Mäßige Abweichung
Variación moderada
Умеренная Неоднородность

**V4** **Substantial variation**
Variazione sostanziale
Variation substantielle
Grundlegende Abweichung
Variación sustancial
Значительная Неоднородность

| Collection | Colour | Colour-shading |
|---|---|---|
| **3D WALL CARVE** | Wall tiles | **V1** |
| **3D WALL DESIGN** | Wall tiles | **V1** |
| **3D WALL PLASTER** | Wall tiles | **V1** |
| **BOOST** | Porcelain & Wall tiles | **V3 Porcelain tiles V2 Wall tiles** |
| **BOOST BALANCE** | Porcelain tiles | **V2** |
| **BOOST COLOR** | Porcelain & Wall tiles | **V1** |
| **BOOST EXPRESSION** | Porcelain & Wall tiles | **V2** |
| **BOOST ICOR** | Porcelain & Wall tiles | **V3** |
| **BOOST MINERAL** | Porcelain tiles | **V3** |
| **BOOST MIX** | Porcelain tiles | **V3** |
| **BOOST NATURAL** | Porcelain & Wall tiles | **V2** |
| **BOOST NATURAL PRO** | Porcelain & Wall tiles | **V2** |
| **BOOST PRO** | Porcelain & Wall tiles | **V3 Porcelain tiles V2 Wall tiles** |
| **BOOST STONE** | Porcelain tiles | **V2** |
| **BOOST VISION** | Porcelain & Wall tiles | **V2** |
| **BRAVE** | Porcelain & Wall tiles | **V2** |
| **ENTICE** | Porcelain tiles | **V2** |
| **ETIC** | Porcelain tiles Rovere | **V3** |
| **ETIC PRO** | Porcelain tiles | **V3** |
| **EXENCE** | Porcelain tiles | **V2** |
| **HEARTWOOD** | Porcelain tiles | **V3** |
| **LIMS** | Porcelain tiles | **V3 Porcelain tiles** |
| **LOG** | Porcelain & Wall tiles | **V2 Natural selection V3 Forest selection** |
| **LOG CANSEI** | Porcelain tiles | **V3** |
| **LOG SELECT** | Porcelain tiles | **V2** |

| Collection | Colour | | Colour-shading |
|---|---|---|---|
| **MARVEL** | Porcelain & Wall tiles | | **V2** |
| **MARVEL 3D** | Wall tiles | | **V2** |
| **MARVEL DIVA** | Porcelain & Wall tiles | | **V3** |
| **MARVEL DREAM** | Porcelain tiles | | **V2** |
| **MARVEL EPIC** | Porcelain tiles | | **V3** |
| **MARVEL GALA** | Porcelain tiles | | **V3** |
| **MARVEL GEMS** | Porcelain tiles | | **V2** |
| **MARVEL MERAVIGLIA** | Porcelain tiles | | **V3** |
| **MARVEL ONYX** | Porcelain tiles | | **V3** |
| **MARVEL SHINE** | Porcelain tiles | Calacatta Delicato | **V2** |
| | | Calacatta Prestigio | **V2** |
| | | Calacatta Imperiale | **V3** |
| **MARVEL STONE** | Porcelain tiles | | **V2** |
| **MARVEL T** | Porcelain & Wall tiles | | **V2** |
| **MARVEL TRAVERTINE** | Porcelain tiles | | **V3** |
| **MARVEL X** | Porcelain tiles | Calacatta Apuano | **V2** |
| | | Calacatta Sublime | **V3** |
| | | Calacatta Perla | **V3** |
| | | Grey Cloud | **V3** |
| | | Fior di Bosco | **V3** |
| **NYRA** | Porcelain & Wall tiles | | **V2** |
| **NORDE** | Porcelain tiles | | **V3** |
| **PRISM** | Porcelain & Wall tiles | | **V2** |
| **VEST** | Porcelain & Wall tiles | | **V2** |



INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Laying suggestions - cleaning and maintenance

**1. LAYING**
Before starting the installation process, make sure the laying surface is well cured, flat and completely clean and that the material available is sufficient in quantity and has the right tone and size.


**2 CHOICE OF ADHESIVE**
The use of an appropriate adhesive is essential for a successful installation. For the installation of ceramic tiles, you should follow the laying instructions provided by leading adhesives manufacturers.
You should choose the most suitable adhesive on the basis of the following factors:
- laying surface
- type and size of tile
- use of tiled surface (floor/wall; indoor/outdoor)
- weather conditions at the time of laying
- waiting time before the ceramic surface can be used

| USE<br>Laying surface | TYPE OF TILE<br>Type | SIZE<br>(cm) | RECOMMENDED ADHESIVES - European Standards EN 12004<br>Normal Set | <br>Rapid set |
|---|---|---|---|---|
| **INDOOR FLOORS** | | | | |
| Cementitious screeds<br>Existing cement floors (cement concrete, bush-hammered)<br>Anhydrite screeds (following application of a suitable primer)<br>Heating floors<br>Existing ceramic, terrazzo and natural stone floors<br>Waterproofing in bathrooms | porcelain tiles | < 30x30 cm | Improved cementitious adhesives with long open time (Class C2E). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 30x30 cm<br>< 60x60 cm | Improved cementitious adhesives resistant to slip and with long open time (Class C2TE). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 60x60 cm | Improved cementitious adhesives with long open time and deformable (Class C2E - S1). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| **INDOOR WALL TILES** | | | | |
| Cementitious plaster or mortar<br>Plaster (plaster or panels, following application of a suitable primer)<br>Painted walls | wall tiles | any size | Improved cementitious adhesives resistant to slip and with long open time (Class C2TE). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | porcelain tiles | < 30x30 cm | Improved cementitious adhesives resistant to slip and with long open time (Class C2TE). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| Cast concrete (Following application of primer on gypsum-based joints)<br>Plasterboard<br>Waterproofing in bathrooms and showers<br>Existing ceramic tiles | | ≥ 30x30 cm<br>< 60x60 cm | Improved cementitious adhesives resistant to slip and with long open time (Class C2TE). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 60x60 cm | Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| **OUTDOOR FLOORS** | | | | |
| Cementitious screeds<br>Concrete floor<br>Layers of waterproofing | porcelain tiles | < 30x30 cm | A Improved cementitious adhesives resistant to slip and with long open time (Class C2TE). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≤ 30x30 cm<br>< 60x60 cm | Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 60x60 cm | Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2). | Improved cementitious adhesives with long open time and highly deformable (Class C2FE - S2). • |
| **OUTDOOR WALLS** | | | | |
| Cementitious plaster<br>Concrete cast in situ or prefabricated | porcelain tiles | < 30x30 cm | Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 30x30 cm<br>< 60x60 cm •• | Improved cementitious adhesives resistant to slip with long open time and deformable (Class C2TE - S1). | Improved cementitious adhesives, slip resistant and deformable (Class C2FT - S1). • |
| | | ≥ 60x60 cm •• | Improved cementitious adhesives with long open time and highly deformable (Class C2E - S2). | Improved and highly deformable cementitious adhesives (Class C2F - S2). • |

• For large size tiles laid at a height of more than three meters, certain international regulations specify that tiles should be laid using a mixed system of adhesive and mechanical fixtures chosen in relation to the weight of the tile, height of the tiling and site conditions.
•• For tiles with a side measuring more than 30 cm laid at heights of more than three meters, certain international regulations specify the use of an additional mechanical anchor that ensures the retention of the tile in case of accidental detachment, to be chosen in relation to the weight of the tile, the height of the tiling and the site conditions.

**3. LAYING THE TILES**
Installation should be performed by qualified personnel using the proper tools. The laying of the material should be checked before the adhesive is dry so that any corrections can be made. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm.
When laying tiles with a side longer than 60 cm and in any case for commercial indoor environments or outdoors it is essential to spread the adhesive using double buttering, applying the adhesive in a linear method parallel to the short side both on the substrate and on the back of the tile, thus ensuring perfect adhesion between the tile and substrate. To minimize the unevenness of the tiles both on the floor and on the wall it is recommended to use "easy installation systems" with spacers and levelers which should include anti-scratch rubber rings when installing glazed white body wall tiles and/or porcelain tiles with polished surfaces.
Spread the adhesive using a suitably toothed spatula.

**3A. LAYING RECTANGULAR FORMATS**
For straight courses of rectangular formats, the maximum offset between tiles must not exceed 1/3 of the length of the adjacent side.






**4. SQUARE OR PERPENDICULAR CUTS**
Processing operations such as cutting, grinding and polishing may generate respirable crystalline silica dust.
- Do not handle until all safety precautions have been read, understood and implemented.
- Always use wet methods (apply water) during all fabrication and processing.
- Avoid generating airborne dust, especially without appropriate respiratory protective equipment and adequate air filtration and ventilation systems, which depend on the specific workplace conditions. Air monitoring should be conducted to ensure that respirable crystalline silica levels remain below applicable exposure limits.
- Consult local authorities and a qualified industrial hygienist to implement the required occupational safety measures in compliance with local legislation.
- Refer to the Safety Data Sheet of the product available at **https://www.atlasconcorde.com/en/download-area** for detailed precautions.

**5. JOINTS AND GROUTING**
Before filling the joints, it is recommended to wait until the adhesive is completely dry and to ensure that the joints are free of all traces of adhesive and/or dust. In any case, Atlas Concorde does not recommend installation without joints or joints smaller than 2 mm. For joints in a color that contrasts with the tiles, it is recommended to test the grout in a small, hidden area. You should follow the instructions provided by leading grout manufacturers.

| USE | RECOMMENDED GROUTS - EUROPEAN STANDARDS EN 13888 |
|---|---|
| Residential interiors | Improved cementitious mortars for joints (Class CG2) |
| Damp interiors (bathrooms, showers) and outdoors | Improved cementitious mortars for joints with low water absorption (CG2 WA) |
| Commercial premises | Improved cementitious mortars for joints with high resistance to abrasion (Class CG2 A) |
| Premises requiring total hygiene and resistance to chemical agents (swimming pools, kitchen work surfaces, food industry, hospitals, supermarkets, etc). | Epoxy mortars (Class RG). |

**5A. ELIMINATION OF EXCESS GROUT**
To correctly and easily eliminate excess grout, follow the instructions given by the grout manufacturer. In general, proceed as follows:
Cementitious grouts
When the grout becomes opaque (normally after 10-20 minutes), clean with a hard cellulose sponge using movements on a diagonal to the joints. It is important to respect the drying time to avoid removing the grout from the joints.
Epoxy grouts
When the mixture is still fresh, wet the surface with plenty of water, emulsifying with a pad like Scotch-Brite®, paying attention not to empty the joints.
The residual grout liquid can be removed with a hard cellulose sponge (to be replaced when excessively soaked with resin).
It is vital to remove epoxy grout rapidly before it starts hardening as it is extremely difficult to remove subsequently. If the epoxy grout has started to harden, try adding 10% alcohol to the washing water.

**6. CLEANING AND MAINTENANCE**

**6A. FINAL SITE CLEANING**
The work site is considered finished when it is cleared of any tools/materials used for the job. To reduce the risk of damage to the tiled surface, it is necessary to protect it and avoid the presence of abrasive materials.
After a few days, eliminate residues with a commercial Scotch-Brite® pad, brush or single brush floor cleaner (for large surfaces).
For walls, use a neutral detergent in hot water.
For floors, use a mild acid wash diluted according to the type of surface (smooth or textured). It is important to protect marble or metal inserts previously with adhesive tape.
Rinse with abundant clean water to eliminate all marks or residues from the joints.
If necessary, repeat the acid wash at a higher concentration, unless there are marble or metal inserts. Do not use diluted commercially-available acids.

**6B. ROUTINE MAINTENANCE**
You are recommended to use ordinary neutral detergent diluted in water.
Avoid using acid or alkaline products, waxes and/or impregnants and metal pads (iron or steel sponges).
In the event of heavy dirt or particularly textured surfaces, use an alkaline detergent and rinse after washing.
For large surfaces, the use of a floor washing machine is recommended.

**6C. UNSCHEDULED MAINTENANCE**
In the event of dirt resistant to the ordinary cleaning, use a suitable detergent for the particular kind of dirt.

| TYPE OF DIRT (resistant to ordinary maintenance) | DETERGENT/SOLVENT |
|---|---|
| Coal, lime efflorescence, chalk, metal marks, rust, graphite, emulsion paint | Acid detergents* |
| Coca cola, coffee, wine, beer, ice cream | Alkaline detergents |
| Resin, silicon or mechanical oils, candle wax, paint | Solvents |
| Tire marks, sole marks, suction cup marks | Alkaline detergent in an abrasive paste |

* Important: Acid products may corrode marble, granite, natural stone and metal. Avoid using in the presence of decoration or inserts in these materials.

The cleaning characteristics of the materials may vary significantly depending on the laying method, conditions of use, type of surface and environment. Generally speaking, the higher the non-slip characteristics of the tiles, the more difficult they are to clean.
The maintenance and cleaning operative should always test each cleaning method empirically in advance (if possible on a piece of the material not laid)
In the case of particularly heavy use (for example, mechanical workshops or environments with a heavy presence of oily residues and tire marks), incorrect laying or inappropriate cleaning, Atlas Concorde declines all responsibility for the effectiveness of cleaning and maintenance operations.

Atlas Concorde cannot, under any circumstances, be held responsible for events, damage or defects caused by incorrect laying, negligent cleaning and maintenance or the use of materials and adhesives inappropriate for the use.

FR-DE-ES-RU

# Suggerimenti per la posa, pulizia e manutenzione

**1. POSA IN OPERA**
Prima di iniziare la posa, si raccomanda di assicurarsi che la superficie di appoggio sia sufficientemente stagionata, planare e ben pulita e che la fornitura di materiale sia adeguata e sufficiente per quantità, tono e calibro.


**2. SCELTA DELL'ADESIVO**
L'utilizzo di un adesivo appropriato è di fondamentale importanza per la posa. Si raccomanda di seguire le indicazioni dei migliori produttori di adesivi per la posa di piastrelle ceramiche. In generale, l'adesivo più adeguato si individua considerando i seguenti fattori:
- tipo di supporto
- tipologia e formato delle piastrelle
- destinazione d'uso del rivestimento ceramico (pavimento/rivestimento; interno/esterno)
- condizioni climatiche all'atto della posa
- tempi a disposizione per la messa in esercizio del rivestimento ceramico

| DESTINAZIONE D'USO<br>Tipo di supporto | TIPO DI PIASTRELLE<br>Tipologia | FORMATO<br>(cm) | ADESIVI CONSIGLIATI - Normativa Europea EN 12004<br>Presa normale | <br>Presa rapida |
|---|---|---|---|---|
| **PAVIMENTI INTERNI** | | | | |
| Massetti cementizi<br>Pavimento in cemento esistenti (Battuto, bocciardato)<br>Massetti in anidrite<br>(Previa applicazione di opportuno primer)<br>Massetti riscaldanti<br>Pavimenti in ceramica, marmette e pietre naturali esistenti<br>Impermeabilizzazione in bagni | grès porcellanato | < 30x30 cm | Adesivi cementizi migliorati e a tempo aperto allungato (classe C2E). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≥ 30x30 cm<br>< 60x60 cm | Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≥ 60x60 cm | Adesivi cementizi migliorati, a tempo aperto allungato e deformabili (classe C2E - S1). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabile (classe C2FT - S1). ● |
| **RIVESTIMENTI INTERNI** | | | | |
| Intonaco cementizio o malta<br>Gesso<br>(Intonaci o pannelli previa<br>applicazionedi opportuno primer)<br>Calcestruzzo di getto<br>Gesso cartonato<br>(Previa applicazione di primer sulle giunture a base gesso)<br>Impermeabilizzazioni in bagni e docce<br>Piastrelle ceramiche esistenti | rivestimenti | tutti formati | Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | < 30x30 cm | Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | grès porcellanato | ≥ 30x30 cm<br>< 60x60 cm | Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE). | Adesivi cementizi migliorati resistenti allo scivolamentoe deformabili (classe C2FT - S1). ● |
| | | ≥ 60x60 cm | Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| **PAVIMENTI ESTERNI** | | | | |
| Massetti cementizi<br>Soletta in calcestruzzo<br>Strati di impermeabilizzazione | grès porcellanato | < 30x30 cm | Adesivi cementizi migliorati, resistenti allo scivolamento e a tempo aperto allungato (classe C2TE). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≤ 30x30 cm<br>< 60x60 cm | Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≥ 60x60 cm | Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2). | Adesivi cementizi migliorati a tempo aperto allungato e altamente deformabile (classe C2FE - S2). ● |
| **RIVESTIMENTI ESTERNI** | | | | |
| Intonaco cementizio<br>Calcestruzzo gettato in opera<br>o prefabbricato | grès porcellanato | < 30x30 cm | Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≥ 30x30 cm<br>< 60x60 cm ●● | Adesivi cementizi migliorati, resistenti allo scivolamento, a tempo aperto allungato e deformabili (classe C2TE - S1). | Adesivi cementizi migliorati resistenti allo scivolamento e deformabili (classe C2FT - S1). ● |
| | | ≥ 60x60 cm ●● | Adesivi cementizi migliorati, a tempo aperto allungato e altamente deformabili (classe C2E - S2). | Adesivi cementizi migliorati e altamente deformabili (classe C2F - S2). ● |

● Nel caso di posa in condizioni di basse temperature oppure qualora sia necessario mettere in esercizio rapidamente il rivestimento ceramico è preferibile l'utilizzo di adesivi cementizi migliorati a presa rapida (Classe C2F - EN 12004).
●● Nel caso di piastrelle con un lato maggiore di 30 cm posate ad altezze superiori ai 3 metri, alcune normative internazionali prevedono l'utilizzo di un ancoraggio meccanico supplementare che assicuri la ritenzione della piastrella in caso accidentale di distacco, da scegliere in relazione al peso della piastrella, all'altezza del rivestimento ed alle condizioni del cantiere.

**3. STESURA DEGLI ADESIVI E POSA DELLE PIASTRELLE:**
La posa deve essere effettuata da personale qualificato con l'ausilio di attrezzi adeguati. È opportuno verificare la posa del materiale prima che il collante sia secco in modo da poter provvedere ad eventuali correzioni.
Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm.
Nel caso di posa di piastrelle con un lato maggiore di 60cm e in ogni caso per ambienti interni commerciali oppure all'esterno è fondamentale stendere l'adesivo con il sistema della doppia spalmatura applicando la colla linearmente in direzione parallela al lato corto sia sul supporto di posa sia sul retro della piastrella, garantendo così la perfetta aderenza all'interfaccia piastrella-supporto.
Per minimizzare i dislivelli della posa sia a pavimento che a rivestimento si raccomanda l'adozione di "sistemi di posa facilitata" con distanziatori e livellatori che possono essere provvisti di pedane anti-sbeccature e anti-graffio nel caso in cui si posino rivestimenti smaltati in pasta bianca e/o gres con finitura lappate.
Nel caso particolare di rivestimenti tridimensionali si consiglia l'utilizzo dei sistemi di livellamento a vite, alternativi a quelli a cuneo.

**3A. POSA DI FORMATI RETTANGOLARI**
Nel caso di posa "a correre" di formati rettangolari il massimo sfalsamento tra piastrelle non deve superare 1/3 della lunghezza del lato adiacente.






**4. ESECUZIONI DI TAGLI QUADRATI O SQUADRI**
Le operazioni di lavorazione come il taglio, la levigatura e la lucidatura possono generare polvere di silice cristallina respirabile.
- Non maneggiare il materiale fino a quando tutte le precauzioni di sicurezza non sono state lette, comprese e implementate.
- Utilizzare sempre metodi a umido (applicare acqua) durante tutte le fasi di lavorazione e fabbricazione.
- Evitare di generare polvere aerea, specialmente senza un adeguato equipaggiamento di protezione respiratoria e sistemi adeguati di filtrazione e ventilazione dell'aria, che dipendono dalle condizioni specifiche del luogo di lavoro. È necessario effettuare monitoraggi dell'aria per garantire che i livelli di silice cristallina respirabile rimangano al di sotto dei limiti di esposizione applicabili.
- Consultare le autorità locali e un igienista industriale qualificato per implementare le misure di sicurezza sul lavoro richieste in conformità con la legislazione locale.
- Fare riferimento alla Scheda di Sicurezza del prodotto disponibile su **https://www.atlasconcorde.com/it/download-area** per le precauzioni dettagliate.

**5. FUGA E STUCCATURA**
Prima di riempire le fughe si consiglia di attendere fino a completa asciugatura del collante e di assicurarsi che i giunti di posano siano liberi da ogni traccia di collante e/o polveri.
Atlas Concorde sconsiglia in ogni caso la posa a giunto unito o posa con fughe inferiori a 2mm. Per fughe in contrasto cromatico con le piastrelle si consiglia di testare il fugante in un'area circoscritta e nascosta della posa. Si raccomanda di seguire le indicazioni dei migliori produttori di stucchi per fughe.

| DESTINAZIONE D'USO | STUCCHI CONSIGLIATI - Normativa Europea EN 13888 |
|---|---|
| Ambienti interni residenziali | Malte cementizie per fughe migliorate (Classe CG2) |
| Ambienti umidi interni (bagni, docce) ed ambienti esterni | Malte cementizie per fughe migliorate con assorbimento di acqua ridotto (classe CG2 WA) |
| Ambienti ad uso commerciale | Malte cementizie per fughe migliorate con elevata resistenza all'abrasione (classe CG2 A) |
| Ambienti in cui sia richiesta totale igiene e resistenza agli agenti chimici<br>(piscine, piani di lavoro di cucine, industrie alimentari, ospedali, supermercati, ecc...) | Malte epossidiche (classe RG). |

**5A. ELIMINAZIONE DELLO STUCCO IN ECCESSO**
Per una corretta ed agevole eliminazione degli eccessi di stucco, si raccomanda di seguire le indicazioni del produttore dello stucco. In generale, si consiglia di attenersi a quanto segue.
Stucchi cementizi
Quando lo stucco diventa opaco (normalmente dopo 10-20 minuti), pulire con una spugna di cellulosa dura con movimenti diagonali rispetto alle fughe. E' importante il rispetto di questi tempi per non rischiare di rimuovere lo stucco dalle fughe.
Stucchi epossidici
A impasto ancora fresco, bagnare abbondantemente la superficie emulsionando con un tampone tipo Scotch-Brite®, facendo attenzione a non svuotare le fughe. Il residuo liquido di stucco può essere rimosso con una spugna di cellulosa dura (da sostituire se troppo impregnata di resina). E' fondamentale rimuovere lo stucco epossidico tempestivamente prima che inizi ad indurirsi, in quanto la successiva rimozione risulterebbe estremamente difficile. Nel caso in cui lo stucco epossidico abbia già iniziato a indurirsi, provare ad aggiungere all'acqua di lavaggio il 10% di alcool.

**6 PULIZIA E MANUTENZIONE**

**6A. PULIZIA DI FINE CANTIERE**
Il cantiere è da considerarsi finito quando è sgombro da qualunque utensile/materiale derivante dalle lavorazioni. Per ridurre i rischi di danneggiamento della superficie piastrellata è necessario proteggerla ed evitare la presenza di materiali abrasivi.
Dopo alcuni giorni, eliminare i residui di cantiere con spugna commerciale tipo Scotch-Brite® oppure con spazzolone o monospazzola (per grandi superfici).
Per i rivestimenti, utilizzare un detergente neutro diluito in acqua calda.
Per i pavimenti, utilizzare un detergente acido ad azione tamponata, in percentuale di diluizione variabile in funzione del tipo di superficie (liscia oppure strutturata).
E' importante proteggere preventivamente eventuali inserti in marmo o metallo con nastro adesivo.
Risciacquare poi abbondantemente con acqua calda pulita, sino alla eliminazione di qualsiasi alonatura o residuo negli interstizi.
Se necessario, ripetere il lavaggio acido a concentrazioni più elevate ad eccezione del caso in cui siano presenti inserti in marmo o metallo. Evitare l'utilizzo di acidi da ferramenta diluiti.

**6B. MANUTENZIONE ORDINARIA**
Si consiglia l'utilizzo di un comune detergente neutro diluito in acqua. Evitare l'utilizzo di prodotti acidi, alcalini, ceranti e/o impregnanti e pagliette di metallo (spugnette di ferro e acciaio). In caso di sporchi più intensi o di superfici particolarmente strutturate, usare un detergente a base alcalina risciacquando al termine del lavaggio.
Per le grandi superfici è consigliabile l'utilizzo di macchine lavasciuga.

**6C. MANUTENZIONE STRAORDINARIA**
Nel caso di tracce di sporco resistenti alla pulizia ordinaria, si raccomanda l'utilizzo di un detergente adeguato in funzione del tipo di sporco:

| TIPO DI SPORCO (resistente alla manutenzione ordinaria) | DETERGENTE/SOLVENTE |
|---|---|
| Carbone, efflorescenze calcaree, gesso, segni metallici, ruggine, grafite, tempere murali | Detergenti a base acida * |
| Coca cola, caffé, vino, birra, gelato | Detergenti a base alcalina |
| Resine, oli siliconici o meccanici, cere di candela, vernice | Solventi |
| Pneumatici, suole di gomma, alonature di ventose | Detergenti basici in pasta abrasiva |

* Attenzione: i prodotti a base acida possono corrodere marmo, granito, pietre naturali e metalli, pertanto evitarne l'uso nel caso di decori o inserti realizzati con questi materiali.

Le caratteristiche di pulibilità dei materiali variano in modo significativo per le diverse modalità d'installazione, condizioni d'uso, tipologie di superfici e ambiente. In linea generale, all'aumentare delle caratteristiche di antiscivolosità delle piastrelle aumentano le difficoltà di pulizia.
L'operatore professionale incaricato dell'intervento di manutenzione e pulizia dovrà sempre procedere ad una preliminare verifica empirica (possibilmente su una porzione di materiale non posato) per ogni singolo tipo di intervento.
In caso di condizioni d'uso particolarmente gravose (ad esempio, officine meccaniche o ambienti con forte presenza di residui oleosi e tracce di pneumatico), di errata installazione o di pulizie effettuate in modo inadeguato, Atlas Concorde declina ogni responsabilità in merito all'efficacia delle operazioni di pulizia e manutenzione.

Atlas Concorde non potrà essere ritenuta responsabile per eventi, danni o difetti dovuti ad errata installazione, negligente pulizia e manutenzione, o inadeguata scelta della tipologia dei materiali installati e degli adesivi utilizzati con riguardo alla destinazione.

# Porcelain tiles general packing and weight

| Series<br>Serie<br>Série<br>Serie<br>Serie<br>Серия | Size<br>Formato<br>Format<br>Format<br>Formato<br>Размер | Pieces per carton<br>Pezzi per scatola<br>Pièces par boîte<br>Stückzahl pro Karton<br>Piezas por caja<br>шт. в коробке | Sq mts per carton<br>M² per scatola<br>M² par boîte<br>Qm. pro Karton<br>M² por caja<br>M² в коробке | Box per pallet<br>Box per pallet<br>Boîtes per pallette<br>Karton pro Palette<br>Cajas por palet<br>Коробок на палете | Weight x ctn. (Kg.)*<br>Peso per scatola (Kg.)*<br>Poids x boîte (Kg.)*<br>Gewicht pro Karton (Kg.)*<br>Peso por caja (Kg.)*<br>щт. вес коробки* | Sq mts per pallet M²<br>per pallet<br>M² par pallette<br>Qm. pro Palette<br>M² por palet<br>M² на палете | Weight x pal. (Kg.)*<br>Peso per pallet (Kg.)*<br>Poids x pal. (Kg.)*<br>Gewicht pro Palette (Kg.)*<br>Peso por palet (Kg.)*<br>вес малета* |
|---|---|---|---|---|---|---|---|
| **Boost** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 120x120 6 mm ▲ | 2 | 2,880 | 20 | 40,32 | 57,60 | 806,40 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Balance** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Color** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| **Boost Expression** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Icor** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,34 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Mineral** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x90 20 mm | 2 | 1,08 | 24 | 48,50 | 25,92 | 676,80 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Mix** | 120x278 ▲ | 1 | 3,34 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,26 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm | 1 | 1,44 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,72 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,72 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Natural** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,34 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,88 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,08 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,26 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,44 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x60 20 mm | 2 | 0,72 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Natural Pro** | 120x278 ▲ | 1 | 3,34 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,26 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm | 1 | 1,44 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,72 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,72 | 30 | 33,00 | 21,60 | 990,00 |

| Series<br>Serie<br>Série<br>Serie<br>Serie<br>Серия | Size<br>Formato<br>Format<br>Format<br>Formato<br>Размер | Pieces per carton<br>Pezzi per scatola<br>Pièces par boîte<br>Stückzahl pro Karton<br>Piezas por caja<br>шт. в коробке | Sq mts per carton<br>M² per scatola<br>M² par boîte<br>Qm. pro Karton<br>M² por caja<br>M² в коробке | Box per pallet<br>Box per pallet<br>Boîtes per pallette<br>Karton pro Palette<br>Cajas por palet<br>Коробок на палете | Weight x ctn. (Kg.)*<br>Peso per scatola (Kg.)*<br>Poids x boîte (Kg.)*<br>Gewicht pro Karton (Kg.)*<br>Peso por caja (Kg.)*<br>щт. вес коробки* | Sq mts per pallet M²<br>per pallet<br>M² par pallette<br>Qm. pro Palette<br>M² por palet<br>M² на палете | Weight x pal. (Kg.)*<br>Peso per pallet (Kg.)*<br>Poids x pal. (Kg.)*<br>Gewicht pro Palette (Kg.)*<br>Peso por palet (Kg.)*<br>вес малета* |
|---|---|---|---|---|---|---|---|
| **Boost Pro** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 120x120 6 mm | 2 | 2,880 | 20 | 40,32 | 57,60 | 806,40 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Stone** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,34 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,88 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,08 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,26 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,44 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,72 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,72 | 30 | 33,00 | 21,60 | 990,00 |
| **Boost Vision** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,44 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,8 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm ▲ | 1 | 1,440 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Brave** | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 23,27 | 50,40 | 930,80 |
| | 30x60 grip | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Entice** | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 32 | 29,90 | 46,08 | 1.255,80 |
| | 30x120 20 mm | 2 | 0,720 | 36 | 33,00 | 25,92 | 1.188,00 |
| **Etic** | 22,5x90 | 6 | 1,220 | 36 | 23,40 | 43,74 | 907,20 |
| **Etic Pro** | 25x150 | 3 | 1,130 | 30 | 23,68 | 33,75 | 710,00 |
| | 22,5x90 | 6 | 1,220 | 36 | 25,20 | 43,74 | 907,20 |
| | 30x120 20mm | 2 | 0,720 | 36 | 33,00 | 25,92 | 1188,00 |
| **Exence** | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 42 | 29,90 | 60,48 | 956,8 |
| | 30x120 20mm | 2 | 0,720 | 36 | 33,00 | 25,92 | 1.188,00 |
| **Heartwood** | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 42 | 31,10 | 60,48 | 1.306,20 |
| **Lims** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Log** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 20x180 | 5 | 1,80 | 40 | 40 | 72 | 1.600 |
| | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 32 | 29,90 | 46,08 | 956,8 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 30x120 20 mm | 2 | 0,720 | 36 | 33,00 | 25,92 | 1.188,00 |
| **Log Cansei** | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 42 | 29,90 | 60,48 | 956,8 |
| **Log Select** | 20x180 | 5 | 1,80 | 40 | 40 | 72 | 1.600 |
| | 18,5x150 | 4 | 1,110 | 40 | 23,68 | 44,40 | 947,20 |
| | 20x120 | 6 | 1,440 | 32 | 29,90 | 46,08 | 1.255,80 |
| **Marvel** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,334 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |

*** +/- 10% The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов

▲ **Packaging on pallets, also available on a-frames (see page 444)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 444 - Emballage sur palette, emballage sur chevalet également disponible page 444 - Verpackung auf Palette, auch auf Bock erhältlich Seite 444 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 444 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках – стр. 444

**January 2026**
**Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.**
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.

# Porcelain tiles general packing and weight

| Series<br>Serie<br>Série<br>Serie<br>Serie<br>Серия | Size<br>Formato<br>Format<br>Format<br>Formato<br>Размер | Pieces per carton<br>Pezzi per scatola<br>Pièces par boîte<br>Stückzahl pro Karton<br>Piezas por caja<br>шт. в коробке | Sq mts per carton<br>M² per scatola<br>M² par boîte<br>Qm. pro Karton<br>M² por caja<br>M² в коробке | Box per pallet<br>Box per pallet<br>Boîtes per pallette<br>Karton pro Palette<br>Cajas por palet<br>Коробок на палете | Weight x ctn. (Kg.)*<br>Peso per scatola (Kg.)*<br>Poids x boîte (Kg.)*<br>Gewicht pro Karton (Kg.)*<br>Peso por caja (Kg.)*<br>щт. вес коробки* | Sq mts per pallet M²<br>per pallet<br>M² par pallette<br>Qm. pro Palette<br>M² por palet<br>M² на палете | Weight x pal. (Kg.)*<br>Peso per pallet (Kg.)*<br>Poids x pal. (Kg.)*<br>Gewicht pro Palette (Kg.)*<br>Peso por palet (Kg.)*<br>вес малета* |
|---|---|---|---|---|---|---|---|
| **Marvel Diva** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| **Marvel Dream** | 120x278 ▲ | 1 | 3,334 | 18 | 49,56 | 60,05 | 892,08 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| **Marvel Epic** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| **Marvel Gala** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| **Marvel Gems** | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| **Marvel Meraviglia** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,334 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 75x150 | 2 | 2,25 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| **Marvel Onyx** | 120x278 ▲ | 1 | 3,334 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| **Marvel Shine** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 lapp ▲ | 2 | 2,880 | 20 | 57,00 | 57,60 | 1.140,00 |
| | 120x120 matte ▲ | 2 | 2,880 | 20 | 55,50 | 57,60 | 1.110,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,30 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 48,30 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| **Marvel Stone** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| **Marvel T** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| **Marvel Travertine** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| **Marvel X** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 75x150 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| **Norde** | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 60x120 20 mm | 1 | 0,720 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 60x90 20 mm | 2 | 1,08 | 24 | 48,50 | 25,92 | 676,80 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |

| Series<br>Serie<br>Série<br>Serie<br>Serie<br>Серия | Size<br>Formato<br>Format<br>Format<br>Formato<br>Размер | Pieces per carton<br>Pezzi per scatola<br>Pièces par boîte<br>Stückzahl pro Karton<br>Piezas por caja<br>шт. в коробке | Sq mts per carton<br>M² per scatola<br>M² par boîte<br>Qm. pro Karton<br>M² por caja<br>M² в коробке | Box per pallet<br>Box per pallet<br>Boîtes per pallette<br>Karton pro Palette<br>Cajas por palet<br>Коробок на палете | Weight x ctn. (Kg.)*<br>Peso per scatola (Kg.)*<br>Poids x boîte (Kg.)*<br>Gewicht pro Karton (Kg.)*<br>Peso por caja (Kg.)*<br>щт. вес коробки* | Sq mts per pallet M²<br>per pallet<br>M² par pallette<br>Qm. pro Palette<br>M² por palet<br>M² на палете | Weight x pal. (Kg.)*<br>Peso per pallet (Kg.)*<br>Poids x pal. (Kg.)*<br>Gewicht pro Palette (Kg.)*<br>Peso por palet (Kg.)*<br>вес малета* |
|---|---|---|---|---|---|---|---|
| **Nyra** | 160x320 ▲ | 1 | 5,120 | 14 | 72,00 | 71,68 | 1.008,00 |
| | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x240 ▲ | 1 | 2,880 | 18 | 58,00 | 51,84 | 1.044,00 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 80x80 | 2 | 1,28 | 48 | 26,6 | 61,44 | 1.276,8 |
| | 75x150 | 2 | 2,250 | 18 | 47,36 | 40,50 | 852,48 |
| | 60x60 | 3 | 1,080 | 40 | 21,23 | 43,20 | 849,20 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| | 120x120 20 mm | 1 | 1,44 | 20 | 67,66 | 28,80 | 1.353,20 |
| | 60x120 20 mm | 1 | 0,72 | 35 | 33,35 | 25,20 | 1.167,25 |
| | 80x80 20 mm | 1 | 0,64 | 42 | 29,70 | 26,88 | 1.247,40 |
| | 60x60 20 mm | 2 | 0,720 | 30 | 33,00 | 21,60 | 990,00 |
| **Prism** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |
| | 120x120 ▲ | 2 | 2,880 | 20 | 58,00 | 57,60 | 1.160,00 |
| | 60x120 | 2 | 1,440 | 35 | 30,00 | 50,40 | 1.050,00 |
| | 60x60 | 3 | 1,080 | 40 | 21,57 | 43,20 | 862,80 |
| | 30x60 | 7 | 1,260 | 40 | 24,85 | 50,40 | 994,00 |
| **Vest** | 120x278 ▲ | 1 | 3,340 | 18 | 49,56 | 60,05 | 892,08 |

# Wall tiles general packing and weight

| Series<br>Serie<br>Série<br>Serie<br>Serie<br>Серия | Size<br>Formato<br>Format<br>Format<br>Formato<br>Размер | Pieces per carton<br>Pezzi per scatola<br>Pièces par boîte<br>Stückzahl pro Karton<br>Piezas por caja<br>шт. в коробке | Sq mts per carton<br>M² per scatola<br>M² par boîte<br>Qm. pro Karton<br>M² por caja<br>M² в коробке | Box per pallet<br>Box per pallet<br>Boîtes per pallette<br>Karton pro Palette<br>Cajas por palet<br>Коробок на палете | Weight x ctn. (Kg.)*<br>Peso per scatola (Kg.)*<br>Poids x boîte (Kg.)*<br>Gewicht pro Karton (Kg.)*<br>Peso por caja (Kg.)*<br>щт. вес коробки* | Sq mts per pallet M²<br>per pallet<br>M² par pallette<br>Qm. pro Palette<br>M² por palet<br>M² на палете | Weight x pal. (Kg.)*<br>Peso per pallet (Kg.)*<br>Poids x pal. (Kg.)*<br>Gewicht pro Palette (Kg.)*<br>Peso por palet (Kg.)*<br>вес малета* |
|---|---|---|---|---|---|---|---|
| **3D Wall Carve** | 40x80 | 4 | 1,280 | 54 | 20,28 | 69,12 | 1.095,12 |
| **3D Wall Design** | 50x120 | 3 | 1,80 | 35 | 28,00 | 63,00 | 980,00 |
| | 40x80 | 4 | 1,28 | 54 | 19,91 | 69,12 | 1.075,14 |
| | 40x80 - 10 mm | 4 | 1,280 | 48 | 21,20 | 69,12 | 1.017,60 |
| | 30,5x56 matte | 8 | 1,37 | 32 | 26,00 | 43,72 | 832,00 |
| **3D Wall Plaster** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Boost Wall** | 40x80 | 4 | 1,280 | 54 | 18,80 | 69,12 | 1.015,20 |
| | 3D Urban 40x80 | 4 | 1,280 | 48 | 21,20 | 61,44 | 1.017,60 |
| **Boost Color Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Boost Expression Wall** | 50x120 - 8,5 mm | 3 | 1,80 | 35 | 28,00 | 63,00 | 980,00 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |
| **Boost Icor Wall** | 50x120 - 8,5 mm | 3 | 1,80 | 35 | 28,00 | 63,00 | 980,00 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |
| **Boost Natural Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Boost Natural Pro Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Boost Pro Wall** | 40x80 | 4 | 1,280 | 54 | 18,80 | 69,12 | 1.015,20 |
| | 3D Urban 40x80 | 4 | 1,280 | 48 | 21,20 | 61,44 | 1.017,60 |
| **Boost Vision Wall** | 40x80 | 4 | 1,280 | 54 | 19,28 | 69,12 | 1.041,12 |
| | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| | 40x80 - 10 mm | 4 | 1,280 | 48 | 21,20 | 69,12 | 1.017,60 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |
| **Brave Wall** | 40x80 | 4 | 1,280 | 54 | 19,28 | 69,12 | 1.041,12 |
| | 3D Wave 40x80 | 4 | 1,280 | 48 | 21,20 | 61,44 | 1.017,60 |
| | 3D Blade 40x80 | 4 | 1,280 | 48 | 21,20 | 61,44 | 1.017,60 |
| **Log Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Marvel** | 30,5x56 | 9 | 1,540 | 32 | 24,03 | 49,19 | 768,96 |
| **Marvel 3D Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Marvel Diva Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Marvel T Wall** | 40x80 | 4 | 1,280 | 54 | 19,28 | 69,12 | 1.041,12 |
| | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| | 40x80 - 10 mm | 4 | 1,280 | 48 | 21,20 | 69,12 | 1.017,60 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |
| **Nyra Wall** | 40x80 | 4 | 1,280 | 54 | 19,28 | 69,12 | 1.041,12 |
| | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| | 40x80 - 10 mm | 4 | 1,280 | 48 | 21,20 | 69,12 | 1.017,60 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |
| **Prism Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| **Vest Wall** | 50x120 | 3 | 1,800 | 35 | 28,00 | 63,00 | 980,00 |
| | 50x120 - 10 mm | 3 | 1,80 | 30 | 30,75 | 54,00 | 922,50 |

*** +/- 10% The reported values do not include the weight of pallets.** - I valori riportati non comprendono il peso dei pallet. - +/- 10% Les valeurs indiquées ne comprennent pas le poids des palettes. - +/- 10% - Die genannten Werte verstehen sich ohne das Gewicht der Paletten. - +/- 10% Los valores indicados no incluyen el peso de los palés. - +/- 10% Указанные значения не включают вес поддонов

▲ **Packaging on pallets, also available on a-frames (see page 444)** - Imballo su pallet, disponibile anche imballo su cavalletto a pag. 444 - Emballage sur palette, emballage sur chevalet également disponible page 444 - Verpackung auf Palette, auch auf Bock erhältlich Seite 444 - Embalaje paletizado, también disponible en embalaje sobre caballetes en la página 444 - Упаковка на поддоны, возможна также упаковка на специальных подставках-стойках – стр. 444

**January 2026**
**Reported data can be subject to variations throughout the year, present values are updated on the date of catalogue printing.**
I dati riportati possono subire delle variazioni nel corso dell'anno, i valori sono aggiornati al mese di stampa.





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

# Large sizes general packing and weight

**120x120** - 47 1/4"x47 1/4" **120x240** - 47 1/4"x94 1/2" **20x278** 47 1/4"x109 1/2" **160x320** - 63"x126" **162x324** - 63 3/4"x127 1/2"

| Packaging<br>Imballo<br>Boitage<br>Verpackung<br>Embalaje<br>Упаковка | | AS400 Code<br>Codice AS400<br>Code AS400<br>Artikelcode AS 400<br>Código AS400<br>Код AS400 | Packaging Size<br>Dimensioni imballo<br>Dimension Emballage<br>Verpackunsmasse<br>Dimensiones de Embalaje<br>Размер Упаковки (cm) | Packaging weight<br>Peso imballo<br>Poids Emballage<br>Verpackungsgewicht<br>Peso Embalaje<br>Вес Упаковки (kg) | Slabs size<br>Formati<br>Formats<br>Formatgrösse<br>Formatos<br>Размер Плит (cm) | Max N° slabs<br>Max N° pezzi<br>N° Max de pièces<br>Anzahl der Platten<br>Max N ° piezas<br>Максимальное Количество Плит | Max Sqm<br>Max Mq<br>M² max<br>Maximale qm<br>Máx M²<br>Макс. M² |
|---|---|---|---|---|---|---|---|
| 120x120 | **Pallet**<br>Palette<br>Palette<br>Paleta<br>Паллет | - | - | - | 120x120x0,9 cm | 40 | 57,60 mq |
| | | | | | 120x120x2,0 cm | 20 | 28,8 mq |
| | **Wooden A-Frame**<br>Cavalletto di legno<br>Chevalet en Bois<br>A-Bock Holz<br>Caballete de Madera<br>Деревянная А-Опора | IMCD | 130x75x158(h) cm | 60 kg | 120x120x0,9 cm | 40 | 57,60 mq |
| | | | | | 120x120x2,0 cm | 20 | 28,8 mq |
| 120x240 | **Wooden Crate**<br>Cassa di Legno<br>Caisse en Bois<br>Holzbox<br>Caja de Madera Деревянный Ящик | IMCA | 256x141x36(h) cm | 102kg | 120x240x0,9 cm | 18 | 51,84 mq |
| | **Wooden A-Frame**<br>Cavalletto di Legno<br>Chevalet en Bois<br>A-Bock Holz<br>Caballete de Madera<br>Деревянная А-Опора | IMCE | 250x75x159(h) cm | 126kg | 120x240x0,9 cm | 36 | 103,6 mq |
| 120x278 | **Wooden Crate**<br>Cassa di Legno<br>Caisse en Bois<br>Holzbox<br>Caja de Madera<br>Деревянный Ящик | IMCB | 292x141x36(h) cm | 108kg | 120x278x0,6 cm | 18 | 60,05 mq |
| | **Wooden A-Frame**<br>Cavalletto di Legno<br>Chevalet en Bois<br>A-Bock Holz<br>Caballete de Madera<br>Деревянная А-Опора | IMCF | 290x75x159(h) cm | 136kg | 120x278x0,6 cm | 42 | 140,11 mq |
| | **Wooden Crate Kit Endless** * (only for kit Endless)<br>Cassa di Legno Kit Endless * (solo per kit Endless)<br>Caisse en Bois Kit Endless * (que pour le Kit Endless)<br>Holzbox Kit Endless * (nur für Endless Kit)<br>Caja de Madera Kit Endless * (solo para el kit Endless)<br>Деревянный Ящик для Kit Endless * (только для Kit Endless) | A6NZ | 296x141x25(h) cm | 65kg | 120x278x0,6 cm | 7 | 16,68 mq |
| | **Wooden L-Frame per Atlas Concorde Pack 120x278**<br>Cavalletto a L di Legno 120x278<br>L Chevalet en Bois<br>L-Bock Holz<br>L-Caballete de Madera<br>Деревянная L-Опора | AX4Y | 305x75x142(h) cm | 40kg | 120x278x0,6 cm | 10 | 33,36 |
| | **Pallet AC Pack 120x278**<br>Pallet AC Pack<br>Palette AC Pack<br>Palette AC Pack<br>Paleta AC Pack<br>Паллет AC Pack | HDSD | 293,5x141x15(h) cm | 55kg | 120x278x0,6 cm | 10 | 33,36 |
| | **Atlas Concorde Pack 120x278** | AX7I | 293x3x130(h) cm | 6 kg | 120x278x0,6 cm | 1 | / |
| 160x320 RT<br>162x324<br>159x324 | **Wooden Crate**<br>Cassa di legno<br>Caisse en Bois<br>Holzbox<br>Caja de Madera<br>Деревянный Ящик | IMCC | 344x175x37(h) cm | 139kg | 160x320x0,6 cm | 14 | 71,68 mq |
| | | | | | 162x324x0,6 cm | 14 | 73,48 mq |
| | | | | | 162x324x1,2 cm | 8 | 40,96 mq |
| | | | | | 162x324x2,0 cm | 4 | 20,99 mq |
| | | | | | 159x324x2,0 cm | 4 | 20,60 mq |
| | **Wooden A-Frame**<br>Cavalletto di legno<br>Chevalet en Bois<br>A-Bock Holz<br>Caballete de Madera<br>Деревянная А-Опора | IMCG | 330x75x195(h) cm | 173kg | 160x320x0,6 cm | 42 | 215,04 mq |
| | | | | | 162x324x0,6 cm | 42 | 220,45 mq |
| | | | | | 162x324x1,2 cm | 22 | 112,64 mq |
| | | | | | 162x324x2,0 cm | 12 | 62,99 mq |
| | | | | | 159x324x2,0 cm | 12 | 61,82 mq |
| | **Iron A-Frame**<br>Cavalletto di ferro<br>Chevalet en Fer<br>A-Bock Metall<br>Caballete de Hierro<br>Металлическая Опора | IMCH | 335x75x199(h) cm | 155kg | 160x320x0,6 cm | 42 | 215,04 mq |
| | | | | | 162x324x0,6 cm | 42 | 220,45 mq |
| | | | | | 162x324x1,2 cm | 22 | 112,64 mq |
| | | | | | 162x324x2,0 cm | 12 | 62,99 mq |
| | | | | | 159x324x2,0 cm | 12 | 61,82 mq |
| 162x324<br>159x324 | **Bundles**<br>Only from Verona warehouse | TRAP | - | 30-40kg | 160x320x0,6 cm | - | - |
| | | | | | 162x324x0,6 cm | - | - |
| | | | | | 162x324x1,2 cm | 18 | 94,50 mq |
| | | | | | 162x324x2,0 cm | 12 | 63,00 mq |
| | | | | | 159x324x2,0 cm | 12 | 61,82 mq |

* **"Leggera" Crate** - Cassa "Leggera" - Caisse "Leggera" - Holzkiste "Leggera" - Cajones "Leggera" - Лёгкий ящик

| | 20' Container - Container 20 piedi - Conteneur 20' - 20' Container - Contenedor de 20 pies - 20' Контейнер 5,90x2,32x2,35(h) m |
|---|---|
| **1200x2400** | nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400<br>+ 2 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400 |
| **1200x1200** | nr. 12 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200<br>+ 5 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x1200 |
| **1200x2780** | nr. 6 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780 |
| **1200x2780** | nr. 11 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780<br>+ 2 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780 |
| **1200x2780**<br>**Pack in Lframe** | nr. 3 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each)<br>(+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm) |
| **1600x3200** | nr. 5 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200<br>(+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120 cm) |
| **1600x3200** | nr. 3 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200<br>(+ 4 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm) |

| | 40' Container - Container 40 piedi - Conteneur 40' - 40' Container - Contenedor de 40 Pies - 40' Контейнер 11,90x2,32x2,35(h) m |
|---|---|
| **1200x2400** | nr. 12 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400 |
| **1200x2400** | nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400<br>+ 4 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2400 |
| **1200x1200** | nr. 27 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200 |
| **1200x2780** | nr. 12 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780 |
| **1200x2780** | nr. 21 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780<br>+ 4 stands - cavalletti - stands - chevalets - Anzahl A-Böcke - caballetes - количество опор 1200x2780 |
| **1200x2780**<br>**Pack in Lframe** | nr. 9 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each)<br>(+ 5 spaces - spazi - places - Leerzeichen - espacios - пробелов 80cmx120cm) |
| **1600x3200** | nr. 15 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200 |
| **1600x3200** | nr. 9 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200 |

| | Truck, maximum loadable weight - Camion, peso massimo caricabile - Camion, poids maximum chargeable<br>LKW maximal ladbares Gewicht - Camión, peso máximo cargable - Грузовик, максимальная загрузка | 30 Ton. |
|---|---|---|
| **1200x2400** | nr. 25 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2400 | |
| **1200x1200** | nr. 24 crates - casse - crates - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x1200 | |
| **1200x2780** | nr. 20 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1200x2780 | |
| **1200x2780**<br>**Pack in Lframe** | nr. 12 L-frames (max up to 10 Atlas Concorde Pack 1200x2780, each) | |
| **1600x3200** | nr. 15 crates - casse - caisses - Anzahl Holzboxen - cajas - количество ящиков 1600x3200 | |
| **1600x3200** | nr. 9 stands - cavalletti - chevalets - Anzahl A-Böcke - caballetes - количество опор 1600x3200 | |

**The quantities loaded must take into account the weight (in order not to exceed the maximum weight limits).** - Il calcolo deve tenere conto del peso (in modo da non eccedere i limiti di portata). - Le calcul doit prendre en compte le poids (afin de ne pas dépasser les limites). - Die Verpackunsanzahl muss für das Gesamtgewicht berücksichtigt werden. - El cálculo debe tener en cuenta el peso (para no exceder los límites de capacidad). - Необходимо учитывать общий вес (во избежание его превышения).

# General conditions of sale

EDITION 4.1, ISSUED 03/11/2025

**1. FINALISATION OF THE CONTRACT**

**1.1. Every sales contract is governed by the main Conditions of Sale set out below.** Under no circumstances shall the Seller be bound by any General Contract Terms of the Purchaser, even if they are referred to or incorporated in orders or any other document sent to the Seller, unless the latter has specifically agreed to them in writing.

**1.2. The sales contract shall be considered finalised when: (i) the Purchaser receives the Seller's written confirmation of the order; (ii) if the confirmation sent by the Seller contains conditions that differ from the Order received from the Purchaser, when the latter accepts it in writing; (iii) if the Seller does not provide a written confirmation, when the Products are delivered and loaded by the Purchaser and/or the carrier assigned to collect them.**

**1.3. The Purchaser is in agreement regarding the need to restrict its sales of the Seller's Products to the country within which it, the Purchaser, is based.** The Seller considers this rule essential in order to coordinate its sales policy and rationalise its distribution network, with offers better tailored to each country's needs. The Purchaser acknowledges that this rule is also in its own best interests. **The Purchaser therefore undertakes to market the Products supplied by Ceramiche Atlas Concorde SpA only in its country of residence, refraining from promoting active sales, including online, with customers located in the territory of a country other than its own.** For triangular deals, this undertaking shall apply to the country for which the goods are actually destined. The Purchaser shall only resell the product outside its territory with written authorisation from the Seller, except for sales concerning non-first grade or discontinued Products.

**1.4.** In cases of force majeure, the Party affected by the event shall be relieved of its contractual obligations and of the consequences of its default (penalties, compensation for damages). Force majeure shall be construed as the occurrence of an event or circumstance ("Force Majeure Event") that prevents one Party from fulfilling one or more contractual obligations, if, and to the extent to which, the Party under the impediment ("the Affected Party") demonstrates: a) that the impediment is beyond its reasonable control; b) that it could not reasonably have been foreseen at the time of signing of the contract; and c) that the effects of the impediment could not reasonably have been avoided or overcome by the Affected Party. The Party affected by the Force Majeure Event shall notify the other Party in a timely manner in writing.

**1.5.** The Parties agree that should the performance of the sales contract become disproportionately burdensome for the Seller due to price increases or other extraordinary events beyond its control and not foreseeable at the time of signing, the latter may request the renegotiation of the contract in order to restore its original fair balance, or its termination.
Examples of such non-foreseeable extraordinary events include significant changes in the prices of raw materials or utilities, wars, natural disasters, etc. The Seller shall notify the other Party of the event which has occurred and its intention to implement the clause without delay, also providing proof of the event's existence and impact. The Parties undertake to cooperate in good faith to find a solution which allows the contract to be continued on fair terms or, if this is impossible, to proceed to terminate it.

**2. SHIPPING AND DELIVERY TERMS**

**2.1.** Unless otherwise agreed in the confirmation of order, Products shall be delivered ex-works.

**2.2.** Unless specifically requested and agreed prior to the Confirmation of Order, the Seller does not guarantee that orders for any single article are all shipped from the same production lot.

**2.3.** Delivery terms are guideline and any extension of them shall not entitle the Purchaser to claim compensation, under any circumstances.

**2.4**. If the Purchaser fails to collect the goods within 14 (fourteen) days after the date of the notice that they are ready, the Seller will be forced for reasons of space to return the goods to the storage facilities, thereby incurring additional costs; the Seller specifically reserves the right to charge these additional costs to the Purchaser.

For "custom", i.e. bespoke, products under the "ATLAS CONCORDE HABITAT" brand only, the Purchaser is granted 40 days from notification that the goods are ready to arrange collection of the product. If the Purchaser fails to collect the goods within 40 days, the Seller shall hold the product at the Purchaser's disposal for a further 20 days, after which the contract shall be considered rescinded and the Seller shall be entitled to a penalty in compensation for the damages incurred, set hereby as equal to the price of sale of the product; the Purchaser specifically waives all right to request reduction of this sum.

**2.5. The Purchaser shall instruct the carrier to inspect the Products prior to loading and any objections concerning the state of the packaging and any discrepancies between the quantities loaded and those entered in the transport document shall be made at the time of loading and entered in all copies of the transport document. If no such entries are made, the Products loaded shall be considered to be undamaged and complete.**

**2.6. The Purchaser shall also instruct the carrier to check that the vehicle is suitable for the load in view of the nature of the Products, and to ensure that the goods are correctly loaded and stable, to prevent any breakages in transit and to comply with all safety provisions concerning the roadworthiness of the vehicle.**

**2.7.** Directive 2006/112/EC lays down that a company which sells goods with destination inside the European Union to another company established in a Member State is not obliged to apply VAT; however, Implementing Regulation 2018/1912 requires the seller company to provide proof of receipt of the goods in the country of destination, to be obtained within 90 days after delivery. Under the aforesaid regulations, the Seller will bill goods with destination inside the EU to Purchasers established in an EU Member State without applying VAT, but will request its Purchasers to provide their full cooperation and in all cases to sign the Declaration of Receipt of the goods by the specified deadlines. In the event that the Purchaser fails to return the signed Declaration within 90 days after the sale, the Seller will have no option but to charge it VAT at the rate in force in Italy at the time, calculated on the value of the goods sold and the relative secondary charges. Kindly note that Ceramiche Atlas Concorde sends the request to sign the aforesaid Declaration via the Adobe Sign digital signature system, and the Purchaser is required to add its signature by this means.

**3. PRODUCT CHARACTERISTICS**

**3.1.** The Seller declares that the Products comply with the applicable Italian and EU regulations for their sector.

**3.2. The Seller only guarantees the technical characteristics published on its website in the Technical Sheet document** (at the links https://www.atlasconcorde.com/en/download-area and https://www.atlasplan.com/en/download/).

**3.3.** The intended use stated by the Seller is always purely guideline, since **the Purchaser is always responsible for assessing the product's suitability for the specific conditions of use, considering the stresses and variables which may occur in the intended location and affect its characteristics,** such as intensity and type of a traffic (e.g. foot traffic with sand and debris present), any adverse weather conditions and any other situation to which the material may actually be exposed. **Any intended use different from and/or not compatible with the Seller's recommendations stated in its General Catalogues available at https://www.atlasconcorde.com/en/download-area, or the specific conditions of use, shall in no way constitute a defect in the product's quality and/or conformity, and therefore no conventional and/or legal warranty shall apply.**

**3.4.** Any illustrations and/or images of the Products which appear in the Seller's websites, brochures, catalogues, price lists or similar documents are purely guideline and illustrative. Similarly, samples and models only provide guidance concerning the Products' characteristics and are not binding on the Seller unless specifically referred to in the order confirmation as essential characteristics and/or qualities of the product. **Sales are therefore made "by Sample Type" and not "by Sample".**

**4. CLAIMS AND WARRANTY FOR FAULTS**

**4.1. Upon receipt of the Products, the Purchaser shall check them thoroughly, including the packaging,** by means of a visual inspection carried out in accordance with point 9 of the UNI EN ISO 10545-2 standards. Approval inspection of the tiled surface prior to installation consists of a visual examination (with the naked eye or with glasses if usually worn) of the surface from a distance of 1.0 metres vertically to it, or a tactile examination if necessary.

**4.2.** While the acceptability limits enforced by the EN 14411 (ISO 13006) international standard shall apply in all cases, the Parties accept as Identifiable Faults those Product defects immediately visible on receipt of the goods which make the material unfit for purpose or significantly reduce its value, including, for example:

- surface defects;
- defects in decoration (drips, stains, mixing of colours, nonconformity of colour shade, etc.);
- dimensional defects (working size, flatness, thickness, perpendicularity-straightness of edges);
- structural defects (cracks, chips, etc.).

Hidden Faults shall include, for example:

- cracks at right angles to edges or crazing after installation ("flaking") not due to incorrect cutting and installation after sale;
- tendency to stain, i.e. Products which retain dirt at an abnormal rate and are difficult to clean, not due to incorrect installation and/or maintenance;
- defects in shine, i.e. Products which with grazing light reflect the light differently to those next to them, said effect being unintentional and not identifiable by visual and/or tactile inspection.

**4.3. The Seller's warranty shall only apply if faults and defects are due to the product's manufacturing process and shall be completely void if they arise from the post-delivery processing of the product,** defined as, for example, any shaping, drilling and cutting of tiles or slabs and/or any activity necessary for their use and, in the event that defects occur even though both installation and processing are performed in strict compliance with the recommendations regarding the procedures to be adopted before and during installation provided in the document containing guidance on Installation, Use, Cleaning and Maintenance on the Seller's website (https://www.atlasconcorde.com/en/download-area, "Technical Sheets" section) and with good practice.
Guidance on the Installation, Use and Maintenance of "Atlas Plan" brand products can be requested directly from the Seller or downloaded using the QR code on the label affixed to the Product.

**4.4. The warranty is limited only to first grade Products and shall only apply on condition that Identifiable Faults in the goods are reported with 8 (eight) days after delivery, while Hidden Faults must be reported within 8 (eight) days after discovery and the relative right expires one year after delivery.**

**4.5.** In the event that the Purchaser detects Identifiable Faults, the whole lot of material must be kept at the Seller's disposal.

**4.6.** If it is confirmed that the Product has Identifiable Faults, as defined in point 4.2, **the Seller shall replace the faulty Product with another one with the same or superior characteristics; should this not be possible, the Seller shall apply an appropriate price reduction. As an alternative, the Purchaser may return the faulty Products and shall then be entitled to a refund of the price paid plus the transport cost, with no compensation for any other direct and/or indirect damage.**

**4.7.** The Seller's warranty shall be void if Products all or some of which are affected by Identifiable Faults have been installed and/or used and/or transformed in any way. **In this case, the Purchaser's action (i.e. the installation and/or use and/or transformation) shall constitute acceptance of the Product "as is"; the Seller shall therefore not accept claims for Products that have already been installed and/or transformed and/or used, as this constitutes implicit acceptance of the Product.**

**4.8.** If it is confirmed that the Product has Hidden Faults, as defined in point 4.2, **the Seller's warranty shall be limited to replacement of the material with another one with the same or superior characteristics, or if this is not possible to refund of the price paid plus freight costs. In all cases, the Seller's warranty for any direct and/or indirect damage in any way caused by the faulty product shall be limited to an amount that shall not be greater than twice the selling price charged by the Seller, in relation only to those goods which are faulty.**

**4.9.** In the event that the Purchaser resells the Product to parties who enjoy safeguards under consumer protection legislation (in Italy, Decree Law no. 206/2005), the Purchaser shall be responsible for the conditions applied, if different from those stated herein, and shall ensure that the consumer is able to exercise their rights in accordance with the remedies and terms established by the said legislation. If there are the grounds for the Purchaser to exercise the right of recourse and/or to make a claim against the Seller/manufacturer, the said action shall be subject to the exemptions and limits contained in points 3.2 to 4.8. and points and 4.10., 4.11. and 4.12. herein.

**4.10.** Before handling the Products, the Purchaser shall check the packaging for damage and verify its strength. **For specific types of packaging** (for example, "Packaging for one or more slabs", such as the "Atlas Concorde Pack" or "EasyPack") **the Purchaser shall comply strictly with the instructions and precautions for handling and use marked on the said packaging and provided on the website at https://lc.cx/dzwelC.**
The Seller does not accept any liability arising from failure to comply with the instructions and/or warnings, or for nonconforming use.

**4.11. "Packaging for one or more slabs"**, such as the "Atlas Concorde Pack" or "EasyPack", **must only be used for the Seller's Products.**

**4.12. Products must be used and handled in accordance with the Seller's instructions and all applicable regulations, especially those regarding safety.**
Using and/or processing and/or handling the Products without due care and/or incorrectly and/or without adopting the necessary precautions may cause serious personal injury and/or damage to property.

**5. PAYMENTS**

**5.1. The Purchaser shall not suspend or delay payment for the material of which it has taken delivery for any reason, including claimed faults or defects in the material, except naturally for the right to request sums it can show that it has paid unduly.**

**5.2.** For all legal intents and purposes the payment shall only be made to the Seller's registered office, except with specific written authorisation.

**5.3.** Sums due to the Seller shall not be written off against claimed credits which are not agreed to and/or specifically recognised in writing.

**6. CONTRACT LANGUAGE, APPLICABLE LAW, JURISDICTION AND AUTHORITY**

**6.1.** The Contract and these Conditions are drafted in Italian, and in case of discrepancies with translations into other languages the Italian text shall prevail. The Italian text is available at the following link: https://www.atlasconcorde.com/it/condizioni-generali-di-vendita.

**6.2.** Any disputes relating in any way to the supply of products shall be subject to Italian law and the jurisdiction of the Italian State.

**6.3.** The Law Court of Modena shall have sole territorial authority for the settlement of any dispute relating in any way to the supply of products, with all others excluded.

The Purchaser hereby confirms that the above general conditions have been negotiated with the Seller and declares that it has specifically read and approved those relating to the procedures for the finalisation of the contract (point 1.3.), claims and warranty for faults (points 4.6 and 4.8.), payments (point 5.1.) and contract language, applicable law, jurisdiction and authority (point 6.3.).

*The General Sales Conditions (GSC) are subject to updates and/or amendments; it is therefore necessary to check on our website (**www.atlasconcorde.com**) and/or on the order confirmation for the updated version of the GSC in force from time to time.*

FR-DE-ES-RU

# Condizioni generali di vendita

REV. 4.1. DEL 03/11/2025

**1. MODALITA' DI CONCLUSIONE DEL CONTRATTO**

**1.1. Ogni contratto di vendita è disciplinato dalle seguenti principali Condizioni Generali.** In nessun caso il Venditore sarà vincolato da eventuali Condizioni Generali di contratto dell'Acquirente, neanche qualora esse siano richiamate o riportate negli ordini o in qualsiasi altra documentazione trasmessa al Venditore, salvo il caso in cui quest'ultimo le abbia espressamente accettate per iscritto.

**1.2. La vendita dovrà ritenersi conclusa nel momento in cui: (i) l'Acquirente riceva una conferma scritta dal Venditore conforme all'ordine; (ii) in caso di conferma inviata dal Venditore contenente condizioni difformi dall'Ordine ricevuto dall'Acquirente quando questi l'accetti per iscritto; (iii) in assenza di conferma scritta da parte del Venditore, nel momento in cui i Prodotti saranno consegnati e caricati dall'Acquirente e/o al vettore incaricato del ritiro.**

**1.3. L'Acquirente condivide l'esigenza di limitare al territorio nazionale le vendite di Prodotti del Venditore.** Il Venditore ritiene questa regola elemento indispensabile per permettergli di coordinare la sua politica commerciale e razionalizzare la rete distributiva, con offerte più orientate alle necessità dei singoli Paesi. Parimenti, l'Acquirente riconosce che tale esigenza costituisce una tutela anche dei propri interessi. **L'Acquirente si obbliga quindi a commercializzare i Prodotti forniti da Ceramiche Atlas Concorde SpA esclusivamente nel suo Paese di residenza, astenendosi dal promuovere vendite attive, anche online, con clienti situati nel territorio di uno Stato diverso dal proprio.** Per le operazioni triangolari il presente obbligo si applica al Paese di effettiva destinazione finale della merce. L'Acquirente potrà rivendere il prodotto al di fuori dal proprio territorio nel caso in cui riceva autorizzazione per iscritto da parte del Venditore, o nel caso in cui la rivendita riguardi Prodotti non di prima scelta, oppure Prodotti fuori produzione.

**1.4.** Nei casi di forza maggiore, la Parte che subisce l'evento sarà esonerata dall'obbligo di adempiere la sua obbligazione contrattuale e non subirà le conseguenze dell'inadempimento (penali, risarcimento danni). Costituisce forza maggiore il verificarsi di un evento o circostanza ("Evento di Forza Maggiore") che impedisce ad una Parte di eseguire una o più obbligazioni contrattuali, se e nella misura in cui la Parte che subisce l'impedimento ("la Parte Interessata") prova: a) che l'impedimento è fuori dal suo ragionevole controllo; e b) che esso non avrebbe ragionevolmente potuto essere previsto al momento della conclusione del contratto; e c) che gli effetti dell'impedimento non avrebbero potuto essere ragionevolmente evitati o superati dalla Parte Interessata.
La Parte che subisce l'Evento di Forza Maggiore deve darne tempestiva comunicazione scritta alla controparte.

**1.5.** Le Parti convengono che, qualora l'esecuzione del contratto di vendita diventi eccessivamente onerosa per il Venditore a causa di aumenti di costi o altri eventi straordinari e imprevedibili al momento della stipula del contratto, e che tali eventi siano al di fuori del controllo del Venditore, quest'ultimo potrà richiedere la rinegoziazione del contratto, al fine di ripristinare l'equilibrio contrattuale originario, o la risoluzione dello stesso.
A tal fine, si considerano eventi straordinari e imprevedibili, a titolo esemplificativo e non esaustivo, le seguenti circostanze: variazioni significative dei prezzi di materie prime, variazioni significative dei prezzi delle utenze, eventi bellici, catastrofi naturali, ecc. Il Venditore dovrà tempestivamente comunicare all'altra Parte l'evento sopravvenuto e la propria intenzione di avvalersi della clausola, fornendo prova dell'esistenza e dell'impatto dell'evento. Le Parti si impegnano a collaborare lealmente per trovare una soluzione che consenta la prosecuzione del contratto a condizioni eque, ovvero, in caso di impossibilità, a procedere alla risoluzione del contratto.

**2. RESA E TERMINI DI SPEDIZIONE E CONSEGNA**

**2.1.** Salvo patto contrario, che dovrà risultare dalla conferma dell'ordine, la fornitura dei Prodotti deve intendersi Franco Fabbrica del Venditore (resa "Ex Works").

**2.2.** Salvo specifiche richieste da concordare prima della Conferma d'Ordine, il Venditore non garantisce che l'ordine del singolo articolo venga evaso tutto con un medesimo lotto di produzione.

**2.3.** I termini di consegna sono da intendersi indicativi e la proroga di essi non può far maturare all'Acquirente alcun diritto a richiedere indennizzi, ogni eccezione rimossa.

**2.4.** Se, trascorsi 14 (quattordici) giorni dalla data di avviso di merce pronta, l'Acquirente non ritira il materiale, il Venditore sarà costretto per ragioni di spazio a riportare il materiale a magazzino sostenendo costi supplementari; il Venditore si riserva espressamente di addebitare tali costi all'Acquirente.
Limitatamente ai Prodotti "fuori standard", quindi prodotti su misura, a marchio "ATLAS CONCORDE HABITAT", l'Acquirente ha tempo 40 giorni dall'avviso di merce pronta per provvedere al ritiro del prodotto; trascorsi 40 giorni senza l'avvenuto ritiro da parte dell'Acquirente, il Venditore manterrà il prodotto ancora a disposizione dell'Acquirente per un ulteriore periodo di 20 giorni, trascorsi inutilmente i quali il contratto si intenderà risolto, con diritto del Venditore al risarcimento dei danni quantificati fin da ora, a titolo di penale, nell'importo del prezzo di vendita del prodotto, con espressa rinuncia dell'Acquirente a chiederne la riduzione.

**2.5. È compito dell'Acquirente incaricare il vettore di controllare i Prodotti prima del carico ed eventuali osservazioni relative all'integrità degli imballi ed alla corrispondenza delle quantità caricate a quelle indicate nel documento di trasporto dovranno essere segnalate all'atto del carico e riportate su tutte le copie del documento di trasporto; in assenza di tali annotazioni i Prodotti caricati si intendono integri e completi.**

**2.6. È altresì responsabilità dell'Acquirente incaricare il vettore di verificare che il mezzo sia idoneo al carico in relazione alla natura dei Prodotti e di verificare le modalità e la stabilità del carico affinché durante il trasporto non si verifichino rotture, ed affinché siano rispettate tutte le disposizioni di sicurezza riguardante la circolazione stradale dell'automezzo.**

**2.7.** La Direttiva 2006/112/CE stabilisce che l'azienda che venda beni aventi destinazione all'interno dell'Unione Europea ad un'altra azienda con sede in uno Stato membro non sia tenuta all'applicazione dell'IVA; allo stesso tempo, però, il Regolamento di esecuzione UE 2018/1912, richiede all'azienda cedente la prova dell'avvenuta ricezione dei beni nel Paese di destinazione che deve essere ottenuta entro 90 giorni dalla consegna. Il Venditore, in conformità alle normative sopracitate, fatturerà agli Acquirenti aventi sede in uno Stato membro UE la merce destinata all'interno della UE senza applicazione di IVA, chiedendo però ai propri Acquirenti la massima collaborazione e, dunque, la sottoscrizione della Dichiarazione di avvenuta ricezione delle merci entro i termini previsti. Qualora l'Acquirente non restituisse entro 90 giorni dalla vendita la Dichiarazione firmata, il Venditore sarà costretto a riaddebitargli l'IVA tempo per tempo vigente in Italia calcolata sul valore della merce ceduta e sui relativi oneri accessori. Si ricorda che la richiesta di firma della Dichiarazione sopraindicata viene inviata da Ceramiche Atlas Concorde Spa tramite il sistema di firma elettronica di AdobeSign, e l'Acquirente è tenuto ad applicare la propria firma utilizzando tale modalità.

**3. CARATTERISTICHE DEI PRODOTTI**

**3.1.** Il Venditore dichiara che i Prodotti sono conformi alle norme italiane e comunitarie di settore ad essi applicabili.

**3.2. Il Venditore garantisce soltanto le caratteristiche tecniche pubblicate sul sito internet nel documento: Schede Tecniche** (ai link https://www.atlasconcorde.com/it/download-area e https://www.atlasplan.com/it/download/).

**3.3.** L'indicazione d'uso proposta dal Venditore è comunque da ritenersi indicativa perché **è sempre compito dell'Acquirente valutare l'idoneità del prodotto alle condizioni specifiche di utilizzo in funzione delle sollecitazioni e delle variabili che si possono verificare nell'ambiente di destinazione alterandone le sue caratteristiche,** a titolo d'esempio, all'intensità del traffico, alla qualità del traffico (calpestio in presenza di sabbia, di detriti...), alle eventuali condizioni climatiche avverse e a qualsiasi altra situazione concreta a cui può essere esposto il materiale. **Una destinazione d'uso diversa e/o non compatibile con le indicazioni del Venditore specificate sui suoi Cataloghi Generali presenti al seguente link** https://www.atlasconcorde.com/it/download-area, ovvero con le condizioni specifiche di utilizzo, n**on potranno in alcun modo integrare un difetto di qualità e/o di conformità del prodotto, con conseguente esclusione di qualsiasi garanzia convenzionale e/o legale.**

**3.4.** Le rappresentazioni e/o immagini riguardanti i Prodotti riportate in siti internet, brochure, cataloghi, listini prezzi o documenti similari del Venditore hanno valore indicativo ed illustrativo. Allo stesso modo i campioni e modelli rappresentano solo indicativamente le caratteristiche dei Prodotti e non hanno valore impegnativo per il Venditore se non nella misura in cui siano espressamente menzionati nella conferma d'ordine come caratteristiche e/o qualità essenziali del prodotto. **La vendita si intende quindi effettuata "su Tipo di Campione", e non "su Campione".**

**4. RECLAMI E GARANZIA PER VIZI**

**4.1. Al ricevimento dei Prodotti, l'Acquirente dovrà sottoporli ad accurato controllo, ivi compreso l'imballo,** attraverso un esame visivo effettuato conformemente alle indicazioni riportate al punto 9 delle norme UNI EN ISO 10545-2. Il collaudo della superficie piastrellata prima della posa consiste in un esame visivo (ad occhio nudo o con occhiali se normalmente indossati) della superficie da una distanza di 1,0 metri in posizione verticale, ovvero in un esame tattile, ove necessario.

**4.2.** Fatti salvi i limiti di accettabilità previsti dalla norma internazionale EN 14411 (ISO 13006), le Parti riconoscono come Vizi Palesi i difetti dei Prodotti riscontrabili già al momento del loro ricevimento tali da rendere il materiale inidoneo all'uso o da diminuirne in modo apprezzabile il valore, a titolo esemplificativo e non esaustivo:

- difetti superficiali;
- difetti di decorazione (gocce, macchie, toni mescolati, fuori tono...etc.);
- difetti dimensionali (calibro, planarità, spessore, ortogonalità-rettilineità degli spigoli);
- difetti strutturali (crepe, sbeccature...etc.).

Vengono invece identificati quali Vizi Occulti, a titolo esemplificativo e non esaustivo:

- crepe ortogonali ai bordi o crepe superficiali dopo l'installazione ("esfoliazione"), non attribuibili ad una scorretta attività di taglio e posa successive alla vendita;
- macchiabilità, ossia Prodotti che trattengono in modo anomalo lo sporco e risultano essere di difficile pulibilità, non attribuibile ad una scorretta installazione e/o manutenzione;
- differenze di brillantezza, ossia Prodotti che in condizione di luce radente riflettono la luce in modo differente rispetto a quelli adiacenti, il cui effetto non era voluto e non era riscontrabile all'esame visivo e/o tattile.

**4.3. La garanzia del Venditore viene prestata solo nel caso in cui i vizi e difetti siano imputabili al processo di fabbricazione del prodotto ma è da ritenersi del tutto esclusa se derivante dalla lavorazione del prodotto stesso** intendendosi per tale, a titolo non esaustivo, qualsiasi attività di sagomatura, foratura e taglio delle piastrelle o delle lastre e/o qualsiasi attività necessaria alla loro utilizzazione, salvo che tanto la posa quanto la lavorazione avvengano attenendosi scrupolosamente alle raccomandazioni inerenti le attività da svolgere prima e durante la posa in opera indicate nel documento relativo ai suggerimenti di Posa, Uso, Pulizia e Manutenzione contenuto nel sito del Venditore al seguente link (https://www.atlasconcorde.com/it/download-area, sezione "Schede Tecniche") nonché alla regola d'arte e, nonostante ciò, i vizi si manifestino.
I suggerimenti di Posa, Uso e Manutenzione dei prodotti a marchio "Atlas Plan" potranno essere richiesti direttamente al Venditore o scaricati attraverso il QR code indicato sull'etichetta presente sul Prodotto.

**4.4. La garanzia è limitata ai soli Prodotti di prima scelta, e, a pena di decadenza dalla garanzia, i Vizi Palesi della merce devono essere denunciati entro 8 (otto) giorni dalla consegna, mentre i Vizi Occulti devono essere denunciati entro 8 (otto) giorni dalla scoperta, e la relativa azione si prescrive in un anno dalla consegna.**

**4.5.** Nel caso l'Acquirente rilevi Vizi Palesi dovrà tenere a disposizione del Venditore l'intera partita di materiale.

**4.6.** Nel caso risulti accertato che il Prodotto manifesti **Vizi Palesi**, come definiti al punto 4.2., **il Venditore provvederà alla sostituzione del Prodotto difettoso con altro avente caratteristiche pari o superiori, o nel caso ciò non sia possibile ad una congrua riduzione del prezzo. In alternativa l'Acquirente avrà diritto, previa restituzione dei Prodotti viziati, al rimborso del prezzo pagato, maggiorato del costo del trasporto, con esclusione del risarcimento di ogni altro danno diretto e/o indiretto.**

**4.7.** La garanzia del Venditore deve ritenersi esclusa nel caso in cui il Prodotto affetto da Vizi Palesi (in tutto o in parte) sia stato posato e/o utilizzato e/o comunque trasformato. **In tal caso il comportamento dell'Acquirente (ossia la posa e/o l'utilizzo e/o la trasformazione) costituisce accettazione del Prodotto nello stato in cui si trova; il Venditore pertanto non accetta reclami per Prodotti già installati e/o trasformati e/o utilizzati, costituendo questo implicita accettazione del Prodotto.**

**4.8.** Nel caso risulti accertato che il Prodotto manifesti **Vizi Occulti**, come definiti al punto 4.2., **la garanzia del Venditore è limitata alla sostituzione del materiale con altro avente caratteristiche pari o superiori, e ove ciò non sia possibile al rimborso del prezzo pagato maggiorato del costo del trasporto. In ogni caso la garanzia del Venditore per ogni danno diretto e/o indiretto comunque originato dal prodotto difettoso, deve intendersi limitata ad una somma che non potrà superare il doppio del prezzo di vendita applicato dal Venditore in relazione alla sola parte della fornitura difettosa.**

**4.9.** Nel caso l'Acquirente rivenda il Prodotto a soggetti tutelati dal codice del consumo (d.l. n.206/2005) sarà responsabile delle condizioni praticate se difformi da quelle qui riportate e dovrà accertarsi che i diritti del consumatore siano esercitati nel rispetto dei rimedi e dei termini fissati da tale codice. Nel caso sussistano i presupposti, il diritto di regresso e/o comunque di rivalsa spettanti all'Acquirente verso il Venditore/produttore non potrà eccedere le esenzioni ed i limiti come fissati dai p.ti che vanno dal 3.2. al 4.8. e ai p.ti 4.10., 4.11. e 4.12..

**4.10.** Prima di movimentare i Prodotti l'Acquirente dovrà verificare l'integrità dell'imballaggio e la sua tenuta. **Per particolari tipologie di imballo** (ad esempio gli "Elementi per l'imballaggio di almeno una lastra", quali l'imballaggio "Atlas Concorde Pack", oppure l'imballaggio "EasyPack") **l'Acquirente dovrà attenersi scrupolosamente alle istruzioni ed avvertenze per la movimentazione e l'utilizzo riportate sullo stesso e sul sito internet al link https://lc.cx/dzwelC.** Il Venditore non risponde di eventuali danni dovuti al mancato rispetto delle istruzioni, e/o avvertenze, ovvero da un utilizzo non conforme.

**4.11. L'utilizzo degli imballi "Elementi per l'imballaggio di almeno una lastra"**, quali l'imballaggio "Atlas Concorde Pack", oppure l'imballaggio "EasyPack", **è riservato esclusivamente ai Prodotti del Venditore.**

**4.12. L'utilizzo e la movimentazione dei Prodotti deve avvenire nel rispetto delle istruzioni del Venditore e di tutte le normative applicabili, con particolare riguardo a quella sulla sicurezza.** L'utilizzo e/o la lavorazione e/o la movimentazione incauti e/o scorretti e/o senza adottare le necessarie precauzioni e/o misure di sicurezza può causare gravi danni a persone e\o cose.

**5. PAGAMENTI**

**5.1. Per nessun motivo, ivi compresi pretesi vizi o difetti del materiale, l'Acquirente potrà sospendere o ritardare il pagamento del materiale ritirato, salva naturalmente la facoltà di richiedere quanto possa dimostrare di avere indebitamente pagato.**

**5.2.** Ad ogni effetto di legge il pagamento deve avvenire solo ed esclusivamente presso la sede del Venditore, salvo espressa deroga scritta.

**5.3.** È esclusa la compensazione di quanto dovuto al Venditore con asseriti crediti contestati e/o non espressamente riconosciuti per iscritto.

**6. LINGUA DEL CONTRATTO, LEGGE APPLICABILE, GIURISDIZIONE E COMPETENZA**

**6.1.** Il Contratto e le presenti Condizioni sono redatti in lingua Italiana, la quale prevarrà nel caso di divergenza con la traduzione in altre lingue.

**6.2.** La definizione di qualsiasi controversia comunque relativa alle forniture è soggetta alla legge e alla giurisdizione dello Stato Italiano.

**6.3.** La competenza territoriale per la definizione di qualsiasi controversia comunque relativa alle forniture viene devoluta in via esclusiva al Tribunale di Modena, con esclusione di ogni altro.

L'Acquirente conferma che le condizioni generali sopra riportate sono state negoziate con il Venditore e dichiara di averle lette e di approvare specificatamente quelle relative alle modalità di conclusione del contratto (sub 1.3.), ai reclami e garanzia per vizi (sub 4.6. e 4.8.), ai pagamenti (sub 5.1.) ed alla lingua del contratto, legge applicabile, giurisdizione e competenza (sub 6.3.).

*Le Condizioni Generali di Vendita (CGDV) sono soggette ad aggiornamenti e/o modifiche; è pertanto necessario verificare sul nostro sito (**www.atlasconcorde.com**) e/o sulla conferma d'ordine la versione aggiornata delle CGDV in vigore tempo per tempo.*



INDEX

PRODUCT FINDER

SURFACE RANGE

COMPANY

COLLECTIONS

LARGE SIZES

SLABS FOR COUNTERTOPS & FURNITURE

FURNITURE

FACADES

TECHNICAL SPECIFICATIONS

# Notes

**Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications.**
Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones -
Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

**Colours and optical features of the materials illustrated in this catalogue are to be regarded as mere indications.**
I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

**For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.**
Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

**Ceramic products can have slight variations in tone. Check with the sales representative for the possibility of combining production lots, formats, decorations and special pieces.**
Il prodotto ceramico può essere leggermente variabile in termini di toni. Verificare con il referente commerciale l'abbinabilità sia tra i lotti produttivi che tra i formati e i decori o i pezzi speciali. - Le produit céramique peut légèrement différer sur l'aspect de la couleur. Vérifier avec le référent commercial que l'assortiment soit entre les lots de fabrication qu'entre les formats et les décors ou les pièces spéciales - Im keramischen Produkt sind Abweichungen von Farbton möglich. Wenden Sie sich bitte an den Verkaufsleiter, um zu überprüfen, wie man die verschiedenen Posten, Formate, Dekore oder Spezialteile miteinander kombinieren kann - El producto cerámico puede variar levemente en lo que respecta a los tonos. Consulte con el representante de ventas la combinación entre los lotes producidos y entre los formatos y las decoraciones o las piezas especiales - Керамические изделия разных партий могут слегка отличаться по тону. Проверьте вместе с торговым представителем сочетаемость с изделиями других партий, а также с форматами, декоративными или специальными элементами.

**The production sizes of special pieces in porcelain tiles may vary from the nominal sizes provided for in current standards (ISO 13006 - EN 14411 Annex G) for non-modular tiles.**
Le dimensioni di fabbricazione dei pezzi speciali in gres porcellanato possono derogare dalle dimensioni nominali previste dalle normative vigenti (ISO 13006 - EN 14411 appendice G) per le piastrelle non modulari. - Les dimensions de fabrication des pièces spéciales en grès cérame peuvent déroger aux dimensions nominales prévues par les règlements en vigueur (ISO 13006 - EN 14411 annexe G) pour les carreaux non modulaires. | Die Produktionsmaße der Formteile aus Feinsteinzeug können für die nicht modularen Fliesenformate von den Sollmaßen der geltenden Normen (ISO 13006 - EN 14411 Anhang G) abweichen. - Los tamaños de fabricación de las piezas especiales de gres porcelánico pueden ser diferentes de las dimensiones nominales previstas por las normas vigentes (ISO 13006 - EN 14411 apéndice G) para las baldosas no modulares. - Производственные размеры специальных элементов из керамогранита могут отклоняться от номинальных размеров, предусмотренных действующими стандартами (ISO 13006 - EN 14411, Приложение G) для немодульных плиток.

**The actual dimensions of the special pieces and the smaller pieces obtained by cutting porcelain tiles could deviate from the tolerances in the catalog, which instead for the rectified formats are guaranteed by Atlas Concorde.**
Le dimensioni reali dei pezzi speciali e dei sottoformati ottenuti da tagli in gres porcellanato potrebbero derogare rispetto alla tolleranze presenti a catalogo garantite da Atlas Concorde sui formati rettificati. - Les dimensions réelles des pièces spéciales et des sous formats obtenus à partir des coupes en grès cérame pourraient varier par rapport aux tolérances présentes au catalogue garanties par Atlas Concorde sur les formats rectifiés. - Die tatsächlichen Abmessungen der Formstücke und der geschnittenen Unterformate aus Feinsteinzeug können von den im Katalog genannten, von Atlas Concorde für rektifizierte Formate garantierten Toleranzen abweichen. - Las dimensiones reales de las piezas especiales y de los subformatos obtenidos por cortes de gres porcelánico, podrían no cumplir con las tolerancias indicadas en el catálogo, garantizadas por Atlas Concorde para los formatos rectificados. - Фактические размеры специальных элементов и подформатов, полученных путем разрезания керамогранита, могут отклоняться от допусков, указанных в каталоге и гарантируемых компанией Atlas Concorde для ретифицированных форматов.

**Copyright 2026 by Ceramiche Atlas Concorde S.p.A - The reproduction of the work, fully or in part, is strictly forbidden.**
Copyright 2026 by Ceramiche Atlas Concorde S.p.A - È vietata la riproduzione, anche parziale, dell'opera in tutte le sue forme.
Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Toute reproduction, même partielle, de l'œuvre dans toutes ses formes est interdite.
Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Die Reproduktion, ganz oder teilweise, des Werkes in all seinen Formen ist verboten
Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Está prohibida la reproducción, incluso parcial, de la obra en todas sus formas.
Copyright 2026 by Ceramiche Atlas Concorde S.p.A - Запрещается любое полное или частичное воспроизведение данной работы.

January 2026





INDEX
PRODUCT FINDER
SURFACE RANGE
COMPANY
COLLECTIONS
LARGE SIZES
SLABS FOR COUNTERTOPS & FURNITURE
FURNITURE
FACADES
TECHNICAL SPECIFICATIONS

atlas concorde

atlasconcorde.com